

REDUCTION

OF THE

METEOROLOGICAL OBSERVATIONS

MADE AT THE

ROYAL HORTICULTURAL GARDENS

CHISWICK

IN

THE YEARS 1826_1869


BY JAMES GLAISHER, F.R.S. &c.

A SUPPLEMENT TO VOL. II. OF THE JOURNAL OF THE
ROYAL HORTICULTURAL SOCIETY OF LONDON, NEW SERIES

Frinted by

SPOTTISWOODE & CO., NEW-STREET SQUARE, LONDON

1871



CONTENTS.

					PA	GE
TEMPERATURE.	•					
Date of Commencement of Regular Observations						3
Observations: by whom made						3
Subjects of Observation: Times of Record .						3
Definite Times to which the Observations hav	e bee	n ref	erred	$_{ m in}$	the	
Reduction						3
Importance of determining the Average Temperate	ure of	every	Day			4
Instruments employed: their Position						4
Examination of Discordant Records						4
Process of Reduction					. 4	, 5
Corrections for Diurnal Range						5
Daily Corrections for Application to the Means of	Maxir	num a	and M	Iinim	um	
Temperatures		•				6
Further Examination of Discordances						7
Formation of the Probable Mean Daily Temperatu	are				•	7
Arrangement of Tables of Mean Daily Temperatur	e.					7
Total Number of Observations treated				. •		7
Tables I. to XII. Mean Temperature of every Da	y, and	Extr	emes	of Me	ean	
Temperature for every Day in each Month duri	ing the	e Yea	rs 182	2 6–1 8	69.	
	_					
Large Differences between Values on Consecutive						9
Method of Deducing the most Probable Temperat					the	
Year		٠		_	•	9
Law of Change of Temperature during the Year					•	9
Table XIII. Adopted Mean Temperature of every					,	11
Table XIV. Mean Temperature of every Month						10
1826–1869						13
Number of Times for Occurrence of Coldest and Ho	ottest.	Mont.	nry T	empe		1.4
tures in Different Months	•	•	•	•	-	14
Monthly Mean Temperatures	•			•		14

Table XV. Mean Temperature of every Year, 1826-1869	GE 14
Mean Temperature of the Year; and instances of Highest and Lowest Mean Yearly Temperatures	15
EXCESS OR DEFICIENCY ABOVE OR BELOW THE AVERAGE THE MEAN TEMPERATURE OF EVERY DAY, MONTH, A YEAR.	
Tables XVI. to XXVII. Excess or Defect of Temperature on every Day in each Month during the Years 1826-1869.	
Method of forming the Tables of Excess or Deficiency of Temperature of	
every Day	
ž v	.9
Instances of Months in which the Daily Temperatures have been always, or almost always, above or below the Average	, 9
Table XXVIII. Greatest Daily Excess or Deficiency in each Month of the Years 1826–1869	
Extreme Departures of Temperature from the Average in each Month in	١
•	,2
Effect of Extremes of Temperature upon Vegetation	2
Periods which particularly require the Attention of the Horticulturist .	3
List of lengthened Periods of Excess and Deficiency of Temperature in the	
forty-four Years	
Largest Periods of Excess and Deficiency of Temperature in each Month .	
Table XXIX. Departure above or below the Temperature of each Month	
in each Year	
Indication in the Table of somewhat Warmer Winter Months, and somewhat Colder Summer Months than formerly	1
•	
	, '
Groups of Warm and Cold Years	,
	1
DAILY RANGES OF TEMPERATURE ON EVERY DAY OF THE YEAR.	1
Tables XXX. to XLI. Ranges of Temperature on every Day in each Month during the Years 1826-1869.	
Conditions under which Animal Life is best Preserved	
Injurious Effect upon Plants of great Alternations of Temperature	
Long Series of Observations required for the determination of the Average Daily Range of Temperature in every Season	

			GE
C	tinuous Record of Maximum and Minimum Temperatures at Chisw	ick	
	since 1826	٠	35
V	iation in the Amount of the Diurnal Range of Temperature at differ	$_{ m ent}$	
	Seasons	٠	36
- 1	narkable Instances of Large and Small Ranges in different Years.	•	36
T	oular Statement of the Amount of Variation of the Mean Mont	hly	O #
	Diurnal Range of Temperature	•	37
	nual Law of Daily Range of Temperature	•	37
	iation of the Mean Daily Range of Temperature in each Month .	•	37
1	le XLII. Greatest and Least Ranges of Temperature in every Mon		90
T	during the Years 1826–1869	,	39
1)	le XLIII. Mean Range of Temperature of every Month during Years 1826–1869		41
п		,	
D	le XLIV. Mean Range of Temperature of every Day in the Year	42,	43
1	MILL DATE OF DATE		
	THE FALL OF RAIN.		
	cription of the Rain-gauge	47,	48
(1	duation of the Measuring Glass		48
Is	t Step in the Investigation		48
10.	les I. to XII., containing Daily Falls of Rain in each Month during	the	
	Years 1826–1869.		
]ri	ods of long-continued Absence of Rain		49
Ju	meration of the longest Intervals without Rain		4 9
lst	ances of long-continued Rain		50
Ista	ances of a Rain-fall of an Inch in a Day in the forty-four Years .	50,	51
(ea	atest and Least Monthly Falls for each Month, January-Decemb	er,	
	during the period		51
bl	e XIII. Monthly Fall of Rain in forty-four Years (1826-18	369	
	inclusive)	52,	53
b]	le XIV. Sums of every Fall of Rain in every Day of the Year	in	
	forty-four Years (1826-1869 inclusive)	54,	55
m	parison of the Monthly Averages of the Rain-fall at Chiswick a	ınd	
	Greenwich		56
	parison of the Yearly Rain-falls at Chiswick with those at Greenwi		~ 17
	in the Years 1826–1869	56,	57
iri	ation in the Daily Sums of the Rain-fall in each Month as shown		50
	Table XIV.	•	58
ca	viest and Lightest Falls of Rain as referred to Months and Days.		58

Formation of Five-day Periods of Rain-fall; their Variation	in	each	
Month		5	59
Table XV. Sum of Rain-fall in Five-day Periods			60
Table XVI. Sum of Rain-fall in Ten-day Periods			61
Remarks upon Differences between Sums of Rain-fall in	Ten	-day	
Periods		67	62
Coincidence in Date of the Driest and Wettest Decades with those			
by Greenwich Observations			
Table XVII. Sum of Rain-fall in Fifteen-day Periods			
Large Differences occasionally found between the Numbers in the			
day Periods			
Sums of the Rain-fall in Periods of Thirty, Sixty, Ninety,			
Hundred and Twenty Days successively			33
Collection of the several Periods of Least and Heaviest Falls .			14
Average Daily Rain-fall in each Month		64	5
Average Falls of Rain by Periods			5
Annual March of the Fall of Rain as Deduced from the Mean Cu	rve	: its	4
Correspondence with the Result as found at Greenwich .			6
	4		

ON THE

DAY, MONTH, AND YEAR

FROM ALL

THERMOMETRICAL OBSERVATIONS


TAKEN AT THE

HORTICULTURAL GARDENS

AT

CHISWICK

'ROM THE BEGINNING OF 1826 TO THE END OF 1869



TEMPERATURE.

by t 28th of February in the year 1825, the Garden Committee of he lyal Horticultural Society resolved that it was expedient that a lete ological Journal should be kept at Chiswick in the gardens of he {ziety; and observations were commenced on the 1st of May, but om he difficulties experienced in obtaining efficient instruments and the ircumstances the observations to the end of the year were not onsired to be sufficiently perfect for publication.

Fri the 1st day of January 1826 to the 31st day of December 1869, ower, the observations were made upon one uniform plan throughat; Il June 1830 by Mr. William Beattie Booth, A.L.S., and from that ate, with but few exceptions which are not specified, by Mr. tobe Thompson, under-gardener in the fruit department.

The observations during the whole of this period of 44 years have een ade at three different times in the day, designated in the journals smaing, noon, and night; and included the readings of the barometer, empature of the air and either a Daniell's hygrometer or a wettenedall termometer as well as maximum and minimum temperatures in olar and terrestrial readings, fall of rain, direction and strength of the wind by estimation, and brief notes.

Thmorning observations are stated to have been made at 6 o'clock the summer months, and at daybreak in the winter months; the servation was made between noon and 1 p.m., and the night best ation between the hours of 9 p.m. and 10 p.m.

In the reduction of the observations I have considered the morning benation to have been made at 6 o'clock A.M. in the months of April Agust; at 6.30 A.M. in the months of March, September and betor; at 7 A.M. in the months of February and November; and at A.M. in the months of January and December; that the noon observations are been made midway between noon and 1 P.M., and the night been ations at 9.30 P.M. throughout the year.

Coldering that temperature is the most important meteorological lem t bearing upon all animal and vegetable life, and also considering that the science of open-air horticulture needs a full knowledge of the

extremes and means of climatic temperature; the horticultust had to contend with so great a difference in the distribution of toperature at the same season in different years, that it is of the first inported to determine accurately the average of temperature of every ay independent year, with the extremes to which it is liable. It is known the the stature of the animal economy takes place when the ment extrature of the air is that of the average of the season, and the greatest at the greatest, either above or below that average; and there in ode that the same general law affects all vegetation in a similar man and that the effect follows the cause after an interval of time these considerations which induced me to confine my first reaction this long series of observations to temperature alone.

The instruments used were:-

A Daniell's hygrometer, and maximum and minimum thenom of Rutherford's construction made by Newman. (These thenom were placed in an open spot in the Arboretum, screened from the of the sun and sheltered from radiation by a kind of umbrell of cloth; they were attached to the northern side of the post vich ported the umbrella, and are four feet above the ground.—See age Vol. vii. Trans. Hort. Soc.)

There is no record of change of instruments. The scale sed that of Fahrenheit, except in the years 1835, 1836, and 1837, her centigrade scale was used.

Till the year 1844 there are no MSS, observations, but the bee tions are published in extenso in the Transactions of to R Horticultural Society. From the year 1845 the observation are MSS.

The first process in the reduction of the observations wa day day, to see that the several thermometrical observations in he were less than the maximum and greater than the minimum and note all discordant readings.

The second step was to examine these discordant readings for purpose all the observations made at the Royal Observatory, Grand on that day were consulted, for readings taken at about the sate tire and to determine the general course of increasing and decrease readings, and amount of change. A great many errors we to found, principally in the readings of the minimum thermometer.

The third process was to take the daily sums and means of te the observations of morning, noon, and night temperatures, for a supproximation of mean daily temperature.

The fourth was to take the daily sums and means of the nxim and minimum temperatures, for a second approximation to make the daily temperature.

The h was to take the daily differences between the maximum and temperatures, for daily range. Next to deduce from each of roximate true mean daily values, by the application of rect is as calculated from my Tables of Diurnal Range.

The rrections to be applied to the mean of the three daily observans v e as follows (dependent on the time of the year, the times of serva m, and the daily range of temperature):—

							0			0	
In Ja	3 ry	when	the	${\rm daily}$	range	was		the correction $$	was		subtractive
,			,,		,,		30	,,		0.7	٠, ٠
,, Fe	ıary		,,		,,		7	,,		0.1	additive
33			,,		,,		36	,,		0.4	,,
, M	h		,,		,,		1	,,		0.1	,,
33			,,		,,		10	,,		0.7	19
97			22		,,		20	,,		1.4	,,
33			2 *		,,		30	,,		2.0	11
" A			,,		3.7		1	,,		0.1	, ,
37			3 4		,,		10	**		0.7	, ,
33			,,		11		20	,,		1.3	,,
33			, ,		,,		30	,,		1.9	,,
35			1.9		9.7		40	9.9		2.5	,,
,, M			,,		,,		2	,,		0.1	,,
17:			,,		"		20	,,		0.6	,,
39			,,		* 9		30	**		0.8	,,
" J			,,		,,		10	,,		0.1	,,
33			,,		,,		40	,,		0.4	,,
,, J			,,		,,		6	~ ₁ ,		0.1	,,
AV.			,,		11		4()	,,		0.6	, ,,
" A u	st		,,		,,		1	,,		0.1	,,
33			2.2		,,		10	1,9		0.4	,,
33			,,		,,		20	,,		0.7	,,
-			,,		,,		30	"		1.1	19
"	,		,,		,,		40	,,		1.2	,,
" £ .e	mber	r	23		23		2	٠,		0.1	,,
33 9:			,,*		,,		10	*,		0.5	,,
33 95			,,		,,		20	,,		1.1	,,
3 91			3 1		,,		30	,,		1.7	"
1 1			,,		,,		40	,,		2.2	29
" OF	er		,,		"		1	,,		0.1	,,
" ,	1.7		,,		"		40	"		0.6	,,
	and I	Dec.	,,		"		1	,,			subtractive
39		,,	,,		"		30	,,		0.4	,,

hes corrections were applied daily to the mean of the three daily ser tions to determine the true mean daily temperature throughout to be times, excepting the three years when the centigrade scale ortunately used. I say unfortunately, for the observations were added to the whole degree only, and thus the error of reading was thy as large as 1° Fah. A mean correction belonging to each

month was thought sufficient during these three years. he need to process was to apply a correction daily to the mean of the axim and minimum temperatures, dependent upon the time of deduce from these a second approximation to the true men determinent temperature, and which corrections are as follows:—

the d

g forty in the status

and

-								
Enom	January	1	4.	January	17	the correction	0	
	•	8			22		0.2	
"	"	23	"	February	5	"	0.3	,
,,	February	6	,,	v	18	**	0.4	2:
"	,,	19	,,	,,	25	25 '	0.5	,
"	"	26	22	,, March	1	"	0.6	,
,,	March	2	"	35	4	3 3 Ja: 2 3	0.7	,
"	,,	5	"	"	8	"	0.8	31
,,	,,	9	"	"	13	"	0.9	,
,,	"	14	,,	,,	16	,,	1.0	5
11	,,	17	37	"	22	,,	1.1	23
,,	,,	23	"	"	29	"	1.2	23
,,	99	30	"	April	5	"	1.3	21
	April	6	"	,,	12	"	1.4	21
,,	,,	13	"	,,	19	"	1.5	,,
,,	,,	20	,,	May	1	,,	1.6	,
11	May	2	"	,,	30	11	1.7	,,
,,	"	31	,,	June	30	. ,,	1.8	,,
,,	July	1	,,	July	25	,,	1.9	,,
,,	,,	26	,,	August	8	"	1.8	91,
,,	August	9	,,	"	21	"	1.7	1.7
,,	,,	22	,,	39	29	,,	1.6	, ,,
2.7	,,	30	,,	September	5	,,	1.5	,,
,,	September	6	,,	1)	11	"	1.4	,,
,,	,,	12	,,	,,	19	,,	1.3	,,
,,	,,	20	,,	,,,	28	33	1.2	,,
,,	,,	29	,,	October	10	,,	1.1	93
,,	October	11	"	"	20	**	1.0	29
33	,,	21	,,	,,	26	,,	0.9	21
"	"	27	,,	,,,	31	"	0.8	"
"	November	1	,,	November	3	,,	0.7	"
,,	,,	4	,,	,,	8	"	0.6	22
"	,,	9	,,	,,,	13	99	0.5	"
99	,,	14	,,	,,	17	19	0.4	"
"	**	18	"	"	23	19	0.3	"
,,	", T	24	"	December	1	"	0.2	,,
,,	December	2	"	"	11	,,	0.1	22
,,	22	12	99	"	24	,,	0.0	,,
,,	,,	25	,,	,,	31	99	0.1	"

By the application of these numbers a second mean daily temeratu was formed.

The next process was to compare the daily results deduced for the three observations with that found from the maximum and raimum

te eratures—the two results should be alike, or nearly so; and when the was not the case, to note all instances of discordance.

nen to examine a second time all Greenwich records on those days, to ace the source of discordance; the errors thus found were mostly by aging to the morning or noon observations.

he last step was to combine the results found by the two methods to ther, for the determination of the most probable mean temperature of very day, as found from all the observations taken that day, and in

tl way Tables I. to XII. were formed.

he numbers in the first column are the days of the month, those in the following forty-four are the mean temperatures of the same day of the month in the successive years; the forty-sixth column contains the note note in temperature of every day, as deduced from the forty-four years or vations, and each value, therefore, is based upon about 220 observons, spread equally over the period. The remaining columns contain thighest and lowest mean daily temperatures within the periods, a the last column the difference between them.

he numbers in the bottom line are the means of all the numbers in columns above them, and therefore are the mean temperatures of en month; each result is based upon 150 observations nearly; the vole number of observations treated of in this paper exceed 80,000.




TABLE I. Mean Temperature of every day in the month of January, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; and extremes of Mean Temperature for every day within the same period.

1				-	-														J	AN	U A	RY	7.															OF 44	La Mean	OWEST AND DAILY T IN 44 Y	HIGHES EMPERAT	TINGS THE	THE TE DAY
1826 1827	1828 18	829 183	30 1831	1832	1833	1834	1835 1	1836	1837	1838 1	839 1	840 18	41 184:	2 184	3 1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	854 1	855 18	356 18	857 18	58 185	9 1 860	1861	1862	1863 186	1865	1866 18	67 1	868 1 869	MEANS	Lowest	Year	Highest	Year	питwве Соприя Нотти
41.0 41.6	43.5 4	13.1 32.	3 36.6	26.9	36.9	40.0	43.3	25.3	26.2	45.1	43.9	50·0 4	6 34·6	33.8	33.2	39.2	36.6	32-2	35.5	30·5	27.8	52.4	30.2	50.0	25.6 4	9·3 4	î·8 4	7·1 36	3·1 41·7	7 49.8	35.9	34.2	48.4 28	4 28.8	38.6 28	5.9	29.5 37.9	37.5	25.3	1836	52.4	1851	27.1
37:5 84:7	39-4 3	88.0 33.	0 37.0	30.6	44.0	36.6	40.5	23.4	26.4	44.6	44.3	15.7 8	7:7 33:1	31.5	28.8	34.7	30.8	31.4	42.7	24.5	83.3	49.5	35.6	48:5	22.9 4	7.8 4	3.0 4	2.7 38	3.6 34.2	2 48.3	27.2	37.2	43.5 25	9 27.9	43.5	0.9	30.0 43.1	36.5		1867			29.6
34:3 22:9	41.3 3	39·2 35·	0 38.6	29.4	39.2	47.6	34.3	25.3	35.8	38.8	45.0	12.8 3:	2:3 30:0	30.		33.8	1 000			27:3			39.6	1		6.1 4	4.0 4	4.5 35	5.9 34.9	5 49.7	23.0	35.8	40.9 24	9 33.4	44.3 2	1.9	29.0 46.1	36.5	ď	1867			27.8
350 24-9	36.3 4	10.2 35	·5 36·S	29.5	35.1	45.2	32.0	46.8	35.6				0.8 31.5								1										1	35.7	42.9 26	9 42.7	47.5 10	0.9	29.2 43.7	37.0	10.9	1667	- 1		36.6
35.0 29.2	34.3 3	34.2 35	5 35.6	32.2	32.5	47.1	32.7	47:7	37.0				8.2 33.3				1		المنتور	التحني						عد النات							41.4 22	1 43.9	44.2 2	3.0	32.6 44.7	36.4	22·1 16·8		1	1844	
57:5 52:5 53:1 41:1	33.1 3	32.3 34	8 33'3	91.9	30.9	48.2	53.9										1		1			النسند					- 1				1 1						31·4 42·2 30·2 45·1		II.	1841		-	
30.2 20.0																				النائن							تدريس						1		43.1 48	5 0 5 4	32:3 50:3	39.1	14.0			1869	
																															1			-	1 1 - 1	1.8	29.9 46.1	-			48.7	1862	29.3
27:5 46:0	31.7 3	34.8 35	2 37.8	47.3	28.7	43.3	42.6	- 1	- 1				5.2 28.	-1										1							15.6	45'3	38.3 36	8 47.0	38.0 40	0.1	31.2 40.9	36.9	15.6	1861	47.5	1853	31.9
27:4 45:9	34.3 3	33.0 33	0 33.6	44.7	33.1	47.6	49.6	34.2	29.3	20.4	45.3	25.7 3	5.4 32.	3 35.	0 38.2	17:3	38.1	27.9	31.4	37.2	30.4	47.3	46.4	46.5	35.1	34.1 2	29.5 4	10.4 40	0.3 44.	7 38.2	26.9	47.0	37.3 38	8 44.8	32.7 3	2.3	31.9 39.0	36.9	20.4	1838	49.6	1835	29.2
74-2 36-3	41.9 3	35.3 31	7 36-3	42.8	35.2	47:1	46.0	31.6	37.2	17.6	44.3	30.5 3	2.7 33.	0 32.	4 39.6	41.5	33.5	32.1	36.7	36.0	30.0	48.6	46.1	49.4	35.4	37.9	31.7 3	35.6 34	4.7 44.	6 38.1	35.3	43.1	37.0 38	8 43.7	31.5 2	5.3	40.1 40.4	37.0	1	1838			- 1
21-9 40-6	46.9 3	3±·3 29·	6 35.4	37-1	39.8						- 1																	- 1		_	_						45.0 37.9		20.2	1		1849	1
							47:1	45.7	35.8									1																3 40.6	49.3 2	2.6	48.4 33.6					1866	
179 350	{ -				~ ~ -		47.3	38.9	34.9	15.0	- 1		5.8 30.						1								_			- 1				9 37.3	44.6 2	7.7	45.2 44.7	36.1	15.0			1852	
:5-1 44:3	35.3 2	29.4 27	7 34.1	32.4	38.0	48.9	41.2	33.4	35.4	25.2	33.3	42.3 4	5.6 38.	g 36.	9 30.2	40.9		1									_										46.6 43.8		19.1			1841	
Jan 201	47.5 2	27.4 22	39.9	36-9	38.9	47:7	34.3	35.4	39.0	26.8	30.4	39.1 4	8.5 33.	6 39.	3 39.2	$\frac{2}{39\cdot 2}$		1	37.9		32.8				47.2												48·2 45·8 45·2 35·9		22.7			1828	
36-1 30-0	52.5 0	27/0 22	9 45.9	35.4	35.9	44.7	33'4	39.6	36.9	17.1	32.3	38'0 4	2.1 31.	0 11	8 41.6	40.0	12.4	30.4	33.4		33.4	1 " 1			41·2 5												42.9 36.3		1	1838			
57 S 29-8	50.7 2	28:3 32	1 49.0	23.7	33.8	13.7	30.4	37.3	33.6	7.7	40.0	16.8 3	0.1 32	0 30.	1 28.6	38.7	15:2	30%	1 20 0	100	000	1 22 2 1	000		0101		نا النائلة			`						_	36.5 33.4		7.7			1828	
															فالتخالف والت	لنسنطني																					36.3 33.3		23.2	1855	50.1	1866	26.9
35.2 24.5	49-2 2	26.9 34	3 47.8	42.0	30.6	48.4	35.4	46.8	48.0	38.2	34.4	45.1 3	7.5 34.	3 40.	2 37.8	3 38-6	49.1	34.0	31.0	44.4	33.5	38.5	30.9	30.0	39.6	27.7 3	$_{39\cdot 1} \mid _{3}$	37.2 33	$3\cdot7 \Big 41\circ$	2 39.7	35.7	41.4	43.8 48	7 28.6	48.4 2	6.6	36.1 32.8	38.3		1827			
364 25-2	47.8 2	22.9 33	1 42.9	36.5	27:3	54.6	39.0	49.6	48.7	31.6	36.3	51.6 3	7.1 32	3 44	6 30.8	42.9	47.0	38.6	32.0	47.5	36.5	35.0	37.3	10.3	40.0	29.4 4	19.2 3	37.8 31	1.8 38.	7 40.8	34.9	38.5	44.8 37	·7 34·0	44.3 4	2.0	33.6 29.1	38.8	22.9	1829	54.6	1834	31.7
34.0 30-2	49-2 2	24.5 36	6 32.2	42:3	30.7	52.5	43.5	44.2	48.9	25:1	40.6	46.6 3	3.1 20.	0 44.	7 35.6	39.4	46.9	42.4	33.3	18.4	34.0	30.6	-12-1	39.6	42.8	$32\cdot 2 \mid 4$	16.9 3	37.6 27	7.7 40:	3 39.0	39.9	48.0	44.4 35	7 34.2	37.5 2.	8.2	34.9 29.8	38.5	24.5	1829	52.5	1834	28.0
239 25.7	46.6 2	25:1 35:	9 29.5	39.6	32.4	46.3	45.7	39.9	43.7	27.1	41.5	13.2 3	1.3 35.	7 45.	7 39.9	40.0	53.3	41.1	29.0	48.0	43.3	35.4	41:3	37-1	37:1	33.6	12.6 3	35.2 31	1.6 48	3 37.0	47.3	38.2	44.6 37	2 32.3	38.3 4	4.1	40.3 33.8	38.8	25.1	1829	23.3	1846	28.2
11-9 30-4	46.1 3	39.1 35	6 28.3	36-9	33.6	51.4	46-0	42.4	40.1	28.8	34.0	44.7 4	ō·5 40·	1 48.	0 38.7	41.0	18.0	4.1.6	24.4	12.8	30.9	36.3	30.7	36.2	39.0	31.1 4	13.3 3	33:4 29	9.5 41.	9 35.2	46.0	32.0	42.7 42	8 33.9	40.4 4	4.1	36.2 40.4			1848			
76 36.4	46.1 3	39.7 35	9 33-6	32.8	37.7	49.2	42.6	44.1	36.9	29.2	31.4	39.3 4	3.6 38.	2 51.	7 44.3	38.9	46.5	14.9	26.1	39.6	31.7	37:6	41.6	36.1	43.9	25.5 3	36.3 2	29.1 32	2.3 45.	1 42.0	16.7	39.2	42.1 45	7 33.0	40.9 5	2.1	37.9 35.6	38.7	H				
3:5 35:3	42.7 3	36.0 34	.9 33.0	34.2	40.5	47.7	39-9	44.6	34.0	32.1	32.2	47.1 3	7.3 34.	1 51%	0 4.4.7	31.3	47.0	38.7	22.9	30.1	41.7	41.6	36.3	39.0	46.0	31.1 3	$\begin{vmatrix} 32 \cdot 9 \end{vmatrix} = 2$	27.8 34	4.1 11.1	32.6	39.9	42.3	45.7 07	28'1	13.9	7.1	38.7 44.0	38.8	23:4	1857	51.7	1843	28.3
36.4 40.8 43.4 59.8	11.0	33.7 33	2 29.5	41.3	39.6	32.5	45.0	38.1	33.4	10.3	32.9	41.7 3	8.6 36.	6 51.	7 45.8	31.3	17.1	33.2	36.7	35.0	42.6	18.1	36.2	39.6	50.5	30.0 2	28.9 2	23.4 40	0.8 44.	1 36.9	35'4	48.7	47:1 31	3 36.6	12:1 4	3.5	42.1 46.9	38.9	26.1	1839	49.2	1854	23.1
44:4 41:8	45:1 2	30.0 00	264	40.8	34'3	41.0	43'3	37.8	39'4	35.3	26.1	35'3 3	8'6 37'	1 48.	$\begin{bmatrix} 42 \cdot 6 \\ 23 \cdot 6 \end{bmatrix}$	30.4	16.8	36.8	13.1	38.4	34.1	40.9	11.2	25:0	19.2	28.7 2	0.8 2	27.1 -17	7-1 39'	6 34.6	42.6	52.2	44.7 35	2 38.3	48.1 3	8.2	48.4 53.2	39.0		1830	- 1		
	101		- 30 2	40.9		4 2.1	41'0	41'1	42.8	33.3	30.1		0.7 41.	9 47.	Z 31'3 	- 31.4	30.0	33.2	3/1	39.8	41'2	78.0			16 2					_						_ -							
92·5 35·7	41.7 3	32-2 32	35.6	36.9	34.9	45.6	38.8	38.0	38.2	28:5	37.6	30.6	4.6 33.	40.	1 38:7	38.9	43.2	34.8	34.4	30.0	33.4	42:1	40.4	42.2	38.7	34.2	8.8	35-9 30	0.1 39.8	8 39.0	32.6	38.2	41.5 34	7 36.1	42.7 3	3.2	37.5 40.6	37.4				-	

Temperature of the coldest day in January in the years 1826 to 1869 was 7°-7, and it took place on the 20th day in the year 1838.

Less Temperature of the hottest day in January in the years 1826 to 1869 was 54°-6, and it took place on the 23rd day in the year 1834.

Extende between these numbers is 46°-9, and it represents the extreme difference between the Mean Temperature of two days in the month of m 44 jears.

The day of the month whose Mean Temperature has been subjected to the greatest difference was the 20th; in the year 1838 its Mean Temperature was 7°.7; and in the year 1828 it was 50°.7; the difference between these numbers is 43°.0.

The day of the month whose Mean Temperature has been subjected to the least difference was the 30th; in the year 1839 its Mean Temperature was 26°.1; and in the year 1854 it was 40°.2; the difference between these numbers is 23°.1.

TABLE II. Mean Temperature of every day in the month of February, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; and extremes of Mean Temperature for every day within the same period.

DAT OF																F	EB	RU	AR	Υ.																A OF 44	MEAN DAII	r and Hi y Tumpe 4 Years	RATURE IV 1
TOUTH	1826 1827 18	828 1	829 183	30 1831	1832	1833 18	334 183	5 183	36 1837	1838	1839	840 18	41 184	2 184	1844	1845	1846	847 18	48 184	9 1850	1851	1852	853 18	185	5 1856	1857	858 189	1860	1861	862 180	63 1864	1865	1866 186	1 868	1 869	MEAN XE	owest	ar High	est Year
ī			- 1						_				_												_									_	48.8	- 11	23.5	30 51	6 1850
. 2				_											1 1													- 1							39.2	· /	20.6 18		
5	49·2 33·2 4 46·2 34·0 4		į.	_		_		_	_					1																				1	1 -		$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		
5	46.7 32.0 4			_	1				_											_				- 1										_		الأراكة	19.9 18		
6													- 1		1		_														1				46.6 4		19.7 18	30 52	5 1854
7	41.7 33.7 4	- 5		- 1				_																				-1					-				25.2 18	41 51	2 1856
\$	37.0 32.3 4		_		1 1		- 1		_									_					_				>	_									26.0 18		
9	35.8 31.3 3 35.5 33.4 3			_	1 1	- 1		_		1 1		_		-1								_			_					_	- 1				47.4	الانتسان	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	100	
10	37.4 32.7 3			1				_																							-				1 1 7		23.5 18		
12	43.0 32.7 3	-			: 1			•	1						_	_									1										, , ,	1	15.8 18		
13	44.9 33.6 3	31-9	14.5 35	0 45.9	37.1	46.5	8.3 42.4	4 37	2 44.1	24.5	40.4	42.3 46	3 44.	30.8	26.7	31.3	38.9	26.1 48	33.	32.9	41.3	36.0	30.6 31	1.3 24.0	48.2	35.8	41.4 43	4 27.2	33.7	6.7 36	8 46.8	27.6	34.6 47.	6 41.0	41.2	37.6	24.0 18	55 48	8 1848
14	46.0 34.3 3	t t													1							1												1			26.4 18	38 50	9 1848
15	47.8 33.8 3																		1						1				1			1				77 7 11	23.8 18		
16	47.7 26.1 3			_	1			_				_			_									_							- 1	1				'	25.2 18		
17	43.2 24.6 3				1 3			- 1						-1	1				1	_			100]	-	48.0 3	"	20·2 18 16·3 18		
10					1										1 1		- 1			1									1			1		`	42.2	1	23.5 18		
20	43.7 30.4 4			- (1									4										- 3												, , ,	23.0 13	55 50	7 1862
21	43.8 34.4 4	45.5	£6·0 41	2 38.3	38.0	42.8 4	0.7 40.1	1 32	5 45.7	34.2	36.2	31.1 4	37.	8 43.9	35.8	31.5	48.5	46.0 3	8.8 45.	2 45.3	41.7	33.2	31.0 4	0.6 22.4	4 33.6	43.7	34.1 45	5 36.1	45.7	13.7 42	29.5	33.2	37.8 47	7 48.6	41.9	39.2	22.4 18	55 48	6 1868
	£7·2 32·1 4	_				_	_	_						_	1				_				_								1	1							_
23	39.3 32.2 4			_				_		_									1					_												11		,	_
24	39·4 35·1 4 47·0 34·2 5		_					_	1						_								_								_			-					
25 26	42.8 45.6 5	,		- 1				_	_							_		_		_										_			- 1			•		_	
27	46.1 49.5 5			5		1													- 1	_					_			t t				1							
28	49.2 45.3 4		_	_		_																										1							
29		47:1			37.2			. 36				35.9			42.3			4	2.8			36.3			. 40.9			35.4			38.9			45.3					
Means	43.9 33.9	42.2	39.9 36	42.9	38.2	43.8	41.2 43.	0 37	7.9 41.1	33.7	40.3	39.1	7.1 41.	2 36.6	36.1	33.0	43.2	35.8 4	3.8 41	0 43.0	39.8	40.0	33.1 3	9.1 28.1	8 41.8	37.8	34.9 41	9 35.3	41.6	41.5 42	35.8	36.7	40.6 45	0 43.5	45.2	39'4			

The Mean Temperature of the coldest day in February in the years 1826 to 1869 was 15°8, and it took place on the 12th day in the year 1845.

The Mean Temperature of the hottest day in February in the years 1826 to 1869 was 56°1, and it took place on the 9th day in the year 1831.

The difference between these numbers is 40°3, and it represents the extreme difference between the Mean Temperature of two days in the month of February in 44 years.

T

The day of the month whose Mean Temperature has been subjected to the greatest difference was the 9th; in the year 1847 its Mean Temperature 21°·1, and in the year 1831 it was 56°·1; the difference between these numbers is 35°·0.

The day of the month whose Mean Temperature has been subjected to the least difference was the 25th; in the year 1358 its Mean Temperature was 31° and in the year 1830 it was 52°·0; the difference between these numbers is 20°·7.

TABLE III. Mean Temperature of every day in the month of March, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years. 1826-1869; and extremes of Mean Temperature for every day within the same period.

																						1	M A	RC	H.																ANS OF 44	MEAN	WEST AND DAILY TE 44 XE	MPERATU	ST IN SER IN LESS OF THE SER IN SER IN LESS OF THE
1826	1827	1828	1829	1830	1831	832	1833 1	1834	1835	1836	5 183	7 183	38 18	59 18	340 18	41 18	842 18	43 18	44 184	5 184	6 184	1848	1849	1850	1851	1852	1853	1854	855	856 185	7 185	8 1859	1860	1861	862 18	363 18	186	5 1 866 1	867	1868 1869	MEANS	Lowest	Year I	Highest	Year Taking
±\$.8	±S-±	\$5.9	32.7	50.2	41-1	39·5	42.2	50.6	35.2	0 44-1	34.5	5 44.	3 44	1.6 3	3·7 30	3:4 4	$\frac{1}{3} \cdot 2 = 3$	3.2 45	9 35	4 5î·	6 35·7	39.6	43.5	16.3	37.8	41.8	32.3	37.5	45.7	0 41.6 43.	5 31.7	7 45.7	39.0	0 44.4	36.9 4	${2\cdot 9}$ 3	9.8 45.0	31.7	38.3	43.9 43.6	41'1	31.7	1858 1866	51.6	1846
50:3	±5·2	÷6·0	34.3	₹8·0	51.5	42.5	43.8	51.2	39.6	46.2	37-0	0 41.	2 48	8-1 30	6.3 41	1.6 4	7.1 3	4.3 44	2 37	5 51.	41-1	41.5	43.5	49.0	36.7	37.6	37.3	37.6	47:1	42.2 45.	6 31.	4 47.7	41.0	45.7	29.7 4	8.6 3	9.3 43.	3 32.3	31.8	49.0 42.2	42.3	29.7	1862	51.5	1831 21
<u>\$</u> 6:9	44·S	45.1	37.5	46.9	50.3	41.0	48.8	49.5	41.7	42.2	38.5	5 41.	0 44	4.3 3	9:0 41	l·6 5	2:1 3	3.8 43	6 34	5 52.	8 36.7	40.0	47.4	45:3	87.9	33:4	83:7	37.2	40.2	40.0 41.	1 31:0	0 51.2	42.3	45.2	32.3 5	2.5 3	8.3 37.	8 34.0	36.8	50.7 36.7	41.8	31.0	1858		1846 21
48.8	43.8	46.0	38.3	41.0	51.8	44.8	48.2	51.4	41.2	45.9	39.9	9 42.	1 40	0.3 3	5.6 39	9.2 4	3.7 3.	3.1 36	27	7 47	7 37-4	39.2	48.2	36.1	42.7	32.0	38.2	38.0	39.4	38.2 43.	0 33.4	5 55.5	42.7	40.1	29.6 4	6.8	8.9 38.	8 35.4	40.6	51.8 34.6	41.3	1	1845	01.0	1831 24
11.1	±1.7	37:9	÷0·1	42.2	49.7	41.2	42.5	53.1	41.9	43.5	41.0	$0 \mid 42^{\cdot}$.6 33	3.0 3	$5.2 \mid 48$	3.4 4	0.9 3	5.6 32	9 26"	3.	39.4	39.8	45.9	38.5	43.8	32.5	44.9	38.7	40.1	39.5 39.	2 34.0	0 51.3	39.4	44.2	35.7 4	9.7 4	3.5 40.	1 32.2	38.9	50.3 45.2	41.0		1845		1834 26
40-5	±5·0	37.0	41.7	43.0	49.5	41.6	40.3	47:7	45.0	42.1	39.9	9 42	8 30	0.0 3	$6.2 \mid 48$	5.7 4	0.2 3	7.2 30	270	0 46.	5 37.4	39.9	43.5	44.2	40.5	35.0	49.3	34.0	38.4	39.0 46.	5 36.3	2 51.6	41.2	47.1	51.8 4	7.2 4	7:0 34:	2 35.4	35.2	44.9 41.9	41.5	<u> </u>		•	1862 24
52-0	46.2	38.6	43.0	38.7	11 ·4	38.1	37.5	50.6	41.7	40.3	38.	5 42	7 30	0.3 3	5.4 51	2.0 4	9.0 3	3.9 30	33.	$3 \mid 42 \cdot$	7 39-7	40.1	46.7	45:1	30.3	39.9	45.7	39.5	35.5	33.5 44.	2 38.0	$0 \mid 52.0$	34.7	46.3	53.5 4	$\begin{bmatrix} 2.7 & 4 \\ 1.7 & 4 \end{bmatrix}$	7.1 35.	2 36.0	33.5	45.3 34.3	41'2	30.3	1839 1839		1862 23 1826 22
55.2	95-1	51.5	43.2	15.6	¥1.0	33'1	25.8	51.2	41.7	38.3	40.6	6 42	3 29	9.8 3	0.0	76 4	0.4 2	0.6 35	-4 34'	3 41.	1 42'4	437	41.7	45'0	41.2	41.6	12.7	54.5	34.9	38'2 37'	8 337	2 30.3	33'7	48'2	19:1 2	$\frac{177}{211}$	2.1 20.	1 39.6	20.1	40.4 39.1	40.6	29.9	1839		1826 28
53.6	39-1	50-4	40.6	50:1	45:7	36-6	36.5	40.0	10.1	44.6	40.0	8 40.	·0 28	3.8 4	5.7 46	5-6 4	3.1 3	7:6 38	01 39	1 43	32.0	47.9	35.4	19.8	37.6	38.5	45:0	48.8	20.9	42.9 34	9 359	6 38·1	31.6	46.4	48.4 3	7.1 3	7-1 34-	1 38.5	38-1	42:4 35:1	40'7	29.9	1855	1	1826 23
±±•3	51.6	50.8	36-9	53.2	45.9	36-4	35.3	46.3	47.1	46.6	40.1	1 40.	4 37	7-9 4	1.3 40	3·5 4	5.1 4	$\frac{1}{2 \cdot 9} \left[\begin{array}{c} 47 \\ 47 \end{array} \right]$	0 33	4 43	6 26.5	42.3	40.3	37.4	39.0	40.1	43.9	49:7	32.7	33.0 34.	0 31.	4 46.9	37.5	42.1	47.7 3	6.6 4	6.1 36.0	6 36.6	38.9	45.5 35.0	41'2	26.5	1847	53.2	1830 2
±3·1	÷9-6	49.0	38-1	51.3	46.6	40.2	32.4	48.2	45.0	45.9	38.	1 39-	-8 41	1.3 4	1.3 47	7.7 4	7.7 4	$6\cdot 2 \mid 39$	1 32	1 39	9 37.0	39.5	49.3	37.4	39.9	38.5	43.2	46.6	39.0	35.3 30.	8 344	8 53.3	38.6	41.2	48.1 3	6.5 4	2.4 37.	8 39.6	33.6	47.3 35.7	41.7	32.1	1845	53.3	1859 21
41:1	50-1	54.6	38.3	46.0	46 -0	42.0	32.3	42:3	43.0	46.2	39-	2 44	-8 45	5.8 4	5.2 40	6.3 4	7.1 4	5·1 38	3.6 20.	3 44.	8 39.3	40.0	49.4	42.9	41.8	40.0	48.9	53.4	39.8	36.1 39.	1 42%	9 51.7	39.2	37.3	47.3 4	3.6 4	6.6 39.	6 38.5	31.3	50.7 35.2	42.6	20.3	1845	54.6	1828 3
±5-0	45.7	52.6	35-2	46.7	42.5	£4·4	35.2	44-7	50.0	45.1	39.0	6 52	5 48	8.9 4	2.9 4.	1-3 4	6.6 5	0.3 43	3.0 25.	8 51	0 39∵	39.1	46.0	42.2	42.4	40.5	42.8	49-8	39.3	36.4 45.	9 44-	7 50.2	39.5	41.6	43.0 4	0.6	9.5 36.	9 33.6	31.6	48.0 35.0	43.0	25.8	1845	52.6	1828 20
÷5·7	41.7	53.9	33.7	43.5	49.0	38.7	37:0	41'6	43.9	43.5	38.	5 43	2 47	7:3 4	2.7 45	7.5 5	50.6	0:7 43	2.5 30.	2 51	4 42.0	43.1	49.8	35.9	38.7	39.6	42.1	48.1	39.6	37.8 43.	3 45	3 45.5	38.4	45.3	43.5 4	1.0	6.4 35.	3 39.7	33.8	43.8 36.0	42.2	30.2	1845		1828 23
55-0	±3°0	55-9	34.3	46*2	55.2	42·6	43.2	43.7	45.5	41.4	37.9	9 42	0 46	6.6 3	9-0 49	9.5 5	i0·8 4	9.2 4/	5.4 27.	3 45	8 50.0	40.3	48.7	36.6	42.9	44.5	37.0	48.7	43.8	44.3 44.	3 510	6 48.9	44.2	39.3	42.3 4	1.0	0.3 35.	3 47.2	31.3	46.3 35.0	43'3		1845	- 1	1828 28
35.7	42.8	53:4	3S-3	49-7	53.0	46.9	37.7	40.9	46.2	49.8	37.	4 39	.8 38	8.7 4	1-6 48	8.9 5	0-1 4	7.2 38	3.1 28.	9 37	5 46.8	39.2	44.1	32.4	40.2	41.0	30.2	30.6	41.9	41.0 44.	3 49-	1 48.7	49.9	38-4	43.0 3	8.5 3	4.4 38.	8 44.4	31.8	46.2 37.0	41'9		1845	53.4	
35.9	35.7	52.3	45.8	51.9	44.9	44-9	38.8	36.4	41.2	52.3	36:	9 40	14 3	3.3 4	2.3 49	9.0 4	6.4 5	0.2 39	9.4 3.4	$4 \mid 35^{\circ}$	9 44.8	42.3	42.9	35.2	44.1	38.2	27.9	43.0	42.1	45.5 51.	7 484	5 42.2	47.6	41.1	42.4 3	$39\cdot2 \mid 3$	8.9 365	8 43.9	32.8	42.4 40.8	41'9	السند	1853		$ \begin{array}{c cccc} 1828 & 24 \\ 1836 & 20 \end{array} $
42-9	4172	±7°2	49.4	50.3	45-9	46.6	36.3	36.6	40.6	52.0	36.	7 42	9 37	7.8 3	9.3 40	$6.3 \mid 4$	3.1 4	7-1 40	3.7 35.	$2\mid 35$	7 48.1	42.1	43.7	42.7	47.3	41.0	31.2	30.3	454	46.3 51.	7 519	5 41.0	46.0	43.0	43.1 4	$\begin{vmatrix} 0.5 \end{vmatrix} 4$	3.7 35.1	0 43.5		42.4 43.4	1	90.8	1885	54.0	1836 25
41'6	59.9	4710	91.6	52.0	90.0	24.7	39.6	37.5	46.8	54.9	321	0 44	2 49	$2.5 \mid 4$	1.1 4	4.1 4	13.3 5	$\frac{2.5}{3}$	9.0 30.	1 33	9 494	42.5	39.3	40.7	49.7	41.7	34.9	38.8	44.8	10.9 44.	8 514	8 46.8	47.1	41.5	35.8 5	00.1 3	9:4 29:	8 39.6		46·5 38·6 50·8 39·7	1	31.5	1837	53.0	1830 21
												9 37	8 48						7:4 38:											42.9 34.									_	48.8 40.4		1	- 1		
89-4	51.4	40-1	44.0	49-8	38.6	46.2	31.8	49.4	13.0	15.1	2 31	5 36	-2 50	0.6 2	0.0 5	0.3 3	17:9 S	1.4 4.	1:3 40	0 40	0 340	49'8	20.5	27.2	46.0	17:4	30.3	10.5	34.0	10.0 36	0 181	3 47-1	40.8	45.8	40.3 5	0.6 3	9-1 34-	7 42.6	51·0	41.1 36.1	42.6	31.5	1837	51.7	1848 20
_						_	_						_			_		_		_	_		_						1											37.4 39.4			1853	53.3	1843 23
						1	_			_	_	_		_								-1							- 1					1						40.6 40.8			1853	54.3	1862 23
										_	-1	_		_		_	-		_	_		_	_		_															48.3 41.3		11:	1853	54.2	1830 22
37:4	45.0	45-9	42.9	54.0	53.8	47.9	30.3	49.7	44.6	41.4	36.	3 43	5 49	9.4 3	7.5	8.0 4	16.3 4	0.5 5:	1.1 53.	3 44	3 50.8	3 49.6	40.4	32.2	50.2	37.2	39.8	43.4	39.6	37.6 44.	7 44	4 50.4	44.0	50.1	50.7 4	6.8 3	7:3 83:	1 49.4	46.3	47.9 85.6	44.4				1830 21
				_								_			_	_	_	_	_	_			1		_		_	- 1											-	44.1 36.7					1842 18
			_			_					_					_	_	_	_	_					_								_					1		42.7 36.4		?			1866 21
				1									_			_	_	_					_	1										1 1						40.4 37.4		ľ			1848 10
走2	+4.7	40.0	38-9	48.8	44.7	46.3	46.6	43.0	50.4	43.5	36.	7 43	3.9 4.	4:5 4	4.4 1	8:5	51-8 6	2.4 4	3.6 47.	8 50	3 34.7	55.9	48.1	40.5	42.4	44.2	48.7	45.5	38.2	41:1 47:	1 54:0	0 34.7	47.7	41.9	48.7 4	5.1 4	4.2 45.0	0 48.9	41.7	45.2 40.8	45'1	34.7	1859	99.9	1848 21
42.5	45/4	45.4	40-9	48.5	46.8	42.7	39.0	45.4	42.8	44.8	37.	0 42	2:3 4	1.6	19.4	6.9 4	15.9 4	3.8 4	36.	9 44	1 41%	43.8	43.1	39.7	43.1	41.0	38.6	44.0	38.4	39.5 42.	6 42%	3 46.6	41.8	13.7	439 4	4.7	36.8	8 41.1	38.6	45.4 38.1	42'4			I	

Men Temperature of the coldest day in March in the years 1826 to 1869 was 20°3, and it took place on the 13th day in the year 1846.

Men Temperature of the hottest day in March in the years 1826 to 1869 was 56°3, and it took place on the 29th day in the year 1866.

The difference between these numbers is 36°0, and it represents the extreme difference between the Mean Temperature of two days in the month of March

The day of the menth whose Mean Temperature has been subjected to the greatest difference was the 13th; in the year 1846 its Mean Temperature was 20°3; and in the year 1828 it was 54°6; the difference between these numbers is 34°3.

The day of the menth whose Mean Temperature has been subjected to the least difference was the 80th; in the year 1859 its Mean Temperature was 36°2; and in the year 1848 it was 52°5; the difference between these numbers is 16°3.

TABLE IV. Mean Temperature of every day in the month of April, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; and extremes of Mean Temperature for every day within the same period.

DAY OF																					ΑP	RI	L.																		ARS	Low Mean D	EST AND I ALLY TEME 44 YEAR	KRATHEP P	INDINGIR TOTAL
тне Молтн	(82)	6 182	7 1828	1829	1830	1831	1832	1833	834	835	1836 1	837	1838 1	839 1	840 1	841	842	843 18	44 8	45 18	46 184	7 184	8 184	9 1850	1851	1852	1853	854 18	185	6 185	7 1858	1859 1	860 186	1 1862	1863	864 1	865 186	66 186	7 1868	1869	MEANS	Lowest	Year Hig	ghest Yea	To a provide the
	43.0	0 45	2 o 2 46·1	39.5	37.2	42.8	±6·7	49.1	46.3	54.3	3 S S	39.0	35.0	6 41·3	44.6	6·8	42.8	53.7 48	3·1 48	3.3 5	$\begin{vmatrix} 3 \cdot 2 & 3 \\ 3 \cdot 2 \end{vmatrix}$	9 56.1	47.	5 53.1	48.1	42.5	40.0	51.9	8.4 51.	·8 49·3	39.3	37.7	8 43·	$2 \left \begin{array}{c} \overset{\circ}{52.7} \right $	44.1	44.7	$\begin{array}{c c} 0 & 0 \\ 15.9 & 42 \end{array}$	7 52.8	8 48.2	40 5	45.4	35.0	1838 5	66·1 184	8
1 2	49.8	3 52.	7 42.1	34.7	36.7	42.8	48.3	50.7	49.0	59.7	40.1	41.4	38.4	38.6	47:1	43.0	40.0	53.5 52	2.1 40	6.4 2	0.7 35	2 57.9	46.4	4 52.9	47.6	40.3	47.4	49.8 3	5.6 23.	50.0	43.3	48.2	10.1 44.	0 52.6	45.1	43.2	44.7 43	1 54:6	5 47.9	44.2	46.0	34.7	1829 5	59.7 188	5
3	54.1	1 51:	$2 \stackrel{1}{>} 39 \stackrel{\circ}{\circ}$	40.0	34.6	46.9	52.9	51.5	45.6	55.9	39.7	39.2	41.9	33.2	40.7	43.0	40.4	53.9 54	₽6 49	9.4 4	6.0 38	1 59.0	45%	3 52.8	48.6	39.9	48.9	48.9 4	4.4 49.	6 49.0	52.4	54.0	44.8 45.	7 50.1	47.2	46.0	45·9 43	4 53.7	7 50.8	41.1	46.7	33.2	1839	59.0 184	8
4	54.3	3 51.	$4 \mid 39.5$	48.0	35.0	43.8	54.7	51.4	48.2	52.5	38.2						-			• 1													44-1- 45-								17				
5	53:3	3 53.		002	1			00.0			45.0							-, -															17.7 42.		•	- 1									
6	55.8	3 58.		الكناية ا													1					` }									1		15-4 43-							1	a				
7	55.1	2 55.				التعنية																											50.1 43.						1		•				
8	57.3	$3 \stackrel{1}{\downarrow} 52 \cdot$	6 47.6						1										1														51.7 39.	1 1		1					- ' '				
9	54.7	$7 \mid 54$	7 48.7	43.3	56.4	54.1	46.7	49.2	41.6	57.9	43.2	36.0	42.7	001	-00			12 2 02		`	- ' - '	متنالنا											12.0 39	1 1		, ,	, , , , , , , , , , , , , , , , , , ,				7				
IO	51.1	1 53.	0 45.1	45.2	49.9	52.8	45.8	48.6	40.8	21.1	47.8	33.6	54.0	-	•			38.2 50								1		1					39.5 40.	` _ !				- `		1	•		1		
II	52.6	6 49	8 52.0	49.8	51.1	52.2	46.6	43.2	41.6	43.2	43.7	35'6	57.0	·	21 0	* * *	^^ V	36.7 50	,			V 20 -											40.0 45			V- V .	,			0.2	Ψ-,		1837	59.1 186	9
12	49.0	0 49.	6 55.1	52.6	51.6	26.0	45.6	43.2	40.1	47.3	47.6	37.4	,	100								-		-						1			41.3 51:							1	1, 2	32.1	1862	50.1 18	9
13	52.3	3 49.	0 + 53.2	48.9	48.9	98.1	46'4	46.7	40.2	50.2	20.0	36.9		-00			•				` ' (V V			}								40.7 47.					- 1				30.0	1802	08.1 18	0
14	20.4	o 20.	0 53.6	1		:															1										1		$ \begin{array}{c cccccccccccccccccccccccccccccccc$							1 1	-	22.5	1007	50.0 10	9
15	59.0	0 33.	0 51.0		1		Ŭ- I				45.9				J., J			30 0		_				-				_				1	47.3 49		- {		· - -			1 1	•	20.0	1002	80.2 10	50
10	32"	2 49	50.6				***			*• •		•••		4. -				54.1 5		- 0 0										- f			45.6 49								, ,	36.4	1849	56:5 18	65
17	50	5 49	6 50·4	51.6	55.1	47.5	59.2	41.1	49.7	12.7	10.0	41.7	38.5	51.9	10.5	51.7	4.4-5	55.5 40	0.0 4	5.5 4	4.0 42	0 49	9 90		54.7		55:8	_					46.0 48									38.4	1859	56.8 18	67
10	55:	9 49·	6 51.4	36.0	16.6	10.8	46.5	46.9	59.9	48.0	50.7	41.7	36.7	50.2	45.5	15.0	45.0	51.9 5	2.0	7.1 4	4 2 40 4 7 A 1	3 50	3 35.	0 00 1	1 0 1	1	000	×					38.3 43		I		000	انتا انت	-	التنتال	- T- /	35:3	1849	60.9 18	54
2 20	51.0	9 47	5 484	45.4	51.4	49.6	47:0	45.1	50.2	59.9	50-9	13.0	38.3	13.7	54.9	16.7	49.9	58.5 5	7.5 5	9.4 4	3.0 46	3 51	8 36	6 48.6	55.4	45.1	46:1	63.3 4	8.4 44	6 52	8 52.0	42.8	41.3 42	8 55.7	53:3	56.9	51.4 4	8-0 51-	4 51.9	49.8	40'2	36.6	1849	63.3 18	54
2.1	55"	2 46	2 44.9	51.0	53.6	50.4	50.0	45.9	45.6	52.5	51:3	40.6	39-8	40.0	53.8	46:0	50:8	54.8 5	7.5 5	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	13.5 49	1.9 49.	5 38	4 49.0	54.5	49.4	46.7	59.6 4	2.0 45	55 51	7 56.7	43.0	38.4 40	4 48.9	51.3	58:1	58.7 5	3.7 46.	4 540	6 54.6	40'4	38.4	1849	59.6 18	54
22																																	38.3 47												65
23																																	42.7 45												
2.4																																	37.9 50												
25																																	45.6 50												
26																																	43.4 49												
27																																	42.4 32												
28	39.	0 55	0 60-	3 44.8	60-9	50.6	45.2	50.4	58.4	46.2	44.8	49.3	42.8	51.8	61.1	61.6	58.3	48.0 5	0.5 5	55.5 4	£5·0 50	0.0 43	1 48	0 45.3	3 43.2	53.4	48.2	45.9	47.1 43	3.8 40	0 52.2	49.6	44.9 41	2 55.0	50.7	45.6	58.4 5	8.5 50	8 50	2 57.1	20.1	39.0	1826	61.6	341
29	40.	5 59	.6 66.	0 39.	62.0	55.8	50.0	44.5	57.1	43.7	39.2	50.5	42.7	53:1	60.6	57.2	56.6	50.9 5	0.4	57:5	47.4 48	3.2 43	6 54	6 47.3	3 44.0	55.4	45.2	44.1	45.5 44	4.2	0 51.1	55.4	50.3 40	6 57.5	44.6	52.6	44.5 4	2.9 51	°7 55.	2 47.9	49'9	39.2	1836		
30	44	1 66	0 59.	2 43.	62.1	57.5	53.0	48.3	53.4	47:3	41.4	53.1	48.2	57.2	59.4	55.9	58.5	58.7 5	2.3	6.0	52.6 40	3·1 48	3 55	.7 48.3	3 44.2	56.0	48.4	48.4	15.8 43	3.6 43	8 47.5	44.2	51.5 49	9 58.6	42.4	49.9	41.4 4	1.4 52	57	2 50.8	51.0	41.4	1865 1866	66.0	27
Mean	50.	7 50	1 49	8 46.0	51.1	51.6	49.0	47.2	47.6	49.0	45.6	42.1	44.3	44.7	50.8	48.2	47:6	49.2 5	2.6 4	18.2	17.8 1	5.3 48	3 44	9 49.7	7 46.5	46.8	47.1	49.8	17.0 47	7.7 46	8 48.5	47.6	43.8 44	8 49.4	50.3	49.5	52.8 4	9.5 51	.5 49.	7 51.4	48.5				
,]	1	1	()																			1									1					J					

The Mean Temperature of the coldest day in April in the years 1826 to 1869 was 32°1, and it took place on the 12th day in the year 1862.

The Mean Temperature of the hottest day in April in the years 1826 to 1869 was 66°0, and it took place on the 29th day in the year 1828, also on the 30th day in the year 1827.

The difference between these numbers is 330.9, and it represents the extreme difference between the Mean Temperature of two days in the month of April

The day of the month whose Mean Temperature has been subjected to the greatest difference was the 27th; in the year 1861 its Mean Temperature 32°.4; and in the year 1866 it was 64°.1; the difference between these numbers is 31°.7.

The day of the month whose Mean Temperature has been subjected to the least difference was the 18th; in the year 1859 its Mean Temperature was and in the year 1867 it was 56°.8; the difference between these numbers is 18°.4.

TABLE V. Mean Temperature of every day in the month of May, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; and extremes of Mean Temperature for every day within the same period.

																						M A	AY.																OF 44	Lo Mean	WEST AND DAILY T IN 44 Y	D Highes Temperat Years	EN THE TAND AT DAY
- 2	\$15 18	27 182	8 182	9 1830	1831	1832	1833 1	834 18	835 18	36 18	37 183	8 183	9/1840	1841	1842	1843	1844 1	845 18	846 18	847 18.	48 18.	185	1851	1852	1853	1854	1855	1856 1	857 185	8 1859	1860	1861	8621	863 1864	1865	1866 1	867 1	868 1 869	MEANN	Lowest	Year	Highest	Aeat Diregs Golden
1	F-2 63	4 55	·S 52·1	54.7	54.1	46.2	51.5 5	51.9 4	3.7 40	6.0 54	4.0 55°	·7 57·	9 55.9	58-2	58.2	56.2	51.6	6-1 5	$\begin{vmatrix} \hat{3} \cdot 6 \end{vmatrix} = 0$	0 000 48	2 40	8 42	0 46.9	46.1	53.6	50.0	43.2	39·1	17:0 45:6	5 46.4	53.9	51.6	52·9 -	12·9 56·7	51.8	37.4	52.5	8.2 43.9	0,15	37.4	1866	63:4	1827 26:0
:	1. 5 53	v 54	2 51:0	56.4	53.4	23.5	551 5	56.6 4	7.8 48	814 54	4.3 60	6 61	3 57:3	60:3	53.5	55.5	56.9	$51\cdot 2 = 5$	8.2 4	17:0 49	P0 55	·4 41·	0 46.3	12-4	51.8	51.0	47:3	40.0	17:1 47:7	46.6	51.2	52.8	51:4	18.7 57.8	543	41.3	53.6	57:4 48:9	52'2	40.9	1856	61.3	1839 20:4
11	13.5 50	7 54	7 53-1	516	55·S	52.7	58.6 5	56.7 4	8:9 48	5-4 51	15 58	8 56	4 58:4	46.3	56.9	53:4	516	8.9 6	04 4	53	59	2 50	1 42.6	44:1	51.8	51:9	48.8	43.1	FF0 450	3 48.6	51:7	50.8	18:0	55.0 53.7	60.1	42.6	55:1	52.3 51.7	52'2	42'6	{ 1851 1866	62.3	1868 10.7
- 5	1-9 55	4 54	3 52-1	33.9	53.5	44.3	65.0 6	68:0 4	9:6 48	8.7 48	8.7 55	3 60-	2 56:3	58.9	53.2	55.2	52.7	19:0 5	7.6	17:8 56	62	9 47	5 11.0	45.8	49.2	51.5	40.1	41.8	13:7 47:3	3 49.0	47:7	42.9	63·3 <i>1</i>	57.8 48.3	58.4	43.5	57:6	33.3 42.2	51'8	40.1	1855	68.0	1834 27:9
11	id 5.	5 52	2 551	61-2	76-9	54·S	60.9 6	30.0 3	457 48	8.2 40	6.3 22	1 61	6 58.0	56:2	54.7	51-2	57:1	16:5 5	6.4 4	8.3 57	59 59	1 49	0 45.3	47.7	51.1	48.2	41:1	43:9	11:5 48:3	3 48.7	47.0	45.6	55·1 /	56.5 51.4	62.0	49.6	59.3	18-9 48-9	52.2	43.9	1856	65.1	1862 21.2
1	1 5 50	5 53	1 534	66.4	70.1	59-0	58.1 6	32.7 5	3.2 49	3.8 40	6.8 49	19 561	1 58.0	54.6	52.9	42.2	57:2	5.1 5	1:4 6	0.2 23	0.3 52	6 42	6 41.9	18.3	41.6	51.0	52:1	46.0	15:0 50:3	3 48.8	45.2	44-1	33·1 <i>1</i>	54:7 65:9	56.0	53.5	35.7 4	17:2 55:2	52.9	40.1	1831	66.4	1830 26.3
1	12-9 45	6 54	2 51%	63.4	43-9	62:1	55.9 6	51.6 5	01:1 0:	2.0 50	0.2 58	1 51	7 59.3	56.7	53.2	46.2	58 2 -	13.9 5	5:2 6	70 60	15 46	3 15.	494	51.8	37.9	53:0	51:3	41.1	14.9 44.0	3 67.2	52.1	41.0	57:3 6	54.0 55.4	51.3	53.2	31.8	51.0 55.8	52'4	37-9	1853	64.8	1867 26.9
٥.	10 11 12	-0 72	3 3813	51.0	73.1	96.0	55'2 6	3.0 5	0 - 1 - 10 0 - 1 - 10	0.4 47 0.4 47	7.1 60	.1 .55.	5 50.8	28.9	10.5	41.8	01.2	218 0	0.6 5	0F1 07	17 46	9 11	0 021	59.2	41.4	18.6	43.0	44'3	1714 4717 51.0 51.1) 6454 21.=	65.3	38.4	11.7	19.1 53.8	57.0	553 (37.0	55.8 50.8	52.2	38.4	1861	67.0	1867 28.6
	13 40	0 33°	0 021	3 40.3	25.0	49.0	59.6 5	12.1	5-4 4-	8-9 41	1.7 32	6 47	1 60-8	57-8	10.9	30-6	53-1	17:1 5	5:0 6	1-9 5	31. 10	11 51	0 56:0	51.7	11.6	10:5	53.3	51.0	21.0 20.1 21.0 21.1	1 01.7 5 12.3	50.7	15.2	12.6 6 11.2 3	1216 4514 1216 4514	30'6	50.0	61.6	58.1 52.9	22.3	41.0	1837	65.0	1833 24.0
10	31	-0 58	9 56:1	47.6	49.0	48:3	61:1 6	53-1 5	7:0 5	19 47	7:3 47	.0 17.	1 53.2	62:0	55.2	48-9	56:6	19-3 5	3.3 5	11.3 63	15 44	·2 51	5 54.2	59-1	45.3	40.0	174	65:6	55:0 61:0 55:0 61:0	2 50:1	57:3	15.9	50-8	14.9 40.3	18.9	52:0	54°0 0	57·3 52·8	52.4	41.9	1837	64.6	1867 23.1
Ш	1 49	-2 5S	2 54.8	5 51-7	52.5	44.3	66-1 3	59.2 5	5.6 5	5.9 43	5·7 51·	-9 47	1 51-8	57.3	46:7	56.8	57:2	50.7 5	8.2 5	55-8 62	b2 51	5 50	9 51-3	53.5	40.5	52:0	10.8	53.6	58.8 47.	7 52.3	58.7	19.8	52.6	52·8 48·8	50%	47.6	54.2	58·4 51·3	24.0	40-8	1855	66.1	1833 25-3
	£7-5 56	r6 57	4 554	47.6	54.0	44-7	60·1 a	56.6 5	\$5 57	7:4 47	7.7 16	0 49	7 57.3	55.8	54.3	53.9	60-1	51.8 5	8.1 5	6-2 62	24 53	0 49	5 50·3	56.0	17.8	51.2	43.7	53.2	50.8 52.9	51.1	55.6	42.0	51-1	53.1 56.8	52.8	40.8	47:5	56.9 51.6	23.7	40.8	1866	62:1	1848 21:3
_	15°6 51	-S 5S	·1 55-1	53.6	4S-5	47:4	63.3	58.6 4	S-6 50	5.8 50	0.2 45	.3 40.	1 58.2	52.6	55·S	59.8	57:5	50·4 5	0:6 5	65.8 65	54 56	8 49	6 47.5	51.2	51.2	67.3	45.6	49.5	57·5 5 E	6 51.5	53:7	514 8	50-1	51.4 60.2	49.1	47.0	16.6	59.2 51.2	23.1	40.4	1839	65.4	1848 25.0
	54	9 61	1 60.6	55.6	51.1	46.3	71.0 6	31.0 3	2.9 58	8-6 45	9:5 42	5 410	2 54:2	58.1	564	56.2	50.8	55-8 5	0.8 4	65 65	i·7 56	1 41	8 48.6	54.4	63.9	55.6	45:7	50.6	68:4 65:6	53.7	57:6	58.4	50·3	55-2 61-3	49-4	45.9	45.4	52.0 53.1	54.1	41.2	1839	71.0	1833 29.8
	57 E 59	0 62	3 54-3	3 59.6	56:1	48.1	67°S 5	58.9 5	52.9 58	8:3 48	S-7 41	3 440	0 56.3	60.1	57:1	55:2	51:1	5 1 :4 5	3.6	7:8 65	F3 58	65 47	4 53.3	60.8	58.8	40.7	44.4	52:2	64-4 55-8	3 54.4	53.5	62.7	58-1	55-5 62-9	52:1	48.4	46.6	50.3	55'4	44.0	1839	67.8	1833 23.8
•	5 6	0 61	·5 56·1	63-1	59:3	46.8	70.3 4	19.9 5	7.0 58	S·8 58	8.5 47	2 48	5 53.8	56.4	51:4	52.9	47.6	16.8	9.6	67:6 63	55	9 51	3 54.0	66.9	56.0	52.0	47:5	50.8	59.2 55.3	3 51.1	53:1	48-1	59:3 /	51.8 63.3	51.2	50:9	49.3	58.1 52.8	54.9	46.8	{ 1832 1845	70.3	1833 23.5
	1 56	5 57	·7 55°6	62.1	60·S	49.5	63:2 5	51.0 6	31· 9 5	S-8 4	6.6 48	.0 96.	S 51.3	56.6	51.2	46.9	43.8	18:8 5	3:2 4	58:1 57	1.5 55	rā 541	5 52.4	59-1	56.0	49.2	51.8	50:4	61:3 51:9	53.2	53.6	46.1	60-8	53-1 65-2	52.6	55·8	53.6	55.2	55.I	43.8	1844	65.2	1864 21.4
	51 65	21 58	2 57.6	61.1	59.1	54.6	59.6	53.2	51.2 59	2.0 4:	3.5 53	8 59%	8 49.8	52.4	23.0	51.0	51:1	18:5 5	6.3 9	57:2 51	1:4 56	F9 57	7 50.5	59.5	58.3	40.2	574	54°E	51.6 51.9	57:3	54.6	48.8	60.7	16-6 66-1	56.2	57:1	57·8	71.9 48.0	55.8	43.2	1837	71.9	1868 28.4
22) E	3.5	-7 59-9	59.6	62.0	55.8	59.6	55.6 5	5:2 5	S·3 4-	4.6 53	.8 63.	8 20.3	52.2	54.9	54:3	51.1	19.8 5	$2.0 \mid 5$	55.6 52	2:6 53	13 56	8 52.8	67.8	52.8	57:1	56.8	551	50.7 56%	8 52.8	58:3	60.2	58:7	19-2 64-6	61:7	56.8	58.7	59.5 48.6	56.0	44.6	1837	64.6	1864 20.0
	5	-6 57	0 55	7 5S·S	60-0	60-2	63:3 5	58.8 5	51.6 53	3.8 42	2.6 57	.3 28.	2 17.1	59.4	28.3	51.5	52.9	18.3 5	0.3 4	57.8 60	0.0 20	10 50							56.8 61.0			61.9	52-1	19:1 54:5	69.1	53.1	18.9	58.1 51.1	26.3	42'6	1837	69.1	1865 26.5
										_		_			_						_					_																	1847 22.2
																												_								1	_		, ,				1847 31·1 1841 20·3
								_																															-				1841 20'3 1833 19'9
							_														_																						1855 24.8
												_		1 4			_	_			_				1				4														1841 22.7
							_				_								_		_				1																		1847 31:1
			_						_										_		_	_			1 3															1			1868 21.3
						_	_		_	_	_		_		_	_	_				_	_		_		1												_					{1849 21·7
			_				_		_	_	_	_		1 .	_	_	_		_	_	_	_	_	_	1	1	_						_									_	1858 24:4
	20 1	3-3 57	-3 554	8 57:0	54.6	53-2	61.0	57.8	54:1 5	3.1 45	9.5 53	3 53	2 56.6	58:0	55.0	53:1	53.7	50.2 5	66.7	57:3 50	0.0 55	5·7 61·	0 52.5	52.7	52.5	51.8	19.0	50.6	51.9 53.	53.8	51:3	52.0	56.8	52.0 54.0	50.7	51:1	54.7	58.5 51.5	54'4				
-				1	1					1	1		1								_1_			1											!							Î	

Temperature of the coldest day in May in the years 1826 to 1869 was 37°4, and it took place on the 1st day in the year 1806.

Mean Temperature of the hottest day in May in the years 1826 to 1869 was 74°4, and it took place on the 28th day in the year 1847.

Extends between these numbers is 37°0, and it represents the extreme difference between the Mean Temperature of two days in the month of May # \$1 years.

The day of the month whose Mean Temperature has been subjected to the greatest difference was the 23rd; in the year 1867 its Mean Temperature was 39°8; and in the year 1847 it was 70°9; the difference between these numbers is 31°1.*

The day of the month whose Mean Temperature has been subjected to the least difference was the 11th; in the year 1849 its Mean Temperature was 44°2; and in the year 1848 it was 63°5, the difference between these numbers is 19°3.

* Also the 28th in the year 1860: Mean Temperature 43°3; and in the year 1817 74°4; the difference between these numbers is 31°1.

TABLE IV. Mean Temperature of every day in the month of April, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; and extremes of Mean Temperature for every day within the same period.

DAY OF	APRIL.	or 44	Lowest an Mean Daily Ti 44 Y	EMPERATURE OF	NEWCH THE THE
MONTH	1826 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1849 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 1869	MEANS	Lowest Year	Highest Year	Divers
1 2	$ \begin{vmatrix} 43 \cdot 0 \\ 45 \cdot 2 \end{vmatrix} \begin{vmatrix} 46 \cdot 1 \\ 46 \cdot 1 \end{vmatrix} \begin{vmatrix} 36 \cdot 5 \end{vmatrix} \begin{vmatrix} 36$				+1 (
3 4	$\begin{bmatrix} 54\cdot1 & 51\cdot2 & 39\cdot5 & 40\cdot0 & 34\cdot6 & 46\cdot5 & 52\cdot9 & 51\cdot5 & 45\cdot6 & 55\cdot9 & 39\cdot7 & 39\cdot2 & 41\cdot9 & 33\cdot2 & 40\cdot7 & 43\cdot0 & 40\cdot4 & 53\cdot9 & 54\cdot6 & 49\cdot4 & 49\cdot6 $	' '		59·0 1848 59·1 1848	
5	$\begin{bmatrix} 53.3 & 53.8 & 41.3 & 50.4 & 39.4 & 46.8 & 57.6 & 50.2 & 50.0 & 48.9 & 45.0 & 38.8 & 51.3 & 35.7 & 47.7 & 45.9 & 41.2 & 47.5 & 48.8 & 44.7 & 46.9 & 47.4 & 47.2 & 50.5 & 45.7 & 39.0 & 54.3 & 34.5 & 44.7 & 42.8 & 49.3 & 47.4 & 47.2 & 50.5 & 45.7 & 39.0 & 54.3 & 34.5 & 44.7 & 44.4 & 45.2 & 52.0 & 49.7 & 42.8 & 43.9 & 48.0 & 53.9 & 49.1 & 62.6 & 43.9 & 53.8 & 41.5 & 60.5 & 45.4 & 43.4 & 51.7 & 51.1 & 44.1 & 54.3 & 48.1 & 53.9 & 55.0 & 44.6 & 51.6 & 53.2 & 44.6 & 51.6 & 53.2 & 44.6 & 51.6 & 53.2 & 44.6 & 51.6 & 53.2 & 44.6 & 51.6 & 53.2 & 44.6 & 51.6 & 53.2 & 44.6 & 51.6 & 51.6 & 53.2 & 44.6 & 51.6 & 51.6 & 53.2 & 44.6 & 51.6 & 51.6 & 51.6 & 53.2 & 44.6 & 51.6 $	48.1	34.5 1839	60.5 1859	***
8	$\begin{bmatrix} 55 \cdot 2 & 55 \cdot 2 & 45 \cdot 1 & 44 \cdot 2 & 51 \cdot 4 & 55 \cdot 4 & 45 \cdot 3 & 45 \cdot 6 & 49 \cdot 9 & 50 \cdot 2 & 44 \cdot 2 & 39 \cdot 0 & 47 \cdot 1 & 38 \cdot 7 & 44 \cdot 0 & 45 \cdot 1 & 46 \cdot 8 & 53 \cdot 9 & 47 \cdot 9 & 42 \cdot 9 & 43 \cdot 6 & 49 \cdot 9 & 46 \cdot 8 & 52 \cdot 5 & 41 \cdot 5 & 63 \cdot 0 & 50 \cdot 1 & 43 \cdot 5 & 48 \cdot 4 & 46 \cdot 6 & 45 \cdot 9 & 55 \cdot 3 & 44 \cdot 1 & 50 \cdot 9 & 53 \cdot 7 \\ 57 \cdot 3 & 52 \cdot 6 & 47 \cdot 6 & 43 \cdot 7 & 58 \cdot 0 & 48 \cdot 2 & 46 \cdot 5 & 45 \cdot 7 & 44 \cdot 2 & 56 \cdot 1 & 46 \cdot 4 & 37 \cdot 8 & 44 \cdot 0 & 37 \cdot 0 & 41 \cdot 3 & 43 \cdot 5 & 42 \cdot 6 & 49 \cdot 1 & 47 \cdot 7 & 41 \cdot 1 & 45 \cdot 9 & 49 \cdot 9 & 46 \cdot 3 & 54 \cdot 5 & 51 \cdot 7 & 39 \cdot 1 & 43 \cdot 3 & 48 \cdot 9 & 47 \cdot 4 & 52 \cdot 9 & 48 \cdot 0 & 47 \cdot 9 & 45 \cdot 2 & 53 \cdot 9 \\ 54 \cdot 7 & 54 \cdot 7 & 48 \cdot 8 & 44 \cdot 7 & 48 \cdot 8 &$	47'1	38·7 1839 37·0 1839	58.0 1830	210
10	$\begin{bmatrix} 54\cdot7 & 54\cdot7 & 48\cdot7 & 43\cdot3 & 56\cdot4 & 54\cdot1 & 46\cdot7 & 49\cdot2 & 41\cdot6 & 57\cdot9 & 43\cdot2 & 36\cdot0 & 42\cdot7 & 38\cdot4 & 40\cdot8 & 44\cdot3 & 44\cdot4 & 42\cdot2 & 52\cdot1 & 40\cdot7 & 43\cdot1 & 42\cdot0 & 50\cdot3 & 49\cdot3 & 46\cdot1 & 49\cdot2 & 38\cdot6 & 52\cdot5 & 42\cdot0 & 39\cdot2 & 44\cdot7 & 53\cdot6 & 53\cdot3 & 50\cdot6 & 42\cdot9 & 48\cdot9 & 40\cdot7 & 45\cdot2 \\ 51\cdot1 & 53\cdot0 & 45\cdot1 & 45\cdot2 & 49\cdot9 & 52\cdot8 & 45\cdot8 & 48\cdot6 & 40\cdot8 & 51\cdot1 & 47\cdot8 & 33\cdot6 & 54\cdot0 & 40\cdot7 & 43\cdot9 & 45\cdot1 & 42\cdot3 & 38\cdot2 & 50\cdot3 & 40\cdot4 & 49\cdot2 & 45\cdot8 & 41\cdot9 & 43\cdot5 & 49\cdot5 & 42\cdot6 & 44\cdot0 & 47\cdot3 & 44\cdot2 & 46\cdot7 & 51\cdot5 & 51\cdot6 & 41\cdot3 & 49\cdot1 & 39\cdot5 & 40\cdot7 & 46\cdot1 & 55\cdot1 & 54\cdot1 & 55\cdot6 & 47\cdot3 & 47\cdot9 & 40\cdot2 & 54\cdot6 \\ 52\cdot6 & 49\cdot8 & 52\cdot0 & 49\cdot8 & 51\cdot1 & 52\cdot2 & 46\cdot6 & 43\cdot2 & 41\cdot6 & 43\cdot2 & 43\cdot7 & 35\cdot6 & 57\cdot0 & 42\cdot7 & 47\cdot9 & 41\cdot1 & 41\cdot6 & 36\cdot7 & 50\cdot2 & 39\cdot6 & 49\cdot6 & 45\cdot6 & 48\cdot2 & 41\cdot0 & 50\cdot0 & 41\cdot1 & 44\cdot9 & 47\cdot2 & 40\cdot0 & 45\cdot6 & 40\cdot9 & 53\cdot0 & 51\cdot6 & 50\cdot1 & 50\cdot1 & 46\cdot9 & 41\cdot5 & 59\cdot1 \\ \end{bmatrix}$	46.6	36·0 1837 33·6 1837 35·6 1837	55.6 1865	22
12	$ \begin{vmatrix} 49\cdot0 & 49\cdot6 & 55\cdot1 & 52\cdot6 & 51\cdot6 & 56\cdot0 & 45\cdot6 & 43\cdot2 & 40\cdot1 & 47\cdot3 & 47\cdot6 & 37\cdot4 & 46\cdot7 & 43\cdot6 & 46\cdot4 & 37\cdot8 & 41\cdot2 & 38\cdot1 & 51\cdot7 & 42\cdot9 & 42\cdot7 & 44\cdot4 & 41\cdot3 & 61\cdot0 & 32\cdot1 & 53\cdot1 & 49\cdot6 & 52\cdot5 & 53\cdot5 & 47\cdot9 & 37\cdot3 & 58\cdot4 \\ 52\cdot3 & 49\cdot0 & 53\cdot2 & 48\cdot9 & 48\cdot5 & 58\cdot1 & 46\cdot4 & 46\cdot7 & 40\cdot2 & 50\cdot2 & 50\cdot0 & 36\cdot9 & 43\cdot3 & 43\cdot8 & 46\cdot8 & 48\cdot1 & 40\cdot8 & 36\cdot7 & 52\cdot0 & 46\cdot3 & 50\cdot7 & 42\cdot8 & 50\cdot3 & 42\cdot6 & 49\cdot1 & 42\cdot5 & 48\cdot6 & 39\cdot6 & 49\cdot8 & 48\cdot3 & 52\cdot3 & 40\cdot8 & 40\cdot7 & 39\cdot9 & 40\cdot7 & 47\cdot1 & 35\cdot6 & 50\cdot6 & 38\cdot0 & 54\cdot8 & 53\cdot1 & 50\cdot3 & 44\cdot0 & 57\cdot6 \\ \end{vmatrix} $	47.3		68.4 1869	26
14	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	48.6	38·8 1837 33·5 1862		
16	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	48.2	36.4 1849	56.5 1865	5 2011
19	$\begin{bmatrix} 50.5 & 46.6 & 50.5 & 51.8 & 55.1 & 47.5 & 52.3 & 41.1 & 49.7 & 43.7 & 46.6 & 41.7 & 38.5 & 51.3 & 49.5 & 51.3 & 49.5 & 51.3 & 49.5 & 51.3 & 49.5 & 51.3 & 49.5 & 51.3 & 49.5 & 51.3 & 49.5 & 51.3 & 49.5 & 51.3 & 49.5 & 51.3 & 49.5 & 51.3 & 49.4 & 46.1 \\ 55.8 & 48.6 & 51.6 & 46.0 & 46.6 & 49.8 & 46.5 & 46.2 & 52.2 & 48.9 & 50.7 & 44.6 & 36.7 & 50.3 & 47.5 & 45.9 & 45.0 & 51.3 & 50.3 & 50.4 & 39.6 & 50.2 & 60.9 & 49.5 & 41.5 & 55.4 & 49.2 & 39.4 & 38.3 & 43.8 & 54.3 & 50.0 & 56.8 & 54.6 & 53.8 & 58.3 & 51.4 & 49.8 \\ 51.2 & 47.5 & 48.9 & 45.4 & 51.4 & 49.6 & 47.0 & 45.1 & 50.2 & 52.2 & 50.2 & 43.9 & 38.3 & 43.7 & 54.3 & 46.7 & 49.9 & 58.5 & 57.5 & 52.4 & 43.0 & 46.3 & 51.8 & 36.6 & 48.6 & 55.4 & 45.1 & 46.1 & 63.3 & 48.4 & 44.6 & 52.8 & 52.0 & 42.8 & 41.3 & 42.8 & 55.7 & 53.3 & 66.9 & 51.4 & 48.0 & 51.4 & 51.9 & 49.8 \\ \end{bmatrix}$	48.6	38·4 1859 35·3 1849 36·6 1849	60.9 1854	25 6
21	$\begin{bmatrix} 55\cdot2 & 46\cdot2 & 44\cdot9 & 51\cdot0 & 53\cdot6 & 50\cdot4 & 50\cdot0 & 45\cdot2 & 45\cdot6 & 52\cdot5 & 51\cdot3 & 40\cdot6 & 39\cdot8 & 49\cdot2 & 53\cdot8 & 46\cdot0 & 50\cdot6 & 55\cdot8 & 44\cdot8 & 47\cdot0 & 41\cdot6 & 45\cdot7 & 46\cdot3 & 59\cdot1 & 42\cdot7 & 38\cdot3 & 47\cdot1 & 52\cdot9 & 53\cdot3 & 52\cdot5 & 60\cdot4 & 47\cdot9 & 52\cdot0 & 54\cdot9 & 51\cdot0 & 50\cdot6 & 50\cdot8 & 50\cdot6 & 50\cdot8 & 44\cdot8 & 47\cdot0 & 41\cdot6 & 45\cdot7 & 46\cdot3 & 59\cdot1 & 42\cdot7 & 38\cdot3 & 47\cdot1 & 52\cdot9 & 53\cdot3 & 52\cdot5 & 60\cdot4 & 47\cdot9 & 52\cdot0 & 54\cdot9 & 51\cdot0 & 50\cdot6 & 50\cdot8 & 50\cdot6 & 50\cdot6 & 50\cdot8 & 50\cdot6 & 50\cdot8 & 50\cdot6 & 50\cdot6 & 50\cdot8 & 50\cdot6 & 50\cdot8 & 50\cdot6 & 50\cdot6 & 50\cdot6 & 50\cdot8 & 50\cdot6 & 50\cdot8 & 50\cdot6 & 50\cdot6 & 50\cdot6 & 50\cdot6 & 50\cdot8 & 50\cdot6 $	49'4	38.4 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	59.6 1854	4 213
23	$ \begin{vmatrix} 49.9 & 39.0 & 48.2 & 50.4 & 53.4 & 54.0 & 56.4 & 53.6 & 48.2 & 50.4 & 53.4 & 54.0 & 56.4 & 53.6 & 48.2 & 51.3 & 49.5 & 44.8 & 46.6 & 47.7 & 56.5 & 43.0 & 56.7 & 48.8 & 55.2 & 53.8 & 47.4 & 45.7 & 51.1 & 44.4 & 44.4 & 52.2 & 55.5 & 43.6 & 41.1 & 43.0 & 48.2 & 39.9 & 58.1 & 46.5 & 42.7 & 45.0 & 52.3 & 49.5 & 51.4 & 56.2 & 47.3 & 55.5 & 53.8 & 54.8 \\ 45.6 & 39.9 & 52.6 & 46.5 & 52.2 & 54.2 & 46.2 & 50.2 & 44.7 & 52.9 & 44.4 & 46.4 & 44.9 & 42.5 & 59.9 & 50.4 & 61.0 & 46.7 & 52.8 & 55.5 & 46.5 & 46.0 & 44.7 & 48.3 & 45.9 & 51.6 & 44.2 & 42.3 & 40.5 & 53.9 & 46.8 & 41.8 & 55.2 & 48.2 & 37.9 & 50.3 & 56.9 & 49.1 & 49.2 & 54.6 & 50.4 & 54.2 & 52.4 & 55.4 \\ \hline \end{tabular} $	49.0	37.9 1860	61.0 1842	2 2" 1"
25 26	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	49'9	40.2 1857	60.7 1840	0 20 🕏
27 28 29	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	20.1	39.0 1826	61.6 1841	1 22
30	44·1 66·0 59·2 43·1 62·1 57·5 53·0 48·3 53·4 47·3 41·4 53·1 48·2 57·2 59·4 55·9 58·5 58·7 52·3 56·0 52·6 46·1 48·3 55·7 48·3 44·2 56·0 48·4 48·4 45·8 43·6 43·8 47·5 44·2 51·5 49·9 58·6 42·4 49·9 41·4 41·4 52·4 57·2 50·8	1	1000		
Means	8 50·7 50·1 49·8 46·0 51·1 51·6 49·0 47·2 47·6 49·0 45·6 42·1 44·3 44·7 50·8 48·2 47·6 49·0 45·6 42·1 44·3 44·7 50·8 48·2 47·6 49·0 45·6 42·1 44·3 44·7 50·8 48·2 47·6 49·0 47·7 46·8 48·5 47·6 43·8 44·8 49·4 50·3 49·5 52·8 49·5 51·5 49·7 51·4	48.2			

The Mean Temperature of the coldest day in April in the years 1828 to 1869 was 32°·1, and it took place on the 12th day in the year 1882.

The Mean Temperature of the hottest day in April in the years 1826 to 1869 was 66°·0, and it took place on the 29th day in the year 1828, also on the 30th

The difference between these numbers is 330.9, and it represents the extreme difference between the Mean Temperature of two days in the month of April

The day of the month whose Mean Temperature has been subjected to the greatest difference was the 27th; in the year 1861 its Mean Temperature was 32°·4; and in the year 1866 it was 64°·1; the difference between these numbers is 31°·7.

The day of the month whose Mean Temperature has been subjected to the least difference was the 18th; in the year 1859 its Mean Temperature was 38°·4. and in the year 1867 it was 56°·8; the difference between these numbers is 18°·4.

TABLE V. Mean Temperature of every day in the month of May, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; and extremes of Mean Temperature for every day within the same period.

1709																								W	A!Y																	OF 44	Lov Mean	WEST AND DAILY T IN 44 Y	HIGHES EMPERATE EARS	TANDA TEE
TRE I	826 18	827 18	828 1	829 1	1830	1831	1832	1833	834	1835	1836	1837	1838	1839	1840	1841	1842	1843	844	1845 18	346 18	347 18	348 18	349 18	850 18	351 18	852 18	53 18	54 185	5 1856	1857	1858	1859	860 1	861 18	52 186	1864	1865 18	66 1867	1 868	1869	MEAN	Lowest	Year E	lighest	Year Dieres
1	43.2 6	3.4 5	55.8	52.1	54.7	54.1	46.5	51.5	51°9	45.7	46-0	54.0	55.7	57.9	55.9	58.2	58.2	56.2	54:6	56.1 5	3 6 5	0.0 4	8.2 4	9.8 4	2 0 4	6.9 4	6.1 58	3.6 5	0.0 43.	2 39.1	47.6	45.2	46.4	58.5	51.6	9 42.9	56.7	51.8 37	7.4 52.5	58.2	43.9	21,0	37.4	1866	63°4	1827 26.0
2	49.5 5	8.0 5 80.7 5	$egin{array}{c c} 54 \cdot 2 & 0 \ 54 \cdot 7 & 0 \ \end{array}$	54·0 53·1	54.6	55.8	53.9	55·1	56.6	47.8	48.4	54.5	58.8	61.3	57.3	60·3 46·3	53·5 56·9	55.5	56:9 54:6	51.2 5 $48.9 6$	$egin{array}{c c} 8 \cdot 2 & 4 \\ 0 \cdot 4 & 4 \end{array}$	$ \begin{array}{c c c} 7.0 & 49 \\ 5.5 & 59 \end{array} $	$ \begin{array}{c c} 9.0 & 5 \\ 3.2 & 5 \end{array} $	$ \begin{vmatrix} 5 \cdot 4 & 4 \\ 9 \cdot 2 & 5 \end{vmatrix} $	11.0 4	$egin{array}{c c} 6.3 & 4 \ 2.6 & 4 \ \end{array}$	$egin{array}{c c c} 12 \cdot 4 & 54 \ \hline 14 \cdot 1 & 51 \ \hline \end{array}$	1·8 5 1·8 5	$1.0 \mid 47.$ $1.9 \mid 48.$	3 40·9 8 48·1	47.1	47·5 45·6	46.6	51.7	52·8 54 50·8 48	*4 48·7	57.8	54·3 41 60·1 42	1 3 53 6 2 6 55 1	57·4 62·3	48*9	52°2	40.9	1100	61.3	1839 20.4
4	43.9 5	8'4 5	54.3	52.1	53.9	53.9	44.3	65.0	68.0	49.6	48.7	48.7	58.3	60.2	56.3	58.5	53:5	55.5	52:7	49.0 5	7.6 4	7.8 5	6.2 6	2.9 4	17.5 4	1.0 4	5.8 49	9.2 5	1.5 40.	1 41.8	43.7	47.3	49.0	47.7	42.9 68	3 57.8	48'3	58.4 43	3.5 57.6	1	42.2	51'8,	1- 0			1834 27.9
3	45.2 5	54'5 5	52.2	55.1	61.2	46.9	54.8	60.9	60.0	54.7	48.2	46.9	55 ¹	61.6	58·0	56.2	54·7	54.2	57:1	46.5 5	6.4 4	8:3 5: 0:5 5:	7.9 5	9.4 4	19.0 4:	5·3 4 4·9 4	7.7 51	UB 5	3.2 44.	$egin{array}{c cccc} 1 & 43.9 \ 1 & 46.0 \ \end{array}$	44.5	48.8	48.7	47.0	45'6 65	·1 56·6	51.4	62.0 49	9.6 59.3	48.9	48 9	52.2	48.9		65.1	1862 21·2 1830 26·3
;	42.8 9 44.9 4	3.6 5	54.2	51.0	63.4	43.9	62.1	55.9	61.6	51.1	52.0	50.2	58.1	54.7	59.3	56.7	53.2	46.2	58.2	43.9 5	5.2 5	7.0 6	0.5 4	$6.3 \ 4$	5 4 4	9.1 5	4.8 37	7.9 5	3.0 2	3 41.1	44.9	44.6	57.2	52.1	44.0 57	3 54.0	55.4	51.3 53	3.5 64.8	51.0	55.8	52.4			66·4 64·8	1830 26·3 1867 26·9
S	48.6 4	3.4 5	52.3	53.8	58:3	43.7	56.0	58.2	63.6	57.6	50.4	47:1	60:4	58.5	60.5	53.7	52.3	44.8	57.2	42.8 5	5.8 5	4.1 5	7.7 4	6.7 4	4.5 5	2.1 5	9.2 41	1.4 4	8.6 43.	5 44.3	47.4	47.5	54.4	55.3	38.4 54	7 49.1	53.8	57.0 55	5-3 67-0	55.8	50.8	52'2	88.4	1861	67.0	1867 28.6
9	51·3 4 53·8 4	.6·0 5 .9·6 5	53·5 6	54·4 57·5	51·2 49·3	48.8	42.8	59.6	58.8	55.4	49.5	41.0	59·9 45·6	47.1	60.8	57.8	49.8	49.6	$54\cdot 1$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c c} 0.6 & 9 \\ 5.0 & 6 \end{array}$	$\begin{bmatrix} 5'6 & 5! \\ 1'9 & 5! \end{bmatrix}$	$ \begin{array}{c cccccccccccccccccccccccccccccccccc$	$6.8 \mid 4 \\ 6.1 \mid 5$	1.0 5	3·8 5 6·9 5	$\begin{bmatrix} 8.6 & 43 \\ 4.7 & 44 \end{bmatrix}$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	9·5 53·	$egin{array}{c ccccccccccccccccccccccccccccccccccc$	51.8	52.5	47.4	56.7	$egin{array}{c c c} 41 & 4 & 52 \\ 45 & 3 & 54 \\ \hline \end{array}$	·6 52·6 ·3 47·3	51.3	56.6 5. 47.3 56	4*9 62*6 6•0 64•6	58.0	52.9	52°4	41.5	1837	65.0	$\begin{bmatrix} 1833 & 24.0 \\ 1867 & 23.1 \end{bmatrix}$
11	52.2 5	51.0 5	58.2	56.7	47.6	49.0	48.3	61.1	68-1	57.0	54.9	47:3	47.0	47.1	53.2	62.0	55.2	48.9	56.6	49.3 5	3.3 5	4.3 6	3.5 4	4.2 5	54.5 5	4.2 5	52-1 46	5.3 4	9.2 47.	4 55.5	55.0	51.2	50.1	57.8	45.9 50	8 54.2	49.3	48.2 52	2.0 59.7	57.3	52.8	52.8	44.2	1849	63.2	1848 19.3
12	50.1 4	9.2 5	58.2	54.8	51.7	52.5	44.3	66.1	59.2	55.6	55·9 57·4	45.7	51.9	47.1	54·8	57·3	46·7 54·3	56.8	57·2	50·7 5	8·2 5	5·8 6:	2.2 5	$\begin{vmatrix} 1 \cdot 5 & 5 \\ 3 \cdot 0 & 4 \end{vmatrix}$	50·9 5·	$\begin{array}{c cccc} 4.3 & 5 \\ 0.3 & 5 \end{array}$	53·5 49	0.5 5	2.0 40.	8 53·6	58.8	47.7	52.3	58·7	49·8 52 42·0 51	·6 52·8	48-8	50.6 47	7·6 54·2 0·8 47·5	58.4	51.6	53.0			66·1 62·1	
15	48.6 5	51.8 5	58-1	58.4	23.6	48.5	47.4	63.3	58.6	48.6	56.8	50.2	45.3	40.4	58.2	52.6	55.8	59.8	57.5	50.4 5	0.6 2	5.8 6	5.4 5	6.8 4	19.6 4	7.5 5	$64 \cdot 2 \mid 51$	$1.2 \mid 5$	7.3 45.	6 49.6	57.5	54.6	51.5	53.7	54.4 50	1 54.4	60.2	49.1 47	7.0 46.6	59.2	51.2	23.1			65.4	
15	50.2	55-9 6	51.1	60.6	55.6	51.1	46.3	71.0	61.0	52.9	58.6	49.5	42.5	41.2	54.2	58.1	56.4	56.2	50.8	55.8 5	0.8 5	8.0 6	5.7 5	6.1 4	11.8 4	8.6 5	54.4 53	3.9 5	5.6 45.	7 50.6	63.4	55.0	53.7	57.6	58.4 50	*3 55*2	61.3	49.4 4	5.9 45.4	62.0	53.1	54.1			71.0	
15	57.8 5 60.5 6	$69.0 \mid 6$	$62.3 \mid 6$	54·3 56·1	59·6 63·1	56.1	46.8	70.3	58.9	52·9 57·0	58·3 58·8	48.7	44.3	48.5	56.3	60·1 56·4	57·1 54·4	55.2	54·1 47·6	54·4 5 46·8 4	3.6 5 9.6 5	$ \begin{array}{c c} 7.8 & 6 \\ 7.6 & 6 \end{array} $	5·3 5 3·4 5	$ \begin{array}{c c c} 8 & 5 & 4 \\ 5 & 9 & 5 \end{array} $	17·4 5 54·8 5	$\begin{vmatrix} 3.8 & 6 \\ 4.0 & 5 \end{vmatrix}$	50·8 58 56·5 50	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$egin{array}{c cccc} 9.7 & 44. \ 2.0 & 47. \end{array}$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	64·4 6 59·2	55.8	54.4	53°5 53°1	62°7 58 48°1 59	·1 55·5 ·3 51·8	62.9	52·1 48 54·2 50	$egin{array}{c c c} 8 & 4 & 46 & 6 \\ \hline 0 & 9 & 49 & 3 \\ \hline \end{array}$	58.1	50.3	55.4	44·0 46·8	1889		1838 23·8 1838 23·5
18	62.7	59.5 5	57.7	55.6	62.1	60.8	49.5	63.2	51.0	61.9	58'8	46.6	48.0	56.8	54.3	56.6	54.2	46.5	43'8	48.8 5	8.2 5	8.1 5	7.5 5	5.5	54.5 5	2.4 5	59-1 56	6.0 4	9.2 51	8 50.4	61.3	54.9	53.5	53.6	46.1 60	3 53.1	65-2	52.6 5	5.8 58.6	61.6	55.2	22.1	43.8	1844	65.2	
19	61.0	32.1 5	58.2	57.6	61.1	59.1	54.6	59.6	53.5	61.2	52.0	43.5	53.8	59.8	49.8	52.4	53.0	51.9	51.1	48.5 5	6.8 5	7.2 5	4.4 5	6.9 5	57.7 5	0.5 5	59°5 58	8.3 4	9.2 57	4 54.4	61.6	51.9	57.3	54.6	48.8 60	·7 46·6	66.4	56.2 5	7.1 57.8	71.9	48.0	55.8	43.5	1837	71.9	1868 28.4
:1	58:0	64·6 8						63.3									28.3								59.5 5										64.9 52		54.5		3·1 48·9			26.3		1837		1865 26.5
																																														1847 22.2
																																														1847 31·1 1841 20·3
:5	55.3	53·6 6	57:7	53.1	59.1	62.3	61.4	65.9	52.6	56.3	50.9	52.5	54.2	46.0	55.5	64.0	55.1	56.7	51.2	49.8 6	3.3 5	5.6 6	2.1 6	0.8 5	56.5 5	9.4 5	55.3 6	1.6 5	1.4 62	7 54.9	61.0	49.4	60.9	59.6	56.0 54	3 48:5	54.8	56.3 5	2.1 46.8	58.4	60°1	56.3	46.0	1839	65.9	1833 19.9
																																						62/9 5'								1855 24.8 1841 22.7
:3	58.4	61.3	60.7	58.9	54.6	59.6	61.0	59.8	51.5	50.5	55.8	58.6	53.5	53.1	62.1	66.1	56.3	54.3	52.6	58.4 5	6.0 7	4.4 5	8.4 5	5.3 5	54.7 5	8-9 5	52.0 5	5.0 5	1.0 51	4 55.3	62.7	54.3	57-5	48.4	52.7 55	9 60-6	54.9	59.3 50	6.2 60.4	68.4	43.3	56.8	43.3	1869	74.4	1847 31.1
29	51.9	58.3	59.5	56.0	56.0	53.6	57.8	55.5	59.5	49.5	53.4	59.5	58.6	57.9	61.0	63.4	63.1	46.4	49.1	51.1 5	67.8 6	62·8 6	5.5 6	0.6	59.6 5	8.7 4	16.9 5	3.2 5	0.8 47	0 52.3	57-1	61.4	62.0	51.1	58.7 63	63.6	49.3	62:0 5	4.8 57.3	65.7	44.4	56.2	44.4	1869	65.7	1868 21.3
31	54.2	$52.9 \mid 6$ $59.2 \mid 6$	59·3 59·3	56.9	56.1	56·8 56·5	59·8 59·8	59.6	58·1 57·1	50·2 54·0	56·7 59·0	54.7	61°3	60·3 57·6	63.3	62.3	60.4	54·8 60·7	50.5	51·9 6 56·5 6	51·5 6 5·7 6	30·5 5 34·7 5	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3·3 6	59·2 6 59·0 5	$\begin{bmatrix} 2 & 3 & 4 \\ 6 & 7 & 4 \end{bmatrix}$	18·3 59	$egin{array}{c c} 6 \cdot 3 & 5 \ 2 \cdot 0 & 5 \ \end{array}$	$ \begin{array}{c cccc} & 1.2 & 43 \\ & 6.6 & 44 \\ \end{array} $	4 50°1 7 46°4	5 56.0	63.8	62.4	51.1	61.7 59	'5 64'6 '4 56'8	52.9	60-2 5	9.2 61.8	59.6	48/5	57°6	44.7	1855	69.1	\begin{pmatrix} 1849 & 21.7 \\ 1858 & 24.4 \end{pmatrix}
	53:0	56:3	57:3	55:8	57:0	54.6	53.9	61:0	57:8	54:1	52:1	49.5	52.2	59.0	56.6	58:0	55-0	53:1	53:7	50.2	(8·7 5	7.2 5	9:0 5	5.7	51.9 15	12:5	52.7 5	2:5 5	1.8 40	9 50:6	54.0	53.1	53.8	54.8	52:6 56	18 52:9	54.9	56.7 50	1.1 54.7	58.5	51.5	54.4			1	
1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		91.9	000	97.0	0 2 0	90 2	01.0	01.0	94.1	99.1	49.0	00.0	95.2	90.0) 00.8	000	99.1	93.7	00-2 0	10 7 9	7 3 3	3.0 0	.51 6	01 0 0	20 0	02	2 0 0	1 3 43	300	027	001	000	37.0	320 30	020						34.4				

The Mean Temperature of the coldest day in May in the years 1826 to 1869 was 37°.4, and it took place on the 1st day in the year 1866.

The Mean Temperature of the hottest day in May in the years 1826 to 1869 was 74°.4, and it took place on the 28th day in the year 1847.

The difference between these numbers is 37°.0, and it represents the extreme difference between the Mean Temperature of two days in the month of May in 44 years.

The day of the month whose Mean Temperature has been subjected to the greatest difference was the 23rd; in the year 1867 its Mean Temperature was 39°8; and in the year 1847 it was 70°9; the difference between these numbers is 31°·1.*

The day of the month whose Mean Temperature has been subjected to the least difference was the 11th; in the year 1849 its Mean Temperature was 44°·2; and in the year 1848 it was 63°·5, the difference between these numbers is 19°·3.

* Also the 28th in the year 1869: Mean Temperature 43°·3; and in the year 1847 74°·4; the difference between these numbers is 81°·1.

TABLE VI. Mean Temperature of every day in the month of June, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; and extremes of Mean Temperature for every day within the same period.

DAY OF	JUNE.	or 44	Lowest and H Mean Daily Tempi in 44 Yran	ERATURE ERATURE SS	
MONTR	1826 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1849 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 1869	MEANS	Lowest Year High	est Year Connection	T:
1	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	58.2	47·2 1855 69	5 1858 22.3	
2			49.2 1855 71	0 1858 21.8	Al
3	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$		50.2 1837 70		A
4	$ \begin{bmatrix} 60.9 & 56.0 & 57.4 & 65.0 & 52.3 & 61.4 & 58.4 & 60.9 & 59.3 & 58.8 & 59.2 & 58.6 & 55.7 & 56.1 & 57.9 & 56.7 & 56.1 & 57.9 & 56.7 & 56.1 & 57.9 & 56.7 & 56.1 & 57.9 & 56.7 & 57.9$				A
5	$\begin{bmatrix} 58.9 & 53.4 & 53.7 & 56.6 & 60.6 & 62.5 & 57.0 & 59.8 & 53.9 & 55.9 & 56.1 & 62.4 & 59.0 & 59.5 & 55.6 & 59.6 & 65.2 & 59.7 & 68.7 & 57.2 & 57.9 & 70.8 & 65.2 & 52.8 & 62.4 & 54.5 & 68.2 & 60.8 & 65.2 & 52.2 & 54.8 & 57.8 & 57.6 & 60.1 & 64.0 & 57.9 & 67.2 & 57.8 & 60.9 $		52.2 1860 70		A
6	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$				A
7	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$			المرابي والتفاري الأبال	
8	$\begin{bmatrix} 59.5 & 56.9 & 56.8 & 51.8 & 54.5 & 58.5 & 59.3 & 63.0 & 59.7 & 69.1 & 62.1 & 55.8 & 50.5 & 62.7 & 64.5 & 51.7 & 65.0 & 56.4 & 62.8 & 52.7 & 65.8 & 50.5 & 56.5 & 54.5 & 58.5 & 59.3 & 63.0 & 64.0 & 59.5 & 68.9 & 64.8 & 69.1 & 62.8 & 63.5 & 57.2 & 64.0 & 68.2 & 48.3 & 63.1 & 53.6 & 63.5 & 59.2 & 56.5 & 54.5 & 58.5 & 54.2 & 58.6 & 56.3 & 59.0 & 62.5 & 56.5 & 54.2 & 58.6 & 57.2 & 65.8 & 57.1 & 61.3 & 56.3 & 55.0 & 62.5 & 56.5 & 69.1 & 62.3 & 50.5 & 52.7 & 56.2 & 57.0 & 54.2 & 65.8 & 65.2 & 59.1 & 60.4 & 58.4 & 58.4 & 58.4 & 59.1 & 69.1 & 62.3 & 50.5 & 59.2 & 65.5 & 54.2 & 58.6 & 59.2 & 59.1 & 60.4 & 58.4 & 59.1 & 69.1 $		1		
1 70	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	1 7		(1898)	A
11	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$, , , , , , , , , , , , , , , , , , , ,	1335 20-2	
12	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			0.5 1842 22.9	A
13	69.8 63.0 66.1 67.0 56.4 63.3 63.8 54.5 61.0 60.6 65.1 66.2 57.6 69.3 61.2 50.0 70.8 51.8 68.3 68.7 69.1 59.2 53.5 55.1 58.8 61.6 55.4 52.1 54.2 60.8 59.0 51.6 68.6 64.6 53.5 66.6 56.6 55.0 55.2 61.7 56.5 60.2 66.0 59.2		1		
14	68-1 65-9 62-5 65-9 58-0 65-0 62-5 53-9 64-5 63-3 67-6 62-4 58-8 58-7 63-0 60-6 70-7 60-8 61-6 65-7 67-8 57-4 60-8 56-5 52-8 58-6 58-6 58-6 58-6 58-6 58-6 58-6 58	60.6	50.8 1869 73	3.1 1858 22.3	
15	69-1 63-0 64-8 63-6 52-8 63-9 58-5 59-5 63-8 66-6 72-5 66-2 60-1 59-5 66-3 56-5 64-4 60-1 59-1 70-2 71-4 53-3 67-5 66-7 75-9 61-3 54-7 66-7 56-5 60-7 57-8 61-2 58-5 54-3 65-3 52-8	61.0	45.8 1850 75	5.9 1858 30.1	A
16	$ \begin{bmatrix} 61 \cdot 2 \\ 61 \cdot 9 \\ 64 \cdot 2 \\ 56 \cdot 7 \\ 54 \cdot 3 \\ 62 \cdot 9 \\ 63 \cdot 8 \\ 60 \cdot 1 \\ 59 \cdot 5 \\ 69 \cdot 0 \\ 64 \cdot 2 \\ 66 \cdot 6 \\ 62 \cdot 3 \\ 62 \cdot 1 \\ 67 \cdot 0 \\ 56 \cdot 5 \\ 62 \cdot 3 \\ 69 \cdot 1 \\ 67 \cdot 0 \\ 56 \cdot 5 \\ 62 \cdot 3 \\ 59 \cdot 6 \\ 58 \cdot 8 \\ 60 \cdot 7 \\ 70 \cdot 5 \\ 58 \cdot 8 \\ 53 \cdot 1 \\ 59 \cdot 1 \\ 58 \cdot 0 \\ 63 \cdot 9 \\ 56 \cdot 0 \\ 54 \cdot 3 \\ 59 \cdot 0 \\ 60 \cdot 6 \\ 77 \cdot 4 \\ 60 \cdot 5 \\ 57 \cdot 7 \\ 64 \cdot 8 \\ 55 \cdot 4 \\ 59 \cdot 5 \\ 60 \cdot 4 \\ 59 \cdot 6 \\ 59 \cdot 1 \\ 53 \cdot 4 \\ 65 \cdot 1 \\ 49 \cdot 1 \\ 65 \cdot 1 \\ 49 \cdot 1 \\ 60 \cdot 5 \\ 60 \cdot 1 $	60.7	49.4 1869 7	7.4 1858 280	
17	$ \begin{bmatrix} 60.4 & 66.2 & 62.8 & 57.3 & 51.3 & 63.5 & 65.8 & 62.0 & 56.7 & 68.0 & 64.0 & 65.5 & 66.2 & 65.1 & 61.3 & 56.8 & 61.6 & 62.0 & 63.1 & 56.6 & 49.1 & 58.0 & 59.9 & 65.3 & 59.3 & 52.3 & 61.1 & 59.1 & 61.2 & 61.7 & 55.7 & 52.1 & 55.1 & 68.1 & 49.1 & 61.2$	60.4	49.1 1855 7	1.0 1846 21.9	4
18	66.2 63.4 63.5 55.9 57.5 62.8 64.0 62.6 63.2 60.4 63.1 61.3 65.5 62.6 59.3 66.4 59.3 59.2 61.3 55.2 71.4 54.5 60.0 59.6 59.5 55.3 58.0 61.8 58.8 54.0 60.2 59.5 59.1 64.5 54.7 66.4 51.2 62.2 60.7 53.1 54.8 63.0 64.2 51.2	60.2	51.2 1862 7	1.4 1846 20.2	Ai
19	63.2 61.2 63.5 60.4 53.6 63.8 65.1 61.1 64.2 60.8 61.7 61.9 61.1 64.2 60.8 61.7 61.9 61.1 65.8 55.8 57.4 59.6 56.4 54.7 61.2 71.4 58.9 56.0 54.7 63.2 64.6 56.7 55.7 58.2 50.0 54.7 66.4 65.2 64.8 56.8 69.5 56.2 59.2 60.4 54.3 57.1 61.6 64.2 52.	60.1	50.0 1855 7	1.4 1846 21.4	41
20		_		4.1 1846 273	
2 1	$ \begin{bmatrix} 62.2 & 56.6 & 61.2 & 63.6 & 57.3 & 67.0 & 63.0 & 63.9 & 75.3 & 64.4 & 63.7 & 62.8 & 60.8 & 65.2 & 65.2 & 59.2 & 62.1 & 61.4 & 65.5 & 63.7 & 66.4 & 57.8 & 66.6 & 65.1 & 58.4 & 59.6 & 67.6 & 55.3 & 64.1 & 59.8 & 62.2 & 67.8 & 56.6 & 69.1 & 51.2$	1		_	A
22	$ \begin{bmatrix} 59.9 & 58.1 & 63.4 & 59.9 & 52.0 & 65.2 & 59.5 & 60.9 & 62.9 & 64.4 & 61.3 & 65.8 & 58.6 & 59.5 & 60.5 & 59.5 & 60.5 & 59.5 & 61.2 & 60.3 & 65.8 & 58.7 & 74.7 & 56.4 & 66.4 & 61.5 & 65.9 & 57.8 & 59.7 & 56.8 & 64.4 & 60.8 & 59.0 & 63.7 & 67.1 & 64.5 & 59.3 & 63.6 & 58.7 & 62.3 & 60.9 & 62.1 & 61.3 & 57.9 & 61.5 & 55.0 & 61.2 & 60.3 & 65.8 & 64.4 & 60.8 & 64.4$				
23	$ \begin{bmatrix} 62.7 \\ \\ \end{bmatrix} & \begin{bmatrix} 62.5 \\ \end{bmatrix} & \begin{bmatrix} 64.5 \\ \end{bmatrix} & \begin{bmatrix} 58.7 \\ \end{bmatrix} & \begin{bmatrix} 66.2 \\ \end{bmatrix} & \begin{bmatrix} 62.1 \\ \end{bmatrix} & \begin{bmatrix} 55.4 \\ \end{bmatrix} & \begin{bmatrix} 60.8 \\ \end{bmatrix} & \begin{bmatrix} 55.6 \\ \end{bmatrix} & \begin{bmatrix} 62.6 \\ \end{bmatrix} & \begin{bmatrix} 64.8 \\ \end{bmatrix} & \begin{bmatrix} 60.7 \\ \end{bmatrix} & \begin{bmatrix} 59.3 \\ \end{bmatrix} & \begin{bmatrix} 58.5 \\ \end{bmatrix} & \begin{bmatrix} 58.5 \\ \end{bmatrix} & \begin{bmatrix} 66.6 \\ \end{bmatrix} & \begin{bmatrix} 69.4 \\ \end{bmatrix} & \begin{bmatrix} 60.5 \\ \end{bmatrix} & \begin{bmatrix} 60.4 \\ \end{bmatrix} & \begin{bmatrix} 60.5 \\ \end{bmatrix} & \begin{bmatrix} 66.2 \\ \end{bmatrix} & \begin{bmatrix} 58.5 \\ \end{bmatrix} & \begin{bmatrix} 66.2 \\ $				
24	$ \begin{vmatrix} 62.7 & 63.4 & 64.3 & 63.0 & 62.2 & 60.7 & 58.9 & 53.5 & 63.7 & 53.1 & 60.3 & 64.6 & 62.9 & 62.1 & 53.7 & 61.3 & 62.4 & 57.7 & 72.8 & 61.2 & 59.9 & 59.2 & 59.7 & 65.5 & 69.4 & 60.9 & 68.3 & 62.4 & 60.5 & 62.8 & 63.5 & 54.7 & 64.7 & 57.8 & 60.7 & 61.2 & 58.8 & 63.6 & 57.7 & 61.3 & 62.4 & 60.9 & 68.3$				Al
25	65:3 61:8 66:7 65:9 59:0 57:3 57:1 58:1 66:2 48:0 60:3 66:2 66:9 63:1 54:9 61:3 60:2 55:1 56:2 59:2 58:3 58:9 58:5 65:5 67:8 64:1 64:9 60:8 71:6 60:7 67:5 66:6 60:6 66:1 57:3 56:9 55:9 61:0 63:0 61:7 64:3 60:3 66:1 58	-			All
26	72.2 65.4 70.5 65.1 65.3 55.7 55.8 59.2 64.4 50.0 62.8 61.9 59.3 63.3 60.4 61.3 60.1 59.6 58.3 59.7 60.6 65.8 71.3 66.9 66.8 68.3 58.7 57.5 50.7 61.8 58.1 53.7 65.2 57.6 64.3 60.1 59.6 58.3 59.7 60.6 65.8 71.3 66.9 66.8 68.3 58.7 57.5 50.7 61.8 58.1 53.7 65.2 57.6 64.3 60.1 59.6 58.3 59.7 60.6 62.0 62.0 62.0 62.0 62.0 62.0 62.0				
27	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				
29	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$			_	
30	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		1	_	
	35 37 37 37 37 37 37 37 37 37 37 37 37 37	01 2	1001 1000 7	1020 2.0	
Mean	18 64.0 60.3 62.7 60.3 57.8 61.4 61.0 61.1 61.9 61.2 62.6 60.8 59.3 61.0 61.4 57.4 63.6 57.2 61.7 60.3 66.8 58.3 59.4 60.3 61.0 60.4 58.2 59.4 57.6 58.3 59.8 62.7 65.8 62.9 55.3 60.4 57.4 59.9 58.4 60.1 62.3 60.1 63.6 56	60.2			

The Mean Temperature of the coldest day in June in the years 1826 to 1869 was 46.08, and it took place on the 15th day in the year 1850. The Mean Temperature of the hottest day in June in the years 1826 to 1869 was 770.4, and it took place on the 16th day in the year 1858. The difference between these numbers is 310.6, and it represents the extreme difference between the Mean Temperature of two days in the month of June in 44 years.

The day of the Month whose Mean Temperature has been subjected to the greatest difference was the 15th; in the year 1850 its Mean Temperature was 45°8; and in the year 1858, it was 75°9; the difference between these numbers is 30°1.

The day of the Month whose Mean Temperature has been subjected to the least difference was the 29th; in the year 1839 its Mean Temperature was 51°4; and in the year 1826 it was 69°3; the difference between these numbers is 17°9.

TABLE VII. Mean Temperature of every day in the month of July, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; and extremes of Mean Temperature for every day within the same period.

DAT OF					-							-													Jυ	LY	7.																	ob 44	Lo MEAN	OWEST AND DAILY (DEMPERAT		T AND
(EXTH	1826	1827	182	28 18	29 18	30 1	831 1	3 2 1 1	833 1	834 1	835	1836	1837	1838	1839	1840	1841	1842	1843	1844	1845	846	1847	848 1	849	850	851	852	1853 1	854 18	355 18	856 18	57 18	858 18	186	1861	1862	1863	1864 1	865 18	186	67 1868	1869	MEANS	Lowest	Year	Highest	Year	Counes
1	69.8				اللا الله		61.1					73.9					61.5		-	- 1			61.9						· -	ها السنة		60 8 8 60	' '	57·5 61		64.1	57.1	61.6	53.1	59.1 5	9·1 66	6 59.8	58.3	6t.3		1833		1836	
2_ :	69.4	60.9	68	3 59	9.7 6	1.3	64.0	35.8 5	54.6 (62.4	68.0	69.6	60.6	64.9	60.5	50.1	63.8	0, 0	64.2	59.7	59.3		56.9		62.5	1						66.6 59									6·5 63 6·1 63			62.0		1862 1862	69.6	1836	10-1
3	74.8	65.0	70.	·5 55	5.3 6	$2\cdot2$	65.6	5.4 6	31:3 (67·4	64.6	73.6	64.6	63.6	66.4	62.8	64.1					V - "										32.6 61			, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	فالتنايا ا	·			v	8.1 62			63.2		1829	74.8	1826	19.5
. 5	71.8	62.9	67	4 59	9.2 6	2.3	67·0 6	5.8 6	33·0 6	68.5	63.3	78.3	68.2	65.8	63.9	59.5	66.1	58.4	73.6	59.7	64.8	74.1	68.3	65.4	61.6	56.6	60.4	79.2	65.0	57.1 6	32.1	62	2.3 5	58.1 64	9 57.8	59.1	61.1	63.6	54.1	67.6 5	7.9 62	6 59.4	65.9	64.0	54.1	1864	79.2	1852	25.1
6														i							l.				_							53·2 57	-{			1												1852	
7	71.0	69:0							(1	i											56 6 55 16·3 55						· · ·	,, ,				63.6	62.9	54·9	1650	72.5	1852	17:6
o o	69.8	70.4		1							- 1																1					52.5 57												62.2	52.5	1856	72.2	1852	19.7
10			1		Į.									1			į															63 63									7.4 61			62.7	55.4	1858	72.5	1836	17.1
31	66.9	67.7	64-	-5 60	9 50	5·8 6	67.6 6															1							-			63.6 64													0	1862	, , ,	1836	
12	66.6	66.0	59	4 61	0 50	6.8	65.2 6	- -								التكنية								•					00,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		68	نا انت	ئلنا إداننا									73.4					1859	21.1
75	6±7	67:8									i i		- 1												- ;							$\begin{array}{c ccccccccccccccccccccccccccccccccccc$					E									1840 1853	75.0 76.1		20.9
15							ļ ⁻	1			1		1								-	- 1						- 1	-		ي المنت	34.6 72				1	1								56.3	1845	73.9	1858	17.6
15	60.6	66.3	64	5 61	3 62	2.0	62.6 6	5.8 6	34.6	70.2	63.9	62.2	62.2	60.4	61.6	63.7	57.4	63.6	68.4	57.7	61.0	63.2	69.6	63.6	65.8	72.9	57:1	71.2	57.6	65·0	59.6	57.7 65	ó•4 6	57.1 70	57.9	59.9	57.6	59.9	62.2	69.9 6	5.3 59	73.1	72.1	63.7	57:1	1851	73.1	1868	16.0
17	64.8	68.2	65								1		•							- 1								1	000			58.4 64		1	61.8		59.5	58.0	64.1	63.6 6	3.3 62	3 71.7	75.0	64.4		1863	77.0	1834	19-0
18	66.9	66.1	63.	1 60	8 63	3.9 6	63.2 5	7.6 6	69.2	34.8	67.6	60.4	64.4	62.3	66 6	63.0	59.1	67.9	63.9					-					•••		ه اند	60.2 64 65.5 68						-								1863 1832		1859	
19	66.9	69.8	60.0	0 65	9 62	2°1 0	63·5 5	6.7 6	20·0 6	32.6	70.9	50.2	61.3	61.4	64.1	59:3	57.4	60.8	59.3	58.9	61.5	64.1	90.8	60.9	57.9	63.1	62:6	- , -	000	• •		55·5 68 53·5 67			· · ·								1	62.3	50.2	1836	74.9	1868	24.7
11	60.8	61.8	60.	5 62	5 60	5.3	$62 \cdot 4 \mid 5$	6.6 5	56.7	60.6	70.3	56.5	61.2	58.2	61.7	60.5	59.1	55.7	60.8	65.0	64.5	64.3	66.9	60.7	57.4	63.6	62.2	1			ک انتخاب	67.0 66					{	_				1		62.5	54.9	1863	77-9	1868	23.0
22	63.7	62:3	62	7 65	67	7:3 8	59.1 5	7.5 5	58.0	31.7	68.0	58.5	63.9	53.8	63.1	58.5	58.0	55.3	59.1	68-6	63.1	65.7	61.4	64.8	62.4	70.6	65.5	66.0	60.2	68-8	34.7	39.4 67	·1 6	32·8 68	6 57:1	61.1	59.6	57.2	63.9	66.4 5	5.1 61	6 75.7	75.6	63.2				1868	
25					- 1	_		_					_	_			_			3		_		_	_							_	_		_		_		_		_		,					1814	
1-			1						_	_		_	_						- 1				_		_						_	$ \begin{vmatrix} 65.6 & 68 \\ 62.7 & 61 \end{vmatrix} $		_			_											1854 1844 1	,
26								-	_				_										_	_		_					_		,	_			_											1830	- F
27									1	1	1	2					_								_	_		· ·			_			_														1830	
23								_						_			_	_		_	2		_			_				_		$64 \cdot 2 63$, ,				I							1868	į
:9					_	- 1				_				_			2		,				_		_	_		_		_	_	5.4 62	_		_	_							1 1				1	1827 1 1830 1	
32				-						_	_			_							_										_	$ \begin{array}{c cccccccccccccccccccccccccccccccccc$	_							_								1846	
-			-			_ -			_ -					_												-		.				_	_						-	[-	_ -								
Дe	66.6	66.2	63.	.3 61	6.	1.8	64.9	32.5	62.2	65.7	65.1	64.2	64.0	62.2	62.5	60.4	59.7	60.3	62.0	63.2	61.1	65.8	65.6	62.4	62.4	62.4	61.7	68.1	61.6	32.1 6	3.1 6	$62 \cdot 1 \mid 64$.3 6	68	1 58.6	61.7	59.1	62.2	61.9	63.9 6	1.8 60	68.7	65.5	63.1					1
-			4	-	-						,	3	1	1			,		,		- 1		1		- '		1						-	,		1	, ,						-				,		

The Mean Temperature of the coldest day in July in the years 1826 to 1869 was 46°3, and it took place on the 8th day in the year 1856.

The Mean Temperature of the hottest day in July in the years 1826 to 1869 was 79°2, and it took place on the 5th day in the year 1852.

The difference between these numbers is 32°9, and it represents the extreme difference between the Mean Temperature of two days in the month of July in 44 years.

The day of the month whose Mean Temperature has been subjected to the greatest difference was the 8th; in the year 1856 its Mean Temperature was 46°3; and in the year 1828 it was 71°9; the difference between these numbers is 25°6.

The day of the month whose Mean Temperature has been subjected to the least difference was the 2nd; in the years 1833 and 1862 its Mean Temperature was 54°6; and in the year 1836 it was 69°6; the difference between these numbers is 15°0.

TABLE VIII. Mean Temperature of every day in the month of August, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; and extremes of Mean Temperature for every day within the same period.

DAY OF	AUGUST.	S OF 44	LOWEST ANI MEAN DAILY TE 44 YI	EMPERATURE I	ENENCE EN THE SE AND
Month	1826 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1849 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 1869	MEAN	Lowest Year	Highest Yes	DIFFE COUNTY COUNTY
ı			53.9 1865	74.8 184	.6 20 ນ
2	$ \begin{bmatrix} 69 \cdot 1 & 71 \cdot 7 & 61 \cdot 0 & 63 \cdot 7 & 63 \cdot 1 & 65 \cdot 5 & 69 \cdot 7 & 57 \cdot 6 & 64 \cdot 9 & 66 \cdot 2 & 60 \cdot 8 & 63 \cdot 5 & 63 \cdot 1 & 66 \cdot 7 & 67 \cdot 8 & 58 \cdot 6 & 64 \cdot 3 & 59 \cdot 0 & 59 \cdot 3 & 57 \cdot 4 & 68 \cdot 0 & 64 \cdot 1 & 62 \cdot 4 & 58 \cdot 4 & 66 \cdot 6 & 63 \cdot 1 & 64 \cdot 7 & 59 \cdot 0 & 52 \cdot 4 & 63 \cdot 7 & 51 \cdot 5 & 73 \cdot 6 & 59 \cdot 0 & 59 \cdot 3 & 57 \cdot 4 & 68 \cdot 0 & 64 \cdot 3 & 59 \cdot 0 & 59 \cdot 3 & 57 \cdot 4 & 68 \cdot 0 & 64 \cdot 7 & 67 \cdot 8 & 66 \cdot 9 & 64 \cdot 1 & 62 \cdot 4 & 58 \cdot 4 & 66 \cdot 6 & 63 \cdot 1 & 64 \cdot 7 & 59 \cdot 0 & 52 \cdot 4 & 63 \cdot 7 & 51 \cdot 5 & 73 \cdot 6 & 59 \cdot 0 & 59 \cdot 3 & 57 \cdot 4 & 68 \cdot 0 & 64 \cdot 7 & 67 \cdot 8 & 68 \cdot 9 & 64 \cdot 1 & 62 \cdot 4 & 58 \cdot 4 & 66 \cdot 6 & 63 \cdot 1 & 64 \cdot 7 & 59 \cdot 0 & 52 \cdot 4 & 63 \cdot 7 & 51 \cdot 5 & 73 \cdot 6 & 59 \cdot 0 & 59 \cdot 3 & 57 \cdot 4 & 68 \cdot 0 & 64 \cdot 7 & 59 \cdot 0 & 52 \cdot 4 & 63 \cdot 7 & 51 \cdot 5 & 73 \cdot 6 & 59 \cdot 0 & 59 \cdot 3 & 57 \cdot 4 & 68 \cdot 0 & 64 \cdot 7 & 67 \cdot 8 & 68 \cdot 9 & 64 \cdot 1 & 62 \cdot 4 & 63 \cdot 7 & 51 \cdot 5 & 73 \cdot 6 & 59 \cdot 0 & 59 \cdot 3 & 57 \cdot 4 & 68 \cdot 0 & 64 \cdot 7 & 59 \cdot 0 & 52 \cdot 4 & 63 \cdot 7 & 51 \cdot 5 & 73 \cdot 6 & 59 \cdot 0 & 59 \cdot 3 & 57 \cdot 4 & 68 \cdot 0 & 64 \cdot 7 & 67 \cdot 8 & 66 \cdot 9 & 64 \cdot 1 & 62 \cdot 4 & 58 \cdot 4 & 66 \cdot 6 & 63 \cdot 1 & 64 \cdot 7 & 59 \cdot 0 & 52 \cdot 4 & 63 \cdot 7 & 51 \cdot 5 & 73 \cdot 6 & 59 \cdot 0 & 59 \cdot 3 & 57 \cdot 4 & 68 \cdot 0 & 64 \cdot 7 & 59 \cdot 0 & 52 \cdot 4 & 63 \cdot 7 & 51 \cdot 5 & 73 \cdot 6 & 59 \cdot 0 & 59 \cdot 3 & 57 \cdot 4 & 68 \cdot 0 & 64 \cdot 7 & 59 \cdot 0 & 52 \cdot 4 & 63 \cdot 7 & 51 \cdot 5 & 73 \cdot 6 & 59 \cdot 0 & 59 \cdot 3 & 57 \cdot 4 & 68 \cdot 0 & 64 \cdot 7 & 59 \cdot 0 & 52 \cdot 4 & 63 \cdot 7 & 51 \cdot 5 & 73 \cdot 6 & 59 \cdot 0 & 59 \cdot 3 & 57 \cdot 4 & 68 \cdot 0 & 64 \cdot 7 & 59 \cdot 0 & 52 \cdot 4 & 63 \cdot 7 & 51 \cdot 5 & 73 \cdot 6 & 59 \cdot 0 & 59 \cdot 3 & 57 \cdot 4 & 68 \cdot 0 & 64 \cdot 7 & 59 \cdot 0 & 52 \cdot 4 & 63 \cdot 7 & 51 \cdot 5 & 73 \cdot 6 & 59 \cdot 0 & 59 \cdot 3 & 57 \cdot 4 & 68 \cdot 0 & 64 \cdot 7 & 59 \cdot 0 & 52 \cdot 4 & 63 \cdot 7 & 51 \cdot 5 & 73 \cdot 6 & 59 \cdot 0 & 59 \cdot 3 & 57 \cdot 4 & 68 \cdot 0 & 69 \cdot 7 & 59 \cdot 0 & 59 \cdot 3 & 57 \cdot 4 & 68 \cdot 0 & 69 \cdot 7 & 69 \cdot 0 & 69 \cdot 7 & 69 \cdot 0 $		51·5 1867 51·5 1865		
5	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	J. J.	53.0 1854		
7	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	- 1	54.4 1854		
6	$\begin{bmatrix} 64.6 \\ 62.0 \\ 62.3 \\ 63.9 \\ 60.4 \\ 66.9 \\ 61.0 \\ 56.0 \\ 64.5 \\ 67.8 \\ 61.5 \\ 60.6 \\ 59.8 \\ 65.0 \\ 71.4 \\ 61.0 \\ 63.7 \\ 60.4 \\ 61.5 \\ 60.6 \\ 59.8 \\ 63.0 \\ 63.7 \\ 60.4 \\ 61.5 \\ 60.6 \\ 59.8 \\ 63.7 \\ 60.4 \\ 61.5 \\ 60.6 \\ 59.8 \\ 63.7 \\ 60.4 \\ 61.5 \\ 60.6 \\ 59.8 \\ 63.7 \\ 60.4 \\ 61.5 \\ 60.6 \\ 59.8 \\ 63.7 \\ 60.4 \\ 61.5 \\ 60.6 \\ 59.8 \\ 63.7 \\ 60.4 \\ 61.5 \\ 60.6 \\ 59.8 \\ 63.7 \\ 60.4 \\ 61.5 \\ 60.6 \\ 60.6 $		56.0 1833		
7	66.2 63.4 64.2 66.4 62.7 68.0 63.7 60.0 63.5 63.3 61.9 58.8 59.4 60.6 67.5 64.4 65.8 65.5 59.9 59.0 69.9 62.4 58.3 70.3 66.2 64.1 62.6 60.3 57.4 65.7 66.3 59.4 58.6 69.2 54.7 65.4 57.0 68.9 63.7 64.0 58.7 59.7 68.4 58.8	63.1	54.7. 1860	70.3 184	9 156
8	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	- 11			
9		, ,	55.6 1848		
10	$ \begin{bmatrix} 65.5 & 64.6 & 61.0 & 60.3 & 61.2 & 63.5 & 72.0 & 61.9 & 65.3 & 72.0 & 61.9 & 65.3 & 73.0 & 61.3 & 66.9 & 65.0 & 63.3 & 70.5 & 61.7 & 77.3 & 56.1 & 57.2 & 59.1 & 60.3 & 56.8 & 58.1 & 67.9 & 65.1 & 62.1 & 60.7 & 60.4 & 63.0 & 61.4 & 71.1 & 63.9 & 68.6 & 54.2 & 65.9 & 57.3 & 60.0 & 68.8 & 57.5 \\ \hline $		54.2 1864		_
11	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$		55.3 1864 53.7 1841		
12	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	7 7	56.3 1830		
14	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	-			
15	$\begin{bmatrix} 64.7 & 66.5 & 56.4 & 51.5 & 57.3 & 64.3 & 65.0 & 58.5 & 66.3 & 66.6 & 64.4 & 67.5 & 59.7 & 62.4 & 55.7 & 60.5 & 72.7 & 70.4 & 59.1 & 53.3 & 65.1 & 67.4 & 60.6 & 61.5 & 60.6 & 64.5 & 59.1 & 58.6 & 68.8 & 62.5 & 62.3 & 62.2 & 62.7 & 59.6 & 61.3 & 66.7 & 59.6 & 65.8 & 64.0 & 60.4 & 59.9 & 67.0 & 66.4 & 63.3 & 65.1 & 67.4 & 60.6 & 61.5 $	62.3	51.5 1829	72.7 18	2 210
16	$\begin{bmatrix} 63.7 & 58.9 & 61.1 & 56.3 & 56.3 & 65.0 & 64.3 & 58.2 & 66.8 & 68.9 & 63.9 & 67.8 & 62.2 & 61.1 & 57.2 & 65.7 & 67.3 & 64.7 & 59.6 & 55.5 & 63.4 & 62.2 & 61.5 & 59.2 & 57.4 & 59.0 & 64.8 & 62.3 & 60.0 & 55.6 & 62.8 & 65.4 & 63.1 \end{bmatrix}$	62'2	54.1 1845	72.9 18	2 188
17	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1 11	7 7 7	71.4 183	
18	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$		53.2 1830		
19	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$			73.3 184	
20	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		54·3 1839 50·4 1850	71.8 182	25 914
21	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	- 11			12 16-9
23	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				
24	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				
25	69.7 56.1 67.0 54.2 61.6 61.1 58.8 58.5 54.6 62.4 61.3 59.0 56.4 63.5 64.3 60.1 63.4 63.4 63.4 61.0 59.4 61.5 59.8 67.0 59.0 71.3 58.8 62.3 60.2 57.4 50.4 60.8 62.1 64.4 56.3 69.3		50.4 1864		
26	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$		52.5 1864		
27	$ \begin{bmatrix} 64.0 \\ 63.2 \\ \hline \end{bmatrix} & 63.2 \\ \hline \end{bmatrix} & 63.2 \\ \hline \end{bmatrix} & 67.6 \\ \hline \end{bmatrix} & 61.6 \\ \hline \end{bmatrix} & 69.9 \\ \hline \end{bmatrix} & 58.7 \\ \hline \end{bmatrix} & 61.0 \\ \hline \end{bmatrix} & 56.7 \\ \hline \end{bmatrix} & 59.4 \\ \hline \end{bmatrix} & 63.3 \\ \hline \end{bmatrix} & 53.4 \\ \hline \end{bmatrix} & 68.6 \\ \hline \end{bmatrix} & 60.3 \\ \hline \end{bmatrix} & 55.5 \\ \hline \end{bmatrix} & 59.4 \\ \hline \end{bmatrix} & 66.3 \\ \hline \end{bmatrix} & 65.4 \\ \hline \end{bmatrix} & 60.3 \\ \hline \end{bmatrix} & 55.5 \\ \hline \end{bmatrix} & 59.4 \\ \hline \end{bmatrix} & 66.3 \\ \hline \end{bmatrix} & 65.4 \\ \hline \end{bmatrix} & 60.3 \\ \hline \end{bmatrix} & 55.5 \\ \hline \end{bmatrix} & 59.4 \\ \hline \end{bmatrix} & 66.3 \\ \hline \end{bmatrix} & 65.7 \\ \hline \end{bmatrix} & 57.1 \\ \hline \end{bmatrix} & 62.0 \\ \hline \end{bmatrix} & 71.0 \\$	- 1 II	52.4 1864		
28	$ \begin{bmatrix} 66.2 & 61.7 & 64.0 & 57.0 & 57.4 & 62.7 & 59.3 & 63.0 & 58.7 & 59.4 & 62.7 & 59.3 & 63.0 & 58.7 & 59.4 & 58.1 & 58.3 & 69.3$	- 1	53.7 1844		
29	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		51.9 1850		
30	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$		51·7 1850 49·3 1833		
31	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	00.1	49'0 1000	100	
Mean	65.9 62.3 61.3 59.8 80.3 65.5 62.7 59.9 63.8 65.2 81.5 62.8 61.8 61.7 63.8 81.8 67.2 63.5 59.4 58.6 64.1 62.6 59.0 63.3 60.3 63.6 63.1 60.6 61.2 62.9 63.8 65.2 62.1 63.1 58.2 63.2 60.1 62.7 59.9 59.8 60.3 62.5 64.8 61.3	62.2			

The Mean Temperature of the coldest day in August in the years 1826 to 1869 was 49°3, and it took place on the 31st day in the year 1833.

The Mean Temperature of the hottest day in August in the years 1826 to 1889 was 77°3, and it took place on the 10th day in the year 1842.

The difference between these numbers is 28°0, and it represents the extreme difference between the Mean Temperature of two days in the month of August in 44 years.

The day of the month whose Mean Temperature has been subjected to the greatest difference was the 18th; in the year 1830 its Mean Temperature was 50°-3; and it took place on the 10th day in the year 1842.

The day of the month whose Mean Temperature has been subjected to the greatest difference was the 18th; in the year 1830 its Mean Temperature was 50°-3; and in the year 1842 it was 76°-7; the difference between these numbers is 23°-5.*

The day of the month whose Mean Temperature has been subjected to the least difference was the 13th; in the year 1830 its Mean Temperature was 56°-3; and in the year 1851 it was 70°-9; the difference between these numbers is 14°-6.

TABLE IX. Mean Temperature of every day in the month of September, as deduced from the observations when on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; and extremes of Mean Temperature for every day within the same period.

SEPTEMBER.			OF 44	Lo MEAN	WEST AND H DAILY TEMP 44 YEAR	CRATURE IN SER
2 1826 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1849 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 186	5 1 866 1 80	867 1868 18	MEANS YEAR	Lowest	Year Hig	hest Year Colors
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	5 60.2 68	8.7 63.4 5	0 0	51.1	1833 7	0.7 1843 19.6
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	" " " " " " " " " " " " " " " " " " " "	7.5 61.6 5	2.8 59.6	51.9	1833 6	0.8 1842 17.9
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	5 55.0 64	4.6 65.1 5	1.0 59.8	52.4	1847 6	0.9 1843 17.5
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	5 61.1 65	5'3 66.0 6	.7 59.7	47.7	1841 6	3.9 1834 21.2
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	5 61.5 59	9.5 66.1 6	··0 59·5	48.6	1841 6	8.6 1848 20.1
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	0 60.8 61	1.5 70.7 6	3.6 59.5	49.3	1841 7	0.7 1868 21.4
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	1 60.5 61	1.8 71.5 6	5.2 50.0	51.9	1850 7	1.5 1868 19.6
$\begin{array}{c c c c c c c c c c c c c c c c c c c $				1		1.7 1865 21.4
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			-	50.9		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	تقلا انقائلاك		1 7 7	47-4	1860 6	0.2 1865 21.8
$54\cdot 4$ $63\cdot 9$ $67\cdot 9$ $57\cdot 3$ $55\cdot 8$ $57\cdot 3$ $57\cdot $, ,,		1860 6	9.9 1869 21.9
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			7, 3		1848 0	9.9 1841 22.1
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		9 6			1840 6	7'6 1841 180
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				1 1	11840 6	7.7 1865 18.9
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	·	1 1		1	1848 6	3.0 1843 18.3
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1 :			1852 6	7.4 1843 18.7
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$					1847 6	7.1 1843 204
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				47.9	1832 6	3·9 1837 19·0
57.3 51.5 56.4 54.4 55.4 57.0 51.7 53.2 66.1 60.6 50.0 62.2 52.7 56.5 47.7 65.5 52.7 59.4 51.8 57.1 54.1 60.9 56.2 55.6 52.9 58.1 59.0 48.8 56.5 58.7 55.0 57.0 54.2 62.3 52.8 57.0 62.2 57.0				47.7	1840 6	3.1 1834 18.4
55.0 58.0 55.8 54.9 47.8 58.0 57.9 55.0 64.4 59.9 44.8 57.9 51.3 51.6 55.8 61.5 52.3 61.9 55.5 57.3 61.2 55.2 58.4 56.3 57.4 57.2 50.1 54.3 54.3 59.0 53.8 57.6 61.5 52.5 54.5 53.6 54.8 51.4 58.1 58.2 53.6 54.8 51.4 58.1 58.2 53.6 54.8 51.4 58.1 58.2 53.6 54.8 51.4 58.2 53.6 53.6 54.8 51.4 58.2 53.6 53.6 54.8 51.4 58.2 53.6	1 3	1	ì	4:1:8	1836 6	1.4 1834 19.6
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$				46.9	1840 6	10 1835 17:1
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	5 51.1 55	5.0 57.1 6	.2 55.5	44.9	1845 6	1855 19.9
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	4 52.7 51	1.1 58.1 6	56.0	48.3	1860 6	5.5 1869 17.2
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3 52.0 48	8.6 54.2 6	8 55.7	43.6	1860 6	2.9 1828 19.3
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	0 57.3 52	2.6 58.8 5	55.6	47.6	1855 6	6.7 1828 19.1
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	3 57.3 53	3.0 57.6 5	55.8	45.3	1847 6	2.6 1827 17.3
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3 59.9 57	7.2 58.0 5	55.5	47.4	1847 6	1831 17.4
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	5 61.0 56	6.0 28.5 6	55.8	46.0	1829 6	1869 19.4
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	57.4 57	7.4 56.2 6	55.5	44.8	1866 6	1831 201
59.0 59.5 60.2 55.1 55.6 58.6 57.7 55.1 59.8 59.2 54.9 56.9 56.2 57.8 54.0 59.3 58.1 61.8 58.5 54.5 61.1 54.2 56.7 57.3 56.1 57.9 56.9 55.2 59.4 60.5 56.7 53.3 57.0 57.9 54.5 57.0 62.7 58.5 58.6 57.7 58.6 57.7	7 56.7 58	8.5 60.9 5	57.6			
		-			- 10	

Mean Temperature of the coldest day in September in the years 1826 to 1869 was 43°6, and it took place on the 25th day in the year 1860.

Mean Temperature of the hottest day in September in the years 1826 to 1869 was 71°7, and it took place on the 8th day in the year 1865.

edifference between these numbers is 28°1, and it represents the extreme difference between the Mean Temperature of two days in the month of September

n 14 years. T

The day of the month whose Mean Temperature has been subjected to the greatest difference was the 12th; in the year 1848 its Mean Temperature was 47°·2; and in the year 1841 it was 69°·3; the difference between these numbers is 22°·1.

The day of the month whose Mean Temperature has been subjected to the least difference was the 9th; in the year 1838 its Mean Temperature was 50°·9; and in the year 1843 it was 66°·8; the difference between these numbers is 15°·9.

TABLE X. Mean Temperature of every day in the month of October, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; and extremes of Mean Temperature for every day within the same period.

DAT O	F _																		_									-	0	C I	0	в	ER	•																						s of 44	ARS.	Low LEAN D	'EST ANI AILY TE 44 YE	HIGH MPERAT ARS	EST URE IN	SENCE IN THE	12.
MONTE	H 1	826 1	827	182	8 18	29	830	183	1 8	32 1	833	18	34 I	1835	5 18	36	837	7 18	38	839	184	8 1 0.	341	842	184	3 18	44 1	845	184	6 18	347	848	184	9 181	0 18	3511	852	1853	185	4 189	55 18	856 1	8.57	1858	1859	1860	186	1 186	186	53 180	54 186	55 18	66 18	67 1 80	58 18	69 1	L.	owest	Year 1	Highest	Year	DIFFFE 10 CT	Frant
1						- 1									_				- 1				- 1																														_			54			1845				ō (I ·
2						_										-														_							- 1												1,							5·7 54 5·1 54			1853 1853				9 11
3 4				1											-				_								_			_			t			- 1				1											- 1				_				1867				
5	-														_																_																							1		9 52			1867			_	8 5
6	4												1															1						_						100		100							1						1	3 52			1840				4 1
7	- H																									1																														7 53			1829				5 1
8	- 11																																	1																	- 1			1	ı ı	·2 52			1829 1852				2 E
10	- 11	- 1					1								1																	_																						1		7 52			1849				3 1
11	1	32.5	50.0	55.	0 5	4 ∙5	52.0	58.2	63	3·2 4	19.8	52	8-8	46.8	5	2.9	54.1	53	3.6	62:5	50.9	5 5 4	<u>1</u> ·1	52.7	55.3	52	•5 4	14.7	52.0	3 55	5.1	49.0	47:1	l 42º	3 59	9.5 4	17.8	51.9	52.6	51.	9 5	5.2	57.1	44.0	54.1	43.1	57.8	58.0	0 56	1 51	5 56	8 51	. 9 44	6 48	.9 59	6 52	.9	42.3	1850	63.2	1832	2 20	9
12	1																																																	1).2 51			1860				1 :
13	6																																																		-					7·8 51	. 11		1838				5 ;
14	1																																							1						1	1						1			0 50	- 11	37.7		58.0			3
16	- 11						š																														1																			5 50		36 3	1843	56.7	1838	3 20	4
17	4	19.0	52.0	49	7 5	4.6	44.1	56.7	47	'·6 4	46·5	51	.2	50.0	58	5'4	50.0	51	.7	46.6	51.4	1 54	1.9	50.6	42.0	48	.9 6	52.6	51.7	54	1.1	42.6	54:5	47.	9 43	3.4 4	13.8	47.8	43.3	52.	1 53	2.2 5	54.4	51.8	50.3	47:3	48.1	52.	5 54	5 54	1 50	6 48	1.8 53	8 44	7 41	.7 49	8	41.7	1869	56:7	1831	17	0 ,
18	1									į										-							- }																													9 49			1843				2
19																		1				ļ -																								1	100								_	-3 50			1843				,
20						- 1					_	1				- 1			_													Ę													-	· ·			1			- 1				·4 49			1842 1842				0
22						_																_								_																_										2 50	- 1		1859				8
23																										1																															11	31.6	1859	57:0	1849	25	
24	- 11												-		_								- 1				- 1	í																1				1							_	·6 48			1859		,		3
25				1		1						1														j						100								ł			- 1								- 1					5 47			1859				
20						_							_						_			_									- 1																	1								·2 46 ·6 46			1850 1859				
28															1						į			- 1																				- t							1					8 46			1836			, i	3
29					_	1							- 1									- (- 1																									4 45	Į.	32.5	1836	56.4	1833	23	
30					- 1	_																																						1								_				2 46	- 11		1836				
31		49.8	45.2	45	2 4	0.3	51.6	53.6	50).0	51.0	52	2.5	49.1	3:	2.5	45.0	43	3.9	39.3	46.1	1 48	9.6	46.0	46.1	45	9 4	16.4	41.5	5 56	6.2	43.3	45.7	46	4 41	1.3 2	3.4	50· 1	54.7	45.	4 51	1.9 4	4.3	35.8	46.7	45.5	47.7	48.2	45*	2 42.	9 44*	7 44.	4 54	0 51.	8 44	1 46	7 3	32.5	1836	56.2	1847	23	1
Mear	ns	53.0	52:9	51	2 4	8.6	51.8	56.9	51	1.2	51.4	51	1.6	49.0	4	8.4	50.9	51	1.1	50.7	46.0	0 50	0.2	46.3	48.6	49	.7 4	19.2	50.1	52	2·4	50.2	50.1	45	4 52	2.4 4	7.1	50.9	49.0	50.0	6 51	1.3 2	52.4	50.0	50.1	50.0	54.7	52.0	52	500	50%	51.	0 48	7 47	8 49	6 50	4						

The Mean Temperature of the coldest day in October in the years 1826 to 1869 was 29°9 and it took place on the 24th day in the year 1859.

The Mean Temperature of the hottest day in October in the years 1826 to 1869 was 64°2, and it took place on the 1st day in the year 1831.

The difference between these numbers is 34°3, and it represents the extreme difference between the Mean Temperature of two days in the month of October

The day of the month whose Mean Temperature has been subjected to the greatest difference was the 13th; in the year 1838 its Mean Temperature was 35°·7, and in the year 1831 it was 63°·3; the difference between these numbers is 27°·6.

The day of the month whose Mean Temperature has been subjected to the least difference was the 17th; in the year 1869 its Mean Temperature was 41°·7, and in the year 1831 it was 56°·7; the difference between these numbers is 15°·0.

TABLE XI. Mean Temperature of every day in the month of November, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; and extremes of Mean Temperature for every day within the same period.

*AT	F																						,	N	οv	E M	BE	R.														or 44	Lo Mean	WEST AND DAILY TO IN 44 Y	HIGHES MPERATI	T AND	T DAY
72.0	182	6 182	27 18	28 18	18	30 183	31 183	32 1833	183	4 183	35 1830	6 183	7 1838	1839	1840	1841	1842	843 1	844 1	845 1	846 1	847 1	848 1	849 1	850 [1	851 18	852 18	53 18	54 185	5 1856	1857	1858 1	859 186	50 186	1 862	1863 1	864 18	65 186	6 1867	1868	869	MEANS YE.	Lowest	Year H	lighest	DIFFER BETWEE	HOTTES
1	43.	43	4 48	36	6·2 53	3.8 54.	1 52	·S 52·4	52.	0 41	·9 40°6	49.4	5 43.2	42.7	49.6	47.5	43.2	41.1	45·4	13·2	43·1 5	iî·8 4	12·9	47.3	55.0	5	58·7 51	9 46	35·9 35·8	8 49.7	48.7	35.0	60·6 43	3 40.3	51.3	43.3	43·4 38	8.0 49.4	53.2	51.7	47.7	46.5	35.0	1858	58.7	1852 23.	7
2	(44.0) 44				المنتدا المت	1 0 0			-																ند سند			الأفادا أأثاث	- }		36.6									•	46.3			55.8	1857 19.	2
3	471				-									1																- 1	1	39·9 4 48·2 4							}				34.7		56.3	1857 21.	6
+	24°	49																					1									46.5		7							47:0	44 9	31.5			$ \begin{array}{c cccc} 1863 & 24 \\ \hline 1834 & 21 \\ \end{array} $	
6	10.	50																	į.													42.1									42.0	45.0		1868	57.6	1834 24	3
2	35.8	49	3 41	:5 41	1.8 48	30 47	0 41	0 40.1	54.	1 42	34.2	33.8	54.1	49.3	48.4	45.6	42.7	49.3	15.1	52.5	42.2 5	55.8	38.7	48.6	51.2	11.3 5	57.1 52	2.1 39	0.8 49.	1 43.1	51.2	41.5	i0·7 39·	5 37.9	38.9	45.7	33.4 40).5 52.8	37.1	34.3	42.3	44.6	33.4	1864	57.1	1852 23	7
3	33.	471	3 34					- }	1	-									- 1									- 5				42.6	1100							100		43.6	28.6	1837	59.5	1852 30	9
3	35:	19.	2 37				- 1					i																			1	38.5		- {						1		, ,	34.9	1854	55.2	1852 20-	3
c1	39.9	48.	$\frac{2}{5} \frac{35}{21}$																										1 1			36·1 3		- 1					3 37.8	40.3	34.7	42.8	31.9	1864	53.0	1850 21	l . o
ta.				-		-													-				-								1	34.7							5 40.4	41.7	38.7	42.5	29.0	1828	55.0	$1829 \mid 26$	0
13				1						_																						38-1 3												1859	53.5	1827 22	8
32	41.5	43.	$1 \mid 46$	7 44	1.6 49	7 38	5 47	9 35.0	40:	2 40	5 39.6	43.5	38.3	49.1	43.9	36.8	47.1	37.6	17.0	38.3	44.6 4	9.4	37.7	44.7	33.7 4	10.0 4	9.9 39	0.0 37	7-9 36-2	$2 \mid 34\cdot 2$	45.6	41.8	24.1 46	1 40.0	33.6	46.1	44.7 48	3.9 42.5	19.4	41.6	53.7	42.1	24.1	1859	53.7	1869 29	G
13							-				- · · · ·													" }														3.7 43.5	52.1	40.6	50.5	42.2	30.8	1851	54.3	1844 23	5
7.5														1		* [34.7 3						2.1 49.5	44.6	39.6	51.8	42.2	29.7	1841	57.4	1840 27	7
1.					1					- 1						i							- 1									32·2 3 32·4 3								1 8			28.5	1841	52.8	1839 24	3 .
19	43.4	48:																200						•					1			27.0			1			- 1			45-4	41.7	27.0	1858	52.6	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	6
::	43-4	45.	$\frac{1}{4}$	9 29	0.1 ± 46	0 41:	8 46	1 43.8	35.7	7 48	9 38.1	42.8	38.5	42.2	36.3		1															32.3								34.7	36.5	41.7	29.1		51.7		6
11	41.9	37	1 54	2 32	2.5 48	2 54.	5 45.	5 49.8	38.8	8 51.	3 35.8	43.0	43.5	42.1	42.9	50.9	37.9	52.5	88.8	13.0	47.1 3	9.7 4	15·0 s	42.6	42.0 3	39-8 5	1.1 33	36	38.7	7 45.4	45.8	27.1 3	8.0 41	5 48.8	39.7	46.7	45.4 50)·2 36·3	37.6	39.8	38.4	42.8	27.1	1858	54.5	1831 27-	4
12		1					_	_		_	_				_		_																								_					1831 28	
15								_		_	_						_	_		_								1				, ,														1831 33.	_
			_			_		_	1	_	_																			_	,	1 1									_					1846 25°	
:5							_	_	_	_	_		_	_				_		_	_		_														,									$ \begin{array}{c c} $	
:-																																														1836 24	
:																																														1828 27.	
49	11.8	45	5 52	7 41	5 43	6 33.4	4 40	8 42.5	45%	3 47	7 49.5	34.2	48.0	46.0	30.2	53.6	45.9	43.6	9.6	4.1	29.3 8	9.4 5	52.7	37.3	32.0	30-5 3:	7.1 43	6 43	39.9	9 26.8	40.9	48.0	8.8 42	7 53.3	38.8	36.3	41.3 43	39.4	32.7	36.1	37 3	41.5	26.8	1856	53.6	1841 265	8
100	#18	47.	3 50	4 40	0.0 43	0 41.	9 43	3 44-6	42.3	3 51.	8 41.7	45.7	47.8	44.7	48.5	50.7	40.0	40.0	36·0 4	2.6	28.5 5	3.6 4	13.0	40.3	84.4 3	30.0	5.6 49	6 40	9 36.8	5 26.3	39.2	43.1	35.7 42	7 48.8	39.3	34.8	42.9 43	34.6	41.8	41.5	33.0	41.2	26.3	1856	53.6	1847 27	3
-	E 41-8	43.	9 45	4 40	0.6 45	4 43.4	4 44	3 43.6	44.	7 44.	6 42.5	40.5	5 41.7	46.2	43.2	43.1	43.3	43.3 4	- -3·4 4	4.5	44.7 4	6.2 4		42.9	44.7 3	37.1 48	8.5 40	9 39	6 40.9	40.0	45.8	37.7 4	0.3 39	7 39.1	39.9	44.8	11.6 44	:1 44.7	40.4	41.3	43.0	42.7					
1	-							7			Ш,	1	1			. 7		1/												W.		1/2			1/2			161	1			<u>'</u>	- 1				

Mean Temperature of the coldest day in November in the years 1826 to 1869 was 20°-3, and it took place on the 23rd day in the year 1858.

Mean Temperature of the hottest day in November in the years 1826 to 1869 was 59°-5, and it took place on the 8th day in the year 1852.

difference between these numbers is 39°-2, and it represents the extreme difference between the Mean Temperature of two days in the month of November

The day of the Month whose Mean Temperature has been subjected to the greatest difference was the 23rd; in the year 1858 its Menn Temperature was 20°3; and in the year 1831, it was 53°5; the difference between these numbers is 33°2.

The day of the Month whose Mean Temperature has been subjected to the least difference was the 2nd; in the year 1858 its Mean Temperature was 36°6; and in the year 1857 it was 55°8; the difference hetween these numbers is 19°2.

TABLE XII. Mean Temperature of every day in the month of December, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; and extremes of Mean Temperature for every day within the same period.

DAYOF		-																	J	DEC	EM	BE	R.													or 44	Lo. Mean	WEST AND DAILY TE IN 44 YE	Highest Emperaturi Ears	NENCE N THE N THE
тне Мохти	1826	1827 1	828 1829	1830	1831	832 18	33 18	34 18	35 1830	6 1837	7 1838	1839	1840 1	841 18.	42 184	3 1844	1845	1846 1	847 18.	48 184	9 1850	1851	1852 18	853 185	4 1855	1856	857 18	58 1859	1 860 1	861 186	52 1863	1864 18	1866	1867	868 18	MEAN VI	Lowest	Year H	ighest Yo	Direction of the state of the s
1	41.3	48.2 3	38·3 40·4		45.2				6 41.5 3 47.6				48.7		3.1 43.2 3.5 37.9				$egin{array}{c cccc} 43 \cdot 1 & 40 \ 44 \cdot 8 & 38 \ \end{array}$			33·7 35·5	37·4 4 42·7 3	1.5 39.9 1.9 40.9	39.5		18·4 44 50·6 44	35·7 4·1 32·4	47·2 45·0	39.0 39 33.8 44	8 40.8	36·4 4 35·9 4	3.2 34.1 1.7 38.0	48.1	43·0 3 45·0 3	0.0 41.2	26·0 27·2		5η1 18 50·6 18	33 25·1 57 23·4
3 4	39.9	46·2 4 50·0 5	16·6 42·0 50·6 44·6	36.8	44.3	43.7 49	9.5 46	6.4 47	7 51.8 0 54.0		102	33.4	J	48·2 46 45·1 46	~ 1	36·2 35·2	00 1.	29·5 8 31·5 6	51.6 42 $46.2 46$		6 39·8 7 42·3	v, v		7·5 46·3			1.4 41 13.0 47	·8 30·2 ·9 40·7	44.3 45.0 3	29·6 43 34·3 44		_, _	2·7 47·4 3·4 52·9	***		0·7 41·4 2·1 42·3		1846		36 22-3
5	37·2 39·8	50·7 4 41·7 4	47·1 45·9 47·2 36·1	38.2	45.7	$egin{array}{c c c} 40.0 & 4. \\ 41.2 & 4. \\ \hline \end{array}$	4·4 38 1·8 4 <i>6</i>	8·5 41 5·6 38	·5 51·8 ·8 51·8	37·0 34·0	38·7	37·9 35·2	$\begin{vmatrix} 38.1 \\ 34.6 \end{vmatrix} = 4$	16·3 45 16·8 38	6·3 49·6 6·4 43·1	25.5	45·0 37·7	100		9 42		44.2	53·4 4 47·6 4	0.7 42.1 1.5 38.4		47·5 3 52·1 4	39·4 37 49·0 32	7·8 44·9 7·7 41·2	44.2				5·7 52·5 9·4 52·0		53.0 3 52.9 3	42.4 7.2 42.4				52 27·9 62 31·0
7 8			18·7 28·9 12·0 34·0	44.0	50·3 53·0	44.3 4	6.0 41	1.1 39	41.9	34.9		33.4	39.7	19.4 34	0 45.1	29.5	37.7	38.9	36.1 53	6 42	36.3	45.4	45.8 3		5 29.2	55.3 4	0.9 37	0 40.4		18·2 53 16·0 42	4 45.9	42.1 4	0·0 49·7 7·0 40·1	31.3	49.3 4	0.1 41.2	29.2	1855	56·7 18 55·3 18	56 26.1
9	45·3 52·1	38·3 4 51·0 4	10·5 30·8 17·3 32·4	38.4		46.3	فتح الأحد	9.0 27	·7 38·8 ·7 36·1	37:4		37.0	38.2	$ \begin{array}{c cccc} & 10.8 & 40 \\ & 17.4 & 38 \\ & 11.7 & 40 \end{array} $	3.1 43.6	30.2	39.4	36.2	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	6 37	7 33·6 7 34·5 3 40·7	51.2	0-0	$ \begin{vmatrix} 3 \cdot 7 & 38 \cdot 6 \\ 6 \cdot 8 & 32 \cdot 6 \\ 1 \cdot 3 & 34 \cdot 5 \end{vmatrix} $		51.6 4		·	00 0 .		4 43.4	37.7 4	4·9 43·4 2·0 43·6 0·1 35·7	32.3	49.0 4)·3 40·9 l·5 41·2 l·1 40·2	27.7	1835	54·2 18 52·4 18 52·7 18	47 24-7
12	50·1 48·6	46·0 4 39·8 4	16·8 40·9 18·7 39·7	34.4	51.0	40.8 3	6.5 38	8.2 31	6 44.2	34.0	41.4	44.2	35.6 4		33.9	27.6		29.7	16.0 51	34.	1 42.5	34.1	49.0 3	$ \begin{array}{c cccc} 2.5 & 37.3 \\ \hline 1.3 & 44.8 \\ \end{array} $	3 26.8	46.8 4	4.3 35	34.7	40.1	تتلا إبلاأ	0 46.0	43.0 4	0.0 50.1 7.8 49.4	46.0	37.4 4	0.1 40.6	26.8	1855	53·5 18 52·5 18	42 26.7
14	45·9 45·3	42·5 4 49·7 4	46·7 35·9	36.5		40.7 5	0.8 4	1.1 37	4 37.0	36.5	5 35.7	37.8	23.0	14· 6 47	·9 47·0	36.8	45.9	23.1	47.7 49					7·7 50·7 2·0 49·4			12·8 37 17·4 37	_	37·6 4 35·8 4	6·0 40 6·8 37						2.6 40.8	23.0		50·9 18 51·8 18	
16	44.4	43.9	19·6 36·9 51·5 32·6	34.5	44.6	47.8 4	7.0 49	2.8 38	3:3 41:0	47.5	5 34.6	37.3	24.8		1.3 42.0	39.8	44.6	33.8	50.6 40	00 47	9 41.8 0 37.0	40.1	49.1 2	6·1 40·6 8·9 38·6	4 37.7	32.9	51.8 39	0.0 21.3	33.0	12.8 45	0 41.0	23.5 4	1.5 42.9	48.7	46.9 4	4·9 40·7 2·5 40·3	21.3	1859	51·9 18 51·8 18	57 30.5
19	40.6	51.2	$egin{array}{c c c} 50.5 & 35.5 \ 48.2 & 33.6 \ 52.3 & 32.6 \ \end{array}$	36.6	39.7	35.2 5	0.8 4	2.0 33	3.6 47.3	$egin{array}{c cccc} 7 & 49.5 \\ 1 & 48.4 \\ 1 & 48.7 \end{array}$	4 34.4	50.7	33.1		9.8 44.0	39.2	41.3		$egin{array}{c cccc} 45.7 & 44 \ 44.6 & 44 \ 37.4 & 35 \ \end{array}$		35.3	47.5	47.8 3	36.4 36.4 36.4 36.4 37.4	3 25.4	37.5	34.4 42	2.9 20.3		88.5 44	5 43.0	33.8 4	$ \begin{array}{c cccc} $	33.9		0.9 39.9 5.5 39.5 1.0 39.9	20·2 20·3 24·5	1859	53.6 18 51.2 18 52.3 18	27 30-9
21		42.7	52.6 28.0	39.9	38.5	42.7	2.2 4	1.9 29	9-1 42-	3 42	1 34.9	49.3	34.1	30.8 51	1.2 45.5	9 33.5	34.5		33·4 28 34·8 31	3.1 32.	1 31.6	45.2	43.3 3	34.6 39.	5 19.8	44.7	50.3 48	38.8	31.1	38.9 37	5 41.5	40.3 4	7.7 35.2	40.7		المنتسا	19.8	1855	52.6	32-8
23	47·8 46·0	43.7	48·3 27· 47·2 28·	6 31·5 6 18·9	35.8	48·4 4 46·9 4	6·6 3 17·2 3	$\begin{vmatrix} 2 \cdot 4 & 26 \\ 3 \cdot 5 & 26 \end{vmatrix}$	3·2 38·3 6·6 31·	8 46.6 3 48.4	6 44·0 4 41·8	51.8	24·8 31·3	$ \begin{array}{c cccccccccccccccccccccccccccccccccc$	1·9 52· 7·5 50·	0 31·1 5 32·7	39·7 34·3	36·4 32·0	35·5 23 37·8 32	7·4 29· 2·4 31·	1 31·3 6 32·3	37·9 38·5	43·0 3 51·9 3	35·9 37· 32·8 41·	8 43·3 3 42·0	35·8 8 35·6 4	51·1 4 <i>5</i> 48·3 40	5·9 35·5 0·9 40·1	22.9	40·5 40 38·0 45	·5 37·0 ·0 44·0	$\begin{vmatrix} 30.4 & 4 \\ 32.2 & 3 \end{vmatrix}$	$ \begin{vmatrix} 0.6 & 41.8 \\ 3.5 & 41.2 \end{vmatrix} $	33.5	41·3 4 44·5 3	0:6 38·5 5·4 38·5	22·9 18·9	1860 1830	52·0 18 51·9 18	43 29·1 352 33·0
25 26	42.0	48.2	35.3 26.	5 27.5	32.7	38.3 4	10.1 3	8:4 2	2.5 31.	1 46	9 34.6	38.9	27.8	31.1 49	9.0 44.	0 35.0	43.0	28.9	34.9 40	38	7 41.0	31.1	50.7	27.5 39.	2 48.0	30.4	41.4 4-	4.2 40.2	25.0	28.6 47	45.4	33.9 4	5.2 44.9	30.8	45.2 2	1·9 36·8 6·1 37·5	22.5	1835	50.7	352 28-2
27 28	34.7	34.5	39.8 25.	9 32.9	39.3	35.3 4	13.8 3	35.1 4	1.7 30	9 47.	5 32.3	35.2	28.0	40.5	4.5 45	1 43.4	41.1	29.0	33.6 4	1.5 23	7 38.7	38.0	40.1	27.2 30.	7 47.9	23.5	35.2 40	0.5 43.7	21.4	36.1 49	9 35.4	39.0 4	4.3 47.7	31.5	42.6	7·0 37·0 3·5 36·5 2·8 38·2	21.4	1860	49.9	362 28.6
30	47.4	37.5	39.9 29.	8 39.6	34.5	35.7 4	19.7 5	3 3 1.6	8.5 29	5 47	3 46.8	82.6	31.5	37.3 5	1.6 40	37.5	48.5	31.8	36.7 3	6.1 34	0 46.4	32.9	48.5	31.1 35	8 38.7	41.5	36.7 3	7.7 49.3	37.7	30.2 44	9 37•9	36.8 4	2.6 37.9	32.7	37.0 3	8·2 30.1 1·6 38·6	29.5	1836	51.6	834 842 22·1
Mea ns				-	-				- -	_ _	<u>-</u>	-				_					_	-			_									-		7.7 40.0	ļ			

The Mean Temperature of the coldest day in December in the years 1826 to 1869 was 18°7, and it took place on the 25th day in the year 1800. The Mean Temperature of the hottest day in December in the years 1826 to 1869 was 56°7, and it took place on the 7th day in the year 1856. The difference between these numbers is 38°0, and it represents the extreme difference between the Mean Temperature of two days in the month of December

in 44 years.

The day of the month whose Mean Temperature has been subjected to the greatest difference was the 18th; in the year 1859 its Mean Temperature was 20°·2; and in the year 1827 it was 53°·6; the difference between these numbers is 33°·4.

The day of the month whose Mean Temperature has been subjected to the greatest difference was the 18th; in the year 1859 its Mean Temperature was 20°·2; and in the year 1827 it was 53°·6; the difference between these numbers is 33°·4.

The day of the month whose Mean Temperature has been subjected to the least difference was the 30th; in the year 1836 its Mean Temperature was 29°·5; and in the year 1834 it was 51°·6, the difference hetween these numbers is 22°·1.*

* Also the 30th in the year 1842: Mean Temperature 51°·6; and in the year 1836 it was 29°·5; the difference between these numbers is 22°·1.*





DIAGRAM showing the Meur Lengerature of the Air for every day in the year, from observations made, from January 1, 1826, to December 31, 1869, at the Gardens of the Royal Horticultural Society at Chiswick!



By examining the numbers in the forty-sixth column, it will be seen at there are many large differences between the values on consecutive les.

by laying these down on a diagram all these are shown, and by using a curved line to pass through or near all these points, giving teal weight to every one, the most probable temperature of every day the year is shown. The numbers in Table XIII. are the best I can dide upon as the nearest approximation to the true temperature

onging to every day in the year.

he days of the lowest mean temperature (36°·3) are January 7th, t and 9th; it then increases to 39°3 on the 4th of February, remains tionary at that temperature till the 8th, and then gradually decreases c39°0 on the 13th and three following days; from the 16th it weases, and continues so to do, gradually for the first few days, but ards the end of March at a more rapid rate, the mean temperatures fonsecutive days differing as much as two or three-tenths of a degree in each other, and continues increasing at this rate till the 8th of ie, when it slackens to a general rate of one-tenth, but still increases we arrive at July 9th, the mean temperature of this day differing a that of the 26th of the same month by one-tenth of a degree only; en begins to decrease, gradually till the 11th of August, and at a re rapid rate from that date, decreasing uninterruptedly till the It of November, from which day till the 9th of December, when the lage is very small, the mean temperature being unchanged for three four days together, it then continues to decrease until the end of year.

TABLE XIII.

Showing the adopted Mean Temperature of every day in the year as determined from all the Thermometrical Observations taken at the Gardens of the Royal Horticultural Society, Chiswick.

ДЕСЕИВЕВ	41.3	41.3	41.3	41.3	41.2	41.2	41.1	41.0	41.0	40.9	40.0	40.5
ДОЛЕИВЕВ	45.7	45.5	45.4	45.1	44.8	44.5	44.1	43.8	43.5	43.3	42.8	12:0
OCTOBER	54.7	54.5	54.3	0.49	53.7	53.4	53.0	52.6	52.5	52.3	59.1	500.7 500.0
SEPTEMBER	0.09	59.8	9.69	59.5	59.4	59.3	59.1	9.69	58.9	2.89	58.5	67.9
August	63.2	63.2	63.2	63.2	63.1	63.1	63.0	65.9	6.5.9	62.8	62.8	022.1
lurx	62.7	62.8	6.59	63.0	63.1	63.1	63.2	63.2	63.2	63.3	63.3	63.4
lune	58.4	58.6	58.8	59.5	59.4	9.69	2.69	59.9	0.09	60.1	60.5	0.000
YAM	51.0	51.3	51.5	2.19	52.0	52.5	52.5	52.8	53.0	53.2	53.4	5 5 7 5 0 5 5 7 5 0 5 5 7 5 0
ліячА	45.5	45.7	45.9	46.5	46.5	46.7	46.9	47.1	47.2	47.3	47.5	48.3
Иавсн	40.6	40.7	40.8	41.0	41.1	41.3	41.5	41.6	41.7	41.8	42.0	18:0
FEBRUARY	39.1	39.2	39.2	39.3	39.3	39.3	39.3	39.3	39.2	39.5	39.1	40 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
YAAUXAL	8.98	2.98	9.98	36.5	36.4	36.4	36.3	36.3	36.3	36.4	36.4	2000
DAYS OF THE MOUTH	d.	8	3	4	5	9	7	×	6	IO	11	
									-		-	-

15 36.7 39.0 42.4 48.1 54.6 60.9 63.4 62.3 57.6 50.0 42.0 42.0 42.0 42.0 63.4 62.3 57.6 50.0 42.0 42.0 42.0 63.4 62.3 57.6 50.7 42.0 42.0 42.0 42.0 63.4 62.1 67.2 67.2 67.2 67.2 67.2 67.2 67.2 67.2 67.2 42.0 42.0 42.0 19 37.2 39.2 42.0 48.6 55.1 61.2 63.4 62.0 57.2 60.1 63.4 62.0 57.2 60.1 61.2 63.4 61.6 62.0 42.0 42.0 40.0 20 37.4 43.2 48.8 55.7 61.6 63.4 61.6 63.4 61.6 63.4 61.6 63.4 61.6 63.4 61.6 63.4 61.6 63.4 61.6 63.4 61.6 63.4 61.6 63.4	-																		1
36.7 39.0 42.4 48.1 54.8 60.7 68.4 62.3 57.6 50.0 36.8 39.1 42.6 48.8 54.6 60.9 63.4 62.3 57.6 50.7 36.8 39.1 42.7 48.4 54.8 61.1 63.4 62.0 57.2 50.7 36.9 39.1 42.8 48.6 55.1 61.2 63.4 62.0 57.2 50.1 37.2 39.2 42.8 55.1 61.2 63.4 61.8 61.9 63.4 61.9 57.1 49.8 37.4 39.2 42.0 48.8 55.7 61.5 63.4 61.6 50.9 49.8 50.1 37.4 39.4 48.4 49.0 55.9 61.6 63.4 61.6 63.4 61.6 69.9 48.1 49.5 50.1 61.2 63.4 61.6 69.9 48.1 48.1 48.1 48.1 48.1 48.1		40.5	40.4	40.2	40.0	39.8	39.7	39.4	39.0	38.9	38.7	38.4	38.1	37.8	37.6	37.5	37.3	37.1	39.8
36.7 39.0 42.4 48.1 54.3 60.7 68.4 62.4 57.8 36.7 39.0 42.6 48.3 54.6 60.9 63.4 62.3 57.6 36.9 39.1 42.7 48.4 54.8 61.1 63.4 62.1 57.8 36.9 39.1 42.8 55.1 61.2 63.4 62.0 57.2 36.9 39.2 48.6 55.1 61.4 63.4 61.8 57.1 37.2 39.2 48.7 55.4 61.6 63.4 61.6 57.2 37.4 39.3 48.4 49.0 55.9 61.6 63.4 61.5 56.7 37.5 39.4 48.7 49.2 56.1 61.7 63.4 61.5 56.7 37.5 39.6 43.5 56.3 61.8 61.9 56.3 61.6 63.4 61.5 56.3 38.3 39.8 43.0 44.1 49.6		42.2	42.1	42.0	41.9	41.8	41.7	41.6	41.6	41.6	41.5	41.5	41.4	41.4	41.4	41.4	41.3	:	42.8
36.7 39.0 42.4 48.1 54.6 60.7 68.4 62.4 36.7 39.0 42.6 48.3 54.6 60.9 63.4 62.1 36.9 39.1 42.7 48.4 54.6 61.1 63.4 62.1 36.9 39.1 42.8 48.6 55.1 61.2 63.4 61.8 37.2 39.2 42.0 48.7 55.4 61.4 63.4 61.8 37.4 39.3 43.2 48.8 55.7 61.5 63.4 61.8 37.5 39.4 43.4 49.0 55.9 61.6 63.4 61.5 37.5 39.4 43.4 49.0 56.1 61.7 63.4 61.5 38.7 40.1 44.2 49.5 56.1 61.6 63.4 61.0 38.6 40.1 44.4 49.6 56.3 62.0 63.4 60.9 38.7 40.1 44.4 49.6 <th></th> <th>51.0</th> <th>2.09</th> <th>50.5</th> <th>50.1</th> <th>49.8</th> <th>49.5</th> <th>49.2</th> <th>48.8</th> <th>48.4</th> <th>48.0</th> <th>47.6</th> <th>47.3</th> <th>47.0</th> <th>46.6</th> <th>46.4</th> <th>46.2</th> <th>45.9</th> <th>50.5</th>		51.0	2.09	50.5	50.1	49.8	49.5	49.2	48.8	48.4	48.0	47.6	47.3	47.0	46.6	46.4	46.2	45.9	50.5
36.7 39.0 42.4 48.1 54.6 60.7 68.4 36.7 39.0 42.6 48.3 54.6 60.9 63.4 36.8 39.1 42.7 48.4 54.6 61.1 63.4 36.9 39.1 42.8 48.6 55.1 61.2 63.4 37.4 39.2 42.0 48.7 55.4 61.4 63.4 37.4 39.3 43.2 48.8 55.7 61.5 63.4 37.5 39.4 43.4 49.0 55.9 61.6 63.4 37.7 39.6 43.7 49.2 56.1 61.7 63.4 37.9 39.7 43.7 49.2 56.3 61.6 63.4 38.3 40.0 44.1 49.6 56.3 61.6 63.4 38.6 40.1 44.4 49.8 56.9 62.2 63.4 38.6 40.2 44.4 49.8 56.9 62.6		8.29	9.19	57.3	57.5	57.1	56.9	2.99	9.99	56.3	56.1	55.9	2.99	55.5	55.4	55.2	55.0	:	57.6
36.7 39.0 42.4 48.1 54.6 60.9 36.8 39.1 42.7 48.4 54.6 60.9 36.9 39.1 42.7 48.4 55.1 61.1 37.2 39.2 42.0 48.7 55.4 61.4 37.4 39.3 43.2 48.8 55.7 61.5 37.4 39.4 43.4 49.0 55.9 61.6 37.7 39.6 43.7 49.2 56.1 61.7 37.9 39.7 43.7 49.2 56.1 61.7 38.3 40.0 44.1 49.6 56.3 61.8 38.6 40.1 44.2 49.6 56.9 62.0 38.6 40.2 44.4 49.8 56.9 62.2 38.7 40.4 44.5 50.1 57.2 62.4 38.9 44.7 50.4 57.5 62.6 38.9 44.7 50.1 57.2 62.6 38.9 44.7 50.7 57.9 62.6 38.9 45.3 54.6 60.8 38.9 45.9 60.7		62.4	62.3	62.1	62.0	61.8	9.19	61.5	61.4	61.3	61.2	61.0	6.09	8.09	2.09	60.5	₹-09	60-2	62.0
36.7 39.0 42.4 48.1 54.8 36.8 39.1 42.6 48.4 54.8 36.9 39.1 42.8 48.4 55.1 37.2 39.2 42.0 48.7 55.4 37.4 39.3 43.2 48.8 55.7 37.5 39.4 43.4 49.0 55.9 37.7 39.6 43.5 49.2 56.1 38.3 39.8 43.9 49.5 56.1 38.4 40.0 44.1 49.6 56.6 38.6 40.1 44.2 49.7 56.9 38.6 40.2 44.4 49.8 56.9 38.9 44.7 50.4 57.5 38.9 44.9 50.7 57.9 39.0 45.3 58.1 39.0 45.3 58.1 37.2 38.4 42.7 48.1 57.6 38.9 45.3 58.1		63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.3	63.3	63.3	63.3	63.3	63.3
36.7 39.0 42.4 48.1 36.8 39.1 42.7 48.4 36.9 39.1 42.8 48.4 36.9 39.1 42.8 48.4 37.4 39.3 43.2 48.6 37.5 39.4 43.4 49.0 37.7 39.6 43.2 49.5 38.3 39.7 43.4 49.5 38.4 40.0 44.1 49.5 38.5 40.1 44.2 49.6 38.6 40.2 44.4 49.8 38.7 40.4 44.5 50.1 38.9 44.7 50.4 38.9 45.3 39.0 45.3		2.09	6.09	61.1	61.2	61.4	61.5	61.6	61.7	61.8	62.0	62.1	62.2	62.3	62.4	62.5	62.6	:	8.09
36.7 39.0 42.4 36.8 39.1 42.7 36.9 39.1 42.7 36.9 39.1 42.8 37.2 39.2 43.0 37.4 39.3 43.2 37.5 39.4 43.4 37.7 39.6 43.7 38.3 39.7 43.7 38.4 40.0 44.1 38.5 40.1 44.2 38.6 40.2 44.4 38.9 44.4 38.9 44.9 39.0 45.3 39.4 42.7		54.3	54.6	54.8	55.1	55.4	2.99	55.9	56.1	56.3	56.4	56.6	2.99	56.9	57.5	57.5	6.19	58·1	54.6
36.7 39.0 36.8 39.1 36.9 39.1 36.9 39.1 37.2 39.2 37.4 39.3 37.5 39.4 37.7 39.6 37.9 39.7 38.3 39.8 38.4 40.0 38.5 40.1 38.6 40.2 38.9 38.9 39.0 39.4 38.7 40.4 38.9 39.0		48.1	48.3	48.4	48.6	48.7	48.8	49.0	49.2	49.3	49.5	49.6	49.7	49.8	50.1	50.4	2.09	:	48.1
36.7 36.7 36.8 36.9 37.7 37.7 37.7 38.3 38.4 38.4 38.5 38.5 38.5 38.5 38.5 38.5 38.7 38.5		42.4	42.6	42.7	42.8	43.0	43.2	43.4	43.5	43.7	43.9	44.1	44.2	44.4	44.5	44.7	44.9	45.3	42.7
		39.0	39.0	39.1	39.1	39.2	39.3	39.4	39.6	39.7	39.8	40.0	40.1	40.5	40.4	:	:	:	39.4
15 16 17 18 19 20 21 22 24 25 26 27 28 30 30 31		7.98	2.98	36.8	36.9	37.2	37.4	37.5	37.7	37.9	38.3	38.4	38.5	38.6	38.7	38.8	38.9	39.0	37.2
		15	91	17	81	61	70	2.1	22	23	24	25	56	27	28	29	30	31	Means

TABLE XIV.—Showing the Mean Temperature of every Month and Year, as deduced from the Observations at the Gardens of the Royal Horticultural Society at Chiswick, 1826–1869.

																				1
	DECEMBER	43.8	44.7	45.3	33.6	35.9	45.6	41.8	45.7	40.9	35.0	40.3	41.1	38.8	40.5	32.5	40.3	41.6	33.6	43-1
	November	41.3	43.9	45.4	40.6	45.4	43.4	44.3	43.6	44.7	44.6	42.5	40.5	41.7	46.2	43.2	43.1	43.3	49.4	0.116
	OCTOBER	53.0	52.9	51.5	48.6	51.8	6.99	51.5	51.4	9.19	49.0	48.4	50.9	51.1	2.09	46.0	50.5	46.3	19.6	2000
	SEPTEMBER	59.0	20.2	60.5	55.1	55.6	9.89	2.7.2	55.1	59.8	59.5	54.9	6.99	56.5	8.19	0.19	59.3	58.1	68.6	2.00
	August	65.9	62.3	61.3	8.69	60.3	65.5	62.7	6.69	63 6	65.5	61.5	8.79	61.8	61.7	63.8	8.19	67.5	63.5	0.00
	July	9.99	9.99	63.3	61.0	64.8	64.9	62.5	62.2	2.99	65.1	64.2	0.1-9	62.5	62.5	60.4	2.69	6.09	62.0	0.2.7
	JUNE	64.0	60.3	62.7	60.3	8.29	61.4	61.0	61.1	6.19	61.2	62.6	8.09	59.3	0.19	61.4	57.4	9.89	57.5	2.00
	MAY	53.0	5.99	6.7.3	55.8	0.29	54.6	53.2	61.0	8.29	54.1	53.1	49.5	53.3	53.5	9.99	6-89	99.0	53.1	0.000
	APRIL	50.7	50.1	49.8	46.0	51.1	51.6	49.0	47.2	47.6	49.0	9.24	42.1	44.3	44.7	8.09	48.2	9.24	49.2	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	MARCH	43.5	45.4	4.6.4	40.9	48.5	46.8	42.7	39.0	4.5.4	45.8	44.8	37.6	42.3	41.6	39.4	46.9	45.9	43.8	2 7 7
	FEBRUARY	43.9	33.9	42.5	39.9	96.9	42.0	38.5	43.8	41.2	43.0	97.9	41.1	33.7	40.3	39.1	37.1	41.2	36.5	11011
	JANUARY	32.5	35.7	41.7	33.5	32.3	35.6	36.9	34.9	45.6	38.8	38.0	38.2	28.5	9.78	39.6	34.6	33.4	40.1	
the state of the s	YEAR	1826	1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	1840	1841	1842	1843	****

	37.7	43.0	49.6	59.8	61.3	65.5	56.6	51.5	51.4	38·1	45.2	40.6	6981
	45.8	41.3	47.8	6.09	8.+9	2.89	9.89	58.5	49.7	45.4	43.5	37.5	1868
	8.98	40.4	48.7	58.5	62.5	9.09	60.1	54.7	51.5	98.6	45.0	33.2	1867
	43.0	44.7	51.0	2.99	60.3	61.8	62.3	51.1	49.5	41.1	40.6	42.7	1866
	42.5	44.1	50.4	62.7	59.8	63.9	60.1	2.99	52.8	8.98	36.7	36.1	1865
	38.1	41.6	9.09	27.0	59-9	61.9	58.4	54.9	49.5	41.3	35.8	34.7	1864
	42.3	44.8	52.1	54.5	62.7	62.2	59.9	52.9	50.3	44.7	42.3	41.5	1863
	43.5	39.9	52.0	57.9	60.1	59.1	57.4	8.99	49.4	43.9	41.5	38.5	1862
	39.5	39.1	54.7	57.0	63.2	61.7	60.4	52.6	44.8	43.7	41.6	32.6	1981
	35.4	39.7	20.0	53.3	58.5	58.6	55.3	54.3	43.8	41.8	35.3	39.0	1860
	35.7	40.3	50.1	2.99	63.1	68.1	65.9	53.8	47.6	46.5	41.9	39.8	1859
3	40.0	37.7	20.0	60.5	62.1	61.5	65.8	53.1	48.5	42.3	34.9	36·1	1858
1	44.2	45.8	52.4	59.4	65.2	64.3	62.7	54.9	46.8	42.5	8.28	35.9	1857
	39.4	40.0	51.3	55.5	8.89	62.1	59.8	9.09	47.7	39.5	41.8	38.8	1856
	35.6	40.9	9.09	56.9	65.9	63.1	58.3	49.9	47.0	38.4	28.8	34.5	1855
	39.9	9.68	49.0	6.29	61.2	62.1	9.29	51.8	49.8	44.0	39.1	38.7	1854
	33.8	40.9	50.9	56.1	9.09	61.6	59.4	52.5	47.1	9.86	33.1	42.2	1853
	47.2	48.5	47.1	57.3	63.1	68.1	58.5	52.7	46.8	41.0	40.0	40.4	1852
	40.0	37.1	52.4	2.99	9.89	2.19	60.4	52.5	46.5	43.1	. 8.68	42.1	1851
	39.5	44.7	45.4	2.99	60.3	62.4	61.0	51.9	49.7	29.7	43.6	33.4	1850
	38.0	42.9	50.1	58.5	63.3	62.4	60.3	2.99	44.9	43.1	41.9	39.9	1849
	42.4	41.6	50.5	2.99	59.0	62.4	59.4	59.0	48.3	43.8	43.8	34.4	1848
	42.1	46.2	52.4	54.2	62.6	65.6	58.3	57.3	45.3	41.4	35.8	34.8	1847
	9.17	43.3	46.3	68.1	67-3	80.8	63.6	0.99	9.24	4.5-9	41.2	2.00	1045

From the numbers in this table we learn that the coldest month in the year has taken place in January 26 times, in February 8 times, December 8 times, in March once, and in November once. These unusual circumstances took place in the years 1837 and 1851 respectively.

The hottest month has occurred twice in June, 27 times in July,

and 15 times in August.

The month of lowest temperature was January 1838; and of highest was July 1852.

By taking the mean of all the values for each month, we find :-

						0
The	mean	temperature	of	January	was	37.4
	,,	**		February	,,	39.4
	,,	,,		March	,,	42.4
	,,	,,		April	, ,	48.2
	,,	,,		May	,,	54.4
	,,	,,		June	,,	60.5
	,,	. ,,		July	,,	63.1
	,,	,,		August	,,	62.2
	:,	,,		September	,,	57.6
	,,	,,		October	,,	50.4
	· ·	,,		November	-,,	42.7
	,•	,,		December	,,	40.0

And the mean of these gives $49^{\circ}.9$ as the mean yearly temperature.

By taking the means of the numbers in each horizontal line, the mean temperature for each year is determined as follows:—

TABLE. XV.—Mean Temperature of every Year, 1826-1869.


YEARS	MEAN TEMPERATURES	YEARS	MEAN TEMPERATURES	YEARS	MEAN TEMPERATURES
1826	51.4	1841	49.8	1856	49.2
1827	51.0	1842	50.5	1857	51.0
1828	52.2	1843	50.3	1858	49.4
1829	47.9	1844	49.4	1859	50.5
1830	49.8	1845	48.0	1860	47.1
1831	52.1	1846	51.7	1861	49.2
1832	50.1	1847	49.7	1862	50.0
1833	50.4	1848	50.1	1863	50.9
1834	52.2	1849	50.1	1864	48.6
1835	50.6	1850	48.9	1865	50.2
1836	49.5	1851	49.7	1866	50.4
1837	48.8	1852	50.9	1867	49.2
1838	47.8	1853	48.1	1868	52.3
1839	49.8	1854	49.2	1869	50.0
1840	48.9	1855	47.2		

in d the mean of all these is 49°.9, as the mean temperature of the ar—being of the same value as found from the monthly results.

The mean temperatures of the years 1828, 1831, 1834, and 1868, are all above 52°. The year of highest temperature was 1868, and $\frac{1}{15}$ value was 52°.3.

The mean temperatures of the years 1829, 1838, 1855, and 1860, are all below 48°. The year of lowest temperature was 1860, and its lue was 47°·1.

Thus 44 years, from 1826 to 1869 inclusive, give a mean temperare of 49°9, with a variation, between one year and another, from °1 in 1860 to 52°3 in 1868. The difference is 5°2.



ON THE

EXCESS OR DEFICIENCY

ABOVE OR BELOW THE AVERAGE

OF THE

IEAN TEMPERATURE OF EVERY DAY, MONTH, AND YEAR

FROM ALL

THERMOMETRICAL OBSERVATIONS

TAKEN AT THE

HORTICULTURAL GARDENS

 ΛT

CHISWICK

FROM THE BEGINNING OF 1826 TO THE END OF 1869




TABLE XVI. Excess or Defect of Temperature on every day in the month of January, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; above or below the Mean of that day for all the years.

AT OF	AT OF	JANUARY.	OF 44
XONTH THE	INTEL 1826 1827 1828 1829 1830 1831 1832 1833 1834 1835 18	836 1837 1838 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1849 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 186	MEANS VE
1	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{vmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 $	37.5
2	$\begin{vmatrix} 1 & 3 \end{vmatrix} - \begin{vmatrix} 1 & 5 \end{vmatrix} + \begin{vmatrix} 3 & 2 \end{vmatrix} + \begin{vmatrix} 1 & 8 \end{vmatrix} - \begin{vmatrix} 3 & 2 \end{vmatrix} + \begin{vmatrix} 0 & 8 \end{vmatrix} - \begin{vmatrix} 5 & 6 \end{vmatrix} + \begin{vmatrix} 7 & 6 \end{vmatrix} + \begin{vmatrix} 0 & 4 \end{vmatrix} + \begin{vmatrix} 4 & 3 \end{vmatrix} - 1$	$ \begin{vmatrix} 12.8 & -9.8 & +8.4 & +8.1 & +9.5 & +1.5 & -3.1 & -4.7 & -7.4 & -1.5 & -5.4 & -4.8 & +6.5 & -11.7 & -2.9 & +13.3 & -0.6 & +12.3 & -13.3 & +11.6 & +6.8 & +6.5 & +2.4 & -2.0 & +12.1 & -9.0 & +1.0 & +7.3 & -10.3 & -8.3 & +7.3 & -16.3 & -6.2 & +6.$	
4	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	9.8 - 1.4 + 0.1 + 1.9 + 1.5 - 6.2 - 5.8 + 0.5 + 6.2 + 3.1 - 0.5 + 6.2 + 3.1 - 0.5 + 6.2 + 3.1 - 0.5 + 6.2 + 3.1 - 0.5 + 6.2 + 3.1 - 0.5 + 6.4 + 2.6 + 6.4 + 2.6 + 6.4 + 2.6 + 6.4 + 2.6 + 6.4 + 2.6 + 6.4 + 2.6 + 6.4 + 2.6 + 6.4 + 2.6 + 6.4 + 2.6 + 6.4 + 2.6	
5		$ \begin{vmatrix} 11 \cdot 3 \\ + & 0 \cdot 6 \\ - & 4 \cdot 3 \\ \end{vmatrix} + \begin{vmatrix} 0 \cdot 6 \\ - & 4 \cdot 3 \\ \end{vmatrix} + \begin{vmatrix} 0 \cdot 6 \\ - & 4 \cdot 3 \\ \end{vmatrix} + \begin{vmatrix} 0 \cdot 6 \\ - & 4 \cdot 3 \\ \end{vmatrix} + \begin{vmatrix} 0 \cdot 6 \\ - & 4 \cdot 4 \\ \end{vmatrix} + \begin{vmatrix} $	
7		$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	
8		$0.4 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$.2 36.1
9		$\frac{4\cdot 2}{4\cdot 9} + \frac{9\cdot 7}{9\cdot 7} = 13\cdot 0 = -7\cdot 1 = -3\cdot 3 = -13\cdot 7 = -7\cdot 3 = -2\cdot 7 = -0\cdot 1 = -3\cdot 7 = -2\cdot 3 = -16\cdot 6 = -12\cdot 7 = -12\cdot$	
11		$2 \cdot 7 \begin{vmatrix} -7 \cdot 6 \end{vmatrix} - 16 \cdot 5 \begin{vmatrix} +8 \cdot 4 \end{vmatrix} - 11 \cdot 2 \begin{vmatrix} -1 \cdot 5 \end{vmatrix} + 8 \cdot 4 \begin{vmatrix} -11 \cdot 2 \end{vmatrix} - 1 \cdot 5 \begin{vmatrix} -4 \cdot 6 \end{vmatrix} - 1 \cdot 9 \begin{vmatrix} +1 \cdot 3 \end{vmatrix} + 10 \cdot 4 \begin{vmatrix} +1 \cdot 2 \end{vmatrix} - 9 \cdot 0 \begin{vmatrix} -5 \cdot 5 \end{vmatrix} + 9 \cdot 6 \begin{vmatrix} -1 \cdot 8 \end{vmatrix} - 2 \cdot 5 \begin{vmatrix} -7 \cdot 4 \end{vmatrix} + 3 \cdot 5 \begin{vmatrix} +3 \cdot 4 \end{vmatrix} + 7 \cdot 8 \begin{vmatrix} +1 \cdot 3 \end{vmatrix} - 10 \cdot 0 \begin{vmatrix} +10 \cdot 1 \end{vmatrix} + 0 \cdot 4 \begin{vmatrix} +1 \cdot 9 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} -4 \cdot 6 \end{vmatrix} - 5 \cdot 0 \begin{vmatrix} +2 \cdot 8 \end{vmatrix} + 1 \cdot 3 \begin{vmatrix} -10 \cdot 0 \end{vmatrix} + 1 \cdot 3 \begin{vmatrix} -10 \cdot $	
12		$5\cdot4 \ + \ 0\cdot2 \ -19\cdot4 \ + \ 7\cdot3 \ - \ 6\cdot5 \ - \ 4\cdot3 \ -4\cdot0 \ - \ 4\cdot8 \ + \ 2\cdot6 \ + \ 7\cdot5 \ - \ 3\cdot5 \ - \ 4\cdot9 \ - \ 0\cdot3 \ - \ 0\cdot1 \ + \ 12\cdot4 \ - \ 1\cdot6 \ + \ 0\cdot9 \ - \ 5\cdot3 \ - \ 1\cdot4 \ - \ 2\cdot3 \ + \ 7\cdot6 \ + \ 1\cdot1 \ - \ 1\cdot7 \ + \ 6\cdot1 \ \ 0\cdot0 \ + \ 1\cdot8 \ + \ 6\cdot7 \ - \ 5\cdot5 \ - \ 11\cdot7 \ + \ 3\cdot1 \ +$	
13		$2 \cdot 8 + 5 \cdot 7 - 14 \cdot 5 + 10 \cdot 4 - 3 \cdot 2 - 3 \cdot 2 - 6 \cdot 1 + 4 \cdot 3 + 2 \cdot 4 + 4 \cdot 0 + 3 \cdot 6 - 5 \cdot 7 + 6 \cdot 0 + 13 \cdot 5 - 9 \cdot 7 + 6 \cdot 3 + 7 \cdot 1 - 2 \cdot 1 - 0 \cdot 4 - 8 \cdot 5 - 3 \cdot 8 - 0 \cdot 3 + 1 \cdot 5 + 0 \cdot 6 - 7 \cdot 2 + 0 \cdot 5 + 3 \cdot 5 - 1 \cdot 0 + 1 \cdot 4 + 3 \cdot 4 - 17 \cdot 1 + 7 \cdot 7 + 0 - 17 \cdot 7 + 4 \cdot 0 + 3 \cdot 8 - 1 \cdot 4 - 2 \cdot 8 - 2 \cdot 7 - 0 \cdot 8 + 4 \cdot 0 + 5 \cdot 3 - 9 \cdot 7 + 3 \cdot 4 + 8 \cdot 9 - 8 \cdot 1 + 7 \cdot 6 + 8 \cdot 3 \cdot 4 + 3 \cdot 6 - 1 \cdot 8 - 6 \cdot 1 - 8 \cdot 5 - 7 \cdot 7 - 4 \cdot 2 - 0 \cdot 3 + 4 \cdot 4 - 8 \cdot 3 + 1 \cdot 1 + 2 \cdot 2 + 0 \cdot 2 + 3 \cdot 5 + 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 3 - 3 \cdot 4 + 3 \cdot 6 - 1 \cdot 8 - 6 \cdot 1 - 8 \cdot 5 - 7 \cdot 7 - 4 \cdot 2 - 0 \cdot 3 + 4 \cdot 4 - 8 \cdot 3 + 1 \cdot 1 + 2 \cdot 2 + 0 \cdot 2 + 3 \cdot 5 + 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 3 - 3 \cdot 4 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 12 \cdot 2 - 14 \cdot 5 + 11 \cdot 3 - 12 \cdot 2 - 14 \cdot 3 - 12 \cdot 2 - 12 \cdot 2 - 14 \cdot 3 - 12 \cdot 2 - 14 \cdot 3 - 12 \cdot 2 - 12 \cdot 2 - 14 \cdot 3 - 12 \cdot 2 - 12 \cdot 2$	5 37.1
15		$2\cdot8 \left - \ 1\cdot6 \ \left - 21\cdot1 \ \right + \ 1\cdot8 \ \left + \ 8\cdot2 \ \right - \ 0\cdot3 \ \left - 3\cdot2 \ \right - \ 6\cdot1 \ \left + \ 4\cdot5 \ \right + \ 7\cdot9 \ \left - 7\cdot1 \ \right - \ 4\cdot0 \ \left + \ 1\cdot9 \ \right - 8\cdot7 \ \right + \ 9\cdot6 \ \left + \ 14\cdot8 \ \right + \ 8\cdot0 \ \left + \ 0\cdot1 \ \right - \ 6\cdot8 \ \left - \ 5\cdot2 \ \right - \ 1\cdot0 \ \left + \ 4\cdot2 \ \right - \ 1\cdot1 \ \left + \ 8\cdot3 \ \right - \ 9\cdot2 \ \left - \ 1\cdot2 \ \right + \ 1\cdot2 \ \left + \ 8\cdot5 \ \right - \ 8\cdot4 \ \left + \ 9\cdot1 \ \right + \ 8\cdot5 \ \left - \ 8\cdot4 \ \right + \ 9\cdot1 \ \left + \ 8\cdot5 \ \right - \ 8\cdot4 \ \left + \ 9\cdot1 \ \right + \ 8\cdot5 \ \left - \ 8\cdot4 \ \right + \ 9\cdot1 \ \left + \ 8\cdot5 \ \right - \ 8\cdot4 \ \left + \ 9\cdot1 \ \right + \ 8\cdot5 \ \left - \ 8\cdot4 \ \right + \ 9\cdot1 \ \left + \ 8\cdot5 \ \right - \ 8\cdot4 \ \left + \ 9\cdot1 \ \right + \ 8\cdot5 \ \left - \ 8\cdot4 \ \right + \ 9\cdot1 \ \left + \ 8\cdot5 \ \right - \ 8\cdot4 \ \left + \ 9\cdot1 \ \right + \ 8\cdot5 \ \left - \ 8\cdot4 \ \right + \ 9\cdot1 \ \left + \ 8\cdot5 \ \right - \ 8\cdot4 \ \left + \ 9\cdot1 \ \right + \ 8\cdot5 \ \left - \ 8\cdot4 \ \right + \ 9\cdot1 \ \left + \ 8\cdot5 \ \right - \ 8\cdot4 \ \left + \ 9\cdot1 \ \right + \ 8\cdot5 \ \left - \ 8\cdot4 \ \right + \ 9\cdot1 \ \left + \ 8\cdot5 \ \right - \ 8\cdot4 \ \left + \ 9\cdot1 \ \right + \ 8\cdot5 \ \left - \ 8\cdot4 \ \right + \ 9\cdot1 \ \left + \ 8\cdot5 \ \right - \ 8\cdot4 \ \left + \ 9\cdot1 \ \right + \ 8\cdot5 \ \left - \ 8\cdot4 \ \right + \ 9\cdot1 \ \left + \ 8\cdot5 \ \right - \ 8\cdot4 \ \left + \ 9\cdot1 \ \right + \ 8\cdot5 \ \left - \ 8\cdot4 \ \right + \ 9\cdot1 \ \left + \ 8\cdot5 \ \right - \ 8\cdot4 \ \left + \ 9\cdot1 \ \right + \ 8\cdot5 \ \left - \ 8\cdot4 \ \right + \ 9\cdot1 \ \left + \ 8\cdot5 \ \right - \ 8\cdot4 \ \left + \ 9\cdot1 \ \right + \ 8\cdot5 \ \left - \ 8\cdot4 \ \right + \ 9\cdot1 \ \left + \ 8\cdot5 \ \right + \ 9\cdot1 \ \left + \ 8\cdot5 \ \right + \ 9\cdot1 \ \left + \ 8\cdot5 \ \right + \ 9\cdot1 \ \left + \ 8\cdot5 \ \right + \ 9\cdot1 \ \left + \ 8\cdot5 \ \right + \ 9\cdot1 \ \left + \ 8\cdot5 \ \right + \ 9\cdot1 \ \left + \ 8\cdot5 \ \right + \ 9\cdot1 \ \left + \ 8\cdot5 \ \right + \ 9\cdot1 \ \left + \ 8\cdot5 \ \right + \ 9\cdot1 \ \left + \ 8\cdot5 \ \right + \ 9\cdot1 \ \left + \ 8\cdot5 \ \right + \ 9\cdot1 \ \left + \ 8\cdot5 \ \right + \ 9\cdot1 \ \left + \ 8\cdot5 \ \right + \ 9\cdot1 \ \left + \ 8\cdot5 \ \right + \ 9\cdot1 \ \left + \ 8\cdot5 \ \right + \ 9\cdot1 \ \left + \ 8\cdot5 \ \right + \ 9\cdot1 \ \left + \ 8\cdot5 \ \right + \ 9\cdot1 \ \left + \ 8\cdot1 \ \left + \ 8\cdot1 \ \right + \ 9\cdot1 \ \left + \ 8\cdot1 \ \right + \ 9\cdot1 \ \left + \ 8\cdot1 \ \right + \ 9\cdot1 \ \left + \ 8\cdot1 \ \right + \ 9\cdot1 \ \left + \ 8\cdot1 \ \right + \ 9\cdot1 \ \left + \ 8\cdot1 \ \right + \ 9\cdot1 \ \left + \ 8\cdot1 \ \right + \ 9\cdot1 \ \left + \ 8\cdot1 \ \right + \ 9\cdot1 \ \left + \ 8\cdot1 \ \right + \ 9\cdot1 \ \left + \ 8\cdot1 \ \right + \ 9\cdot1 \ \left + \ 8\cdot1 \ \right + \ 9\cdot1 \ \left + \ 8\cdot1 \ \right + \ 9\cdot1 \ \left + $	6 36.1
16		$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	1 36.7
18		$2.5 \begin{vmatrix} -1.5 \end{vmatrix} - 1.0 \begin{vmatrix} -1.5 \end{vmatrix} - 1.0 \begin{vmatrix} -1.5 \end{vmatrix} + 1.0 $	
19		$5 \cdot 2 \begin{vmatrix} -2 \cdot 1 \begin{vmatrix} -20 \cdot 4 \end{vmatrix} + 2 \cdot 5 \begin{vmatrix} +10 \cdot 3 \end{vmatrix} - 4 \cdot 3 \begin{vmatrix} -6 \cdot 7 \end{vmatrix} + 1 \cdot 1 \begin{vmatrix} +5 \cdot 4 \end{vmatrix} + 1 \cdot 2 \begin{vmatrix} +10 \cdot 7 \end{vmatrix} - 6 \cdot 9 \begin{vmatrix} -4 \cdot 5 \end{vmatrix} + 1 \cdot 1 \begin{vmatrix} +4 \cdot 7 \end{vmatrix} + 0 \cdot 5 \begin{vmatrix} +7 \cdot 4 \end{vmatrix} + 0 \cdot 3 \begin{vmatrix} -15 \cdot 2 \end{vmatrix} + 9 \cdot 6 \begin{vmatrix} +2 \cdot 8 \end{vmatrix} + 3 \cdot 3 \begin{vmatrix} +3 \cdot 2 \end{vmatrix} + 1 \cdot 1 \begin{vmatrix} -2 \cdot 5 \end{vmatrix} - 1 \cdot 8 \begin{vmatrix} +8 \cdot 7 \end{vmatrix} + 8 \cdot 8 \begin{vmatrix} -4 \cdot 4 \end{vmatrix} + 10 \cdot 5 \begin{vmatrix} -11 \cdot 2 \end{vmatrix} + 5 \cdot 4 \begin{vmatrix} -15 \cdot 4 \end{vmatrix} - 1 \cdot 1 \begin{vmatrix} -2 \cdot 5 \end{vmatrix} - 1 \cdot 1 \cdot 2 \cdot 2 \cdot 2 \begin{vmatrix} -2 \cdot 5 \end{vmatrix} - 1 \cdot 1 \cdot 2 \cdot$	
20		$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	
22	22 - 3.1 - 13.8 + 10.9 - 11.4 - 4.0 + 9.5 + 3.7 - 7.7 + 10.1 - 2.9 +	$8.5 \left + 9.7 \left - 0.1 \right - 3.9 \left + 6.8 \left - 0.8 \right - 4.0 \left + 1.9 \right - 1.0 \left + 0.3 \right + 10.8 \right - 4.3 \left - 7.3 \right + 6.1 \right - 4.8 \left + 0.2 \right + 1.6 \left + 0.7 \right + 1.3 \left - 10.6 \right + 0.8 \left - 1.1 \right - 4.6 \left + 2.9 \right + 1.4 \left - 2.6 \right + 3.1 \left + 5.5 \right + 10.4 \left - 9.7 \right + 10.1 \left - 11.9 \right - 2.2 \left - 5.8 \right + 10.4 \left - 9.7 \right + 10.1 \left - 11.9 \right + 10.1 \left - 11.9$	
23		$ \begin{vmatrix} 10.8 & & & & & & & & & & $	
25		$\begin{vmatrix} 1 & 1 & 1 & 1 & 1 & 2 & 1 & 1 & 2 & 1 & 1$	
26	26 - 6.9 - 8.4 + 7.3 + 0.3 - 3.2 - 10.5 - 1.9 - 5.2 + 12.6 + 7.2 +	$3 \cdot 6 + 1 \cdot 3 - 10 \cdot 0 - 4 \cdot 8 + 5 \cdot 9 + 6 \cdot 7 - 1 \cdot 3 + 9 \cdot 2 - 0 \cdot 1 + 3 \cdot 1 + 9 \cdot 8 + 5 \cdot 8 - 14 \cdot 4 + 4 \cdot 0 + 1 \cdot 1 - 2 \cdot 5 + 0 \cdot 9 - 2 \cdot 6 + 0 \cdot 2 - 7 \cdot 7 + 4 \cdot 5 - 5 \cdot 4 - 9 \cdot 3 + 3 \cdot 1 - 3 \cdot 6 + 8 \cdot 1 - 6 \cdot 8 + 3 \cdot 9 + 4 \cdot 0 - 4 \cdot 9 + 1 \cdot 6 + 5 \cdot 3 - 2 \cdot 6 + 1 \cdot 2 \cdot 2 + 13 \cdot 4 - 2 \cdot 8 - 3 \cdot 1 - 3 \cdot 6 + 12 \cdot 2 \cdot 2 + 13 \cdot 4 - 2 \cdot 8 - 3 \cdot 1 - 3 \cdot 6 + 12 \cdot 2 \cdot 2 + 13 \cdot 4 - 2 \cdot 8 - 3 \cdot 1 - 3 \cdot 6 + 12 \cdot 2 \cdot 2 + 13 \cdot 4 - 2 \cdot 8 - 3 \cdot 1 - 3 \cdot 6 + 12 \cdot 2 \cdot 2 + 13 \cdot 4 - 2 \cdot 8 - 3 \cdot 1 - 3 \cdot 6 + 12 \cdot 2 \cdot 2 + 13 \cdot 4 - 2 \cdot 8 - 3 \cdot 1 - 3 \cdot 6 + 12 \cdot 2 \cdot 2 + 13 \cdot 4 - 2 \cdot 8 - 3 \cdot 1 - 3 \cdot 6 + 12 \cdot 2 \cdot 2 + 13 \cdot 4 - 2 \cdot 8 - 3 \cdot 1 - 3 \cdot 6 + 12 \cdot 2 \cdot 2 + 13 \cdot 4 - 2 \cdot 8 - 3 \cdot 1 - 3 \cdot 6 + 12 \cdot 2 \cdot 2 + 13 \cdot 4 - 2 \cdot 8 - 3 \cdot 1 - 3 \cdot 6 + 12 \cdot 2 \cdot 2 + 13 \cdot 4 - 2 \cdot 8 - 3 \cdot 1 - 3 \cdot 6 + 12 \cdot 2 \cdot 2 + 13 \cdot 4 - 2 \cdot 2 + 13 \cdot 4 - 2 \cdot 2 \cdot 2 + 13 \cdot 4 - 2 \cdot 2 \cdot 2 + 13 \cdot 4 - 2 \cdot 2 \cdot 2 + 13 \cdot 4 - 2 \cdot 2 \cdot 2 + 13 \cdot 4 - 2 \cdot 2 \cdot 2 + 13 \cdot 2$	1 28.7
27	$\begin{vmatrix} 27 \\ -8.1 \end{vmatrix} - \begin{vmatrix} 12.3 \\ -3.3 \end{vmatrix} + \begin{vmatrix} 7.4 \\ +1 \end{vmatrix} + \begin{vmatrix} 1.0 \\ -2.6 \end{vmatrix} - \begin{vmatrix} 2.8 \\ -3.7 \end{vmatrix} - \begin{vmatrix} 5.1 \\ -3.6 \end{vmatrix} - \begin{vmatrix} 4.1 \\ -4.1 \end{vmatrix} + \begin{vmatrix} 1.0 \\ +1.9 \end{vmatrix} + \begin{vmatrix} 1.0 \\ +1.3 \end{vmatrix} + \begin{vmatrix} 1.0 \\ -3.7 \end{vmatrix} - \begin{vmatrix} 1.0 \\ -3.7 \end{vmatrix} - \begin{vmatrix} 1.0 \\ -3.7 \end{vmatrix} - \begin{vmatrix} 1.0 \\ -3.7 \end{vmatrix} + \begin{vmatrix} 1.0 $	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	9 38.6
29	$\begin{vmatrix} 29 \end{vmatrix} - 2.4 + 2.0 + 2.9 - 5.1 - 5.6 - 9.3 + 2.5 + 0.8 - 6.3 + 6.2 - $	$0.7 \left - 5.4 \right + 1.5 \left - 5.9 \right + 2.9 \left - 0.2 \right - 2.2 \right + 12.9 \left + 7.0 \right - 7.5 \left + 8.3 \right - 5.3 \left - 2.1 \right - 3.8 \right + 3.8 \left + 9.3 \right - 2.6 \left + 0.8 \right + 11.7 \left - 8.8 \right - 9.9 \left - 15.4 \right + 2.0 \left + 5.3 \right - 2.4 \left + 10.1 \right + 6.9 \left - 11.6 \right - 10.6 \left + 4.4 \right + 8.3 \left - 0.1 \right + 6.9 \left - 11.6 \right - 10.6 \left + 4.4 \right + 8.3 \left - 0.1 \right + 6.9 \left - 11.6 \right + 10.8 \left - 0.1 \right + 10.$	1 38.8
30	30 + 4.5 + 0.9 + 2.3 - 1.8 - 7.9 - 12.5 + 1.9 - 4.6 + 2.1 + 4.4 -	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	2 39.0
Mean	Heans - 5.0 - 1.7 + 4.3 - 4.4 - 5.2 - 1.8 - 0.5 - 2.5 + 8.2 + 1.3 -	0.6 + 0.9 - 8.6 + 0.3 + 2.2 - 2.9 - 4.1 + 2.7 + 1.3 + 1.5 + 5.7 - 2.6 - 3.0 + 2.5 - 4.0 + 4.7 + 3.0 + 4.8 + 1.3 - 3.2 + 1.4 - 1.5 - 1.3 + 2.4 + 1.6 - 4.8 + 1.1 + 4.2 - 2.7 - 1.3 + 5.3 - 4.2 + 0.1 + 3.0	.2

TABLE XVII. Excess or Defect of Temperature on every day in the month of February, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; above or below the Mean of that day for all the years.

		A O
840 1841 1842 1843 1844 1845 1846 1847 1848 1849	1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1	360 1861 1862 1863 1864 1865 1866 1867 1868 1869 E
$0.4 \left -12.8 \right - 1.5 \left -3.4 \right - 4.6 \left -12.6 \right - 2.9 \left -12.9 \right + 7.4 \right + 1.8$	$\begin{vmatrix} + & 6 \cdot 3 \end{vmatrix} + \begin{vmatrix} 3 \cdot 7 \end{vmatrix} + \begin{vmatrix} 9 \cdot 0 \end{vmatrix} - \begin{vmatrix} 5 \cdot 5 \end{vmatrix} + \begin{vmatrix} 1 \cdot 7 \end{vmatrix} - \begin{vmatrix} 9 \cdot 4 \end{vmatrix} + \begin{vmatrix} 9 \cdot 9 \end{vmatrix} + \begin{vmatrix} 1 \cdot 5 \end{vmatrix} - \begin{vmatrix} 6 \cdot 2 \end{vmatrix} - \begin{vmatrix} 0 \cdot 2 \end{vmatrix} + \begin{vmatrix} 4 \cdot 7 \end{vmatrix}$	3.1 + 3.5 - 18.9 + 2.2 - 8.4 - 1.9 + 3.6 + 8.5 - 2.6 + 11.5 39.9
-1.0 + 6.1 + 7.1 - 13.8 + 3.4 - 3.7 - 1.5 + 5.1 + 3.2 + 6.0	0 + 13.0 - 4.9 + 2.9 - 9.9 - 2.0 - 15.2 + 4.6 - 2.7 - 4.1 + 5.4 -	$5.5 \left +6.4 \right - 0.7 \left +2.6 \right + 8.6 \left -15.7 \right - 0.3 \left +7.0 \right 0.0 \left +6.2 \right 39.5$
5.4 + 2.5 + 2.9 - 7.7 + 1.3 - 6.5 + 4.0 + 11.8 - 1.7 0.0	0 + 7.0 - 3.7 + 12.6 - 8.7 + 2.8 - 18.8 = 0.0 + 3.8 - 4.2 + 9.3 - 18.8 = 0.0 + 3.8 = 0.0 + 3.8 = 0.0	$0.5 \left +7.4 \right + \left 2.7 \right -4.3 \left -2.0 \right - \left 5.3 \right - \left 6.0 \right + \left 6.7 \right + \left 0.3 \right + 9.0 \right 39^{\circ}$
		$\begin{vmatrix} 4 \cdot 9 \\ 3 \cdot 4 \end{vmatrix} + \begin{vmatrix} 6 \cdot 1 \\ + \begin{vmatrix} 12 \cdot 3 \\ + \begin{vmatrix} 4 \cdot 2 \\ + \end{vmatrix} + \begin{vmatrix} 2 \cdot 8 \\ -10 \cdot 2 \end{vmatrix} - \begin{vmatrix} 6 \cdot 9 \\ - \begin{vmatrix} 6 \cdot 9 \\ - \end{vmatrix} - \begin{vmatrix} 3 \cdot 7 \\ + \begin{vmatrix} 10 \cdot 8 \\ + \end{vmatrix} + \begin{vmatrix} 3 \cdot 7 \\ + \end{vmatrix} + \begin{vmatrix} 3 \cdot 9 \\ 3 \cdot 4 \end{vmatrix}$
-10.5 + 0.1 + 1.8 + 6.4 - 9.6 - 6.4 + 8.6 + 4.1 + 5.7 + 7.8	$\begin{vmatrix} 6 \\ + \\ 6 \cdot 2 \end{vmatrix} - \begin{vmatrix} 0 \cdot 4 \\ - \end{vmatrix} - \begin{vmatrix} 1 \cdot 6 \\ - \end{vmatrix} - \begin{vmatrix} 7 \cdot 7 \\ + \end{vmatrix} + \begin{vmatrix} 1 \cdot 5 \\ - \end{vmatrix} - \begin{vmatrix} 14 \cdot 5 \\ - \end{vmatrix} - \begin{vmatrix} 4 \cdot 7 \\ + \end{vmatrix} + \begin{vmatrix} 1 \cdot 4 \\ - \end{vmatrix} - \begin{vmatrix} 7 \cdot 5 \\ + \end{vmatrix} + \begin{vmatrix} 2 \cdot 4 \\ - \end{vmatrix} - \begin{vmatrix} 1 \cdot 4 \\ - \end{vmatrix} - \end{vmatrix} - \begin{vmatrix} 1 \cdot 4 \\ - \end{vmatrix} - \end{vmatrix} - \begin{vmatrix} 1 \cdot 4 \\ - \end{vmatrix} - \begin{vmatrix} 1 \cdot 4 \\ - \end{vmatrix} - \end{vmatrix} - \begin{vmatrix} 1 \cdot 4 \\ - \end{vmatrix} - \begin{vmatrix} 1 \cdot 4 \\ - \end{vmatrix} - \end{vmatrix} - \begin{vmatrix} 1 \cdot 4 - \end{vmatrix} - \begin{vmatrix} 1 \cdot 4 - \end{vmatrix} - \begin{vmatrix} 1 \cdot 4 - \end{vmatrix} - \end{vmatrix} - \begin{vmatrix} 1 \cdot 4 - \end{vmatrix} - \end{vmatrix} - \begin{vmatrix} 1 \cdot 4 - \end{vmatrix} - \begin{vmatrix} 1 \cdot 4 - \end{vmatrix} - \end{vmatrix} - \begin{vmatrix} 1 \cdot 4 - \end{vmatrix} - \begin{vmatrix} 1 \cdot 4 - \end{vmatrix} - \end{vmatrix} - \begin{vmatrix} 1 \cdot 4 - \end{vmatrix} - \begin{vmatrix} 1 \cdot 4 - \end{vmatrix} - \end{vmatrix} - \begin{vmatrix} 1 \cdot 4 - \end{vmatrix} - \begin{vmatrix} 1 \cdot 4 - \end{vmatrix} - \end{vmatrix} - \begin{vmatrix} 1 \cdot 4 - \end{vmatrix} - \end{vmatrix} - \begin{vmatrix} 1 \cdot 4 - \end{vmatrix} - \end{vmatrix} - \begin{vmatrix} 1 \cdot 4 - \end{vmatrix} - \begin{vmatrix} 1 \cdot 4 - \end{vmatrix} - \end{vmatrix} - \begin{vmatrix} 1$	3.3 + 7.2 + 8.0 + 3.0 - 11.0 0.0 + 0.3 + 8.5 + 5.0 - 5.8 400
$-8.1 \left -1.9 \right + 2.4 \left -1.6 \right -1.4 \left -1.4 \right + 13.4 \left -6.4 \right + 8.5 \left +2.3 \right $	$\begin{vmatrix} -0.8 \end{vmatrix} + 2.8 \begin{vmatrix} -3.5 \end{vmatrix} - 3.5 \begin{vmatrix} -4.8 \end{vmatrix} + 1.3 \begin{vmatrix} -4.8 \end{vmatrix} - 2.1 \begin{vmatrix} -3.2 \end{vmatrix} - 6.0 \begin{vmatrix} -0.7 \end{vmatrix} -$	9.3 +1.0 - 1.1 +4.4 - 7.4 + 1.8 + 0.4 + 4.6 + 10.2 0.0 40.3
-5.7 + 1.3 - 2.2 - 4.4 - 1.1 + 3.3 + 9.9 - 8.9 + 4.3 - 1.9	0 - 1.1 - 4.5 - 2.0 - 4.0 - 3.5 - 2.9 + 7.9 - 4.4 - 10.7 - 0.2 +	$4.2 \left -1.4 \right - 6.3 \left +5.5 \right - 3.9 \left + 1.1 \right - 1.9 \left + 1.3 \right + 9.3 \left + 5.8 \right 40.8$
- 0.3 - 2.4 + 1.8 - 2.9 - 3.6 - 6.3 + 4.1 - 3.6 + 4.4 + 2.8	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	4.2 + 2.1 + 2.1 + 2.9 - 3.7 - 2.7 + 1.2 + 5.5 + 4.0 + 5.8
	4'3 -11'3 + 0'4 + 9'4 - 9'7 - 6'7 + 5'8 - 4'0 - 5'8 - 3'2 5'7 -13'4 + 5'9 + 3'4 - 6'3 - 8'3 + 2'9 - 5'2 - 0'5 + 6'9 4'6 -16'9 + 3'3 - 3'2 - 6'2 - 0'1 + 7'4 - 4'4 + 1'3 + 8'4 4'6 -13'2 - 1'2 - 4'5 - 6'1 - 4'4 + 3'3 - 7'3 + 5'4 + 7'2 1'4 -13'8 - 7'5 - 5'6 - 6'2 - 8'8 + 1'8 + 1'4 + 11'1 + 3'9 5'8 - 15'4 - 5'2 - 5'9 - 0'7 - 12'8 + 3'5 - 12'2 + 7'4 + 4'8 0'4 - 12'8 - 15'5 - 3'4 - 4'6 - 12'6 - 2'9 - 12'9 + 7'4 + 1'8 3'0 - 10'8 + 4'8 - 2'1 - 2'2 - 9'0 - 5'0 - 18'1 + 6'3 + 2'3 7'2 + 0'2	1840

TABLE XVIII. Excess or Defect of Temperature on every day in the month of March, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; above or below the Mean of that day for all the years.

Par of	MARCH.	OF 44
THE ONTH	6 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1849 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 1865	1866 1867 1868 1869 SYNT
1 2	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$
3 +	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{vmatrix} 0 & -7.8 & -5.0 & +8.9 & -5.1 & 41.8 \\ -5.9 & -0.7 & +10.5 & -6.7 & 41.3 \\ -8.8 & -2.1 & +9.3 & +4.2 & 41.0 \end{vmatrix}$
6	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	
9	$\frac{4}{7} + \frac{3 \cdot 6}{5 \cdot 5} + \frac{11 \cdot 2}{10 \cdot 9} + \frac{3 \cdot 5}{5 \cdot 5} + \frac{5 \cdot 7}{5 \cdot 0} + \frac{7 \cdot 6}{5 \cdot 0} + \frac{7 \cdot 5}{5 \cdot 0} + \frac{10 \cdot 4}{5 \cdot 0} + \frac{9 \cdot 6}{5 \cdot 0} + \frac{3 \cdot 0}{5 \cdot 0} + \frac{10 \cdot 4}{5 \cdot 0} + \frac{9 \cdot 6}{5 \cdot 0} + \frac{9 \cdot 7}{5 \cdot 0} + \frac{10 \cdot 4}{5 \cdot 0} + \frac{9 \cdot 6}{5 \cdot 0} + \frac{9 \cdot 7}{5 \cdot 0} + \frac{10 \cdot 4}{5 \cdot 0} + \frac{9 \cdot 6}{5 \cdot 0} + \frac{9 \cdot 7}{5 \cdot 0} + \frac{10 \cdot 4}{5 \cdot 0} + \frac{9 \cdot 7}{5 \cdot 0} + \frac{10 \cdot 4}{5 \cdot 0} + \frac{9 \cdot 7}{5 \cdot 0} + \frac{10 \cdot 4}{5 \cdot 0} + \frac{9 \cdot 7}{5 \cdot 0} + \frac{10 \cdot 4}{5 \cdot 0} + \frac{9 \cdot 7}{5 \cdot 0} + \frac{10 \cdot 7}{5 \cdot 0} $	5 - 2.3 - 1.5 + 2.4 - 2.1 + 40.6
11 12	$1 \begin{vmatrix} +10 \cdot 4 \end{vmatrix} + 9 \cdot 6 \begin{vmatrix} -4 \cdot 3 \end{vmatrix} \div 12 \cdot 0 \begin{vmatrix} +4 \cdot 7 \end{vmatrix} - 4 \cdot 8 \begin{vmatrix} -5 \cdot 9 \end{vmatrix} + 5 \cdot 1 \begin{vmatrix} +5 \cdot 9 \end{vmatrix} + 5 \cdot 4 \begin{vmatrix} -1 \cdot 1 \end{vmatrix} - 0 \cdot 8 \begin{vmatrix} -3 \cdot 3 \end{vmatrix} + 0 \cdot 1 \begin{vmatrix} +5 \cdot 3 \end{vmatrix} + 3 \cdot 9 \begin{vmatrix} +1 \cdot 7 \end{vmatrix} + 4 \cdot 5 \begin{vmatrix} -7 \cdot 8 \end{vmatrix} + 2 \cdot 4 \begin{vmatrix} -14 \cdot 7 \end{vmatrix} + 1 \cdot 1 \begin{vmatrix} -0 \cdot 9 \end{vmatrix} - 3 \cdot 8 \begin{vmatrix} -2 \cdot 2 \end{vmatrix} - 1 \cdot 1 \begin{vmatrix} +2 \cdot 7 \end{vmatrix} + 8 \cdot 5 \begin{vmatrix} -8 \cdot 2 \end{vmatrix} - 7 \cdot 2 \begin{vmatrix} -9 \cdot 8 \end{vmatrix} + 5 \cdot 7 \begin{vmatrix} -3 \cdot 7 \end{vmatrix} + 0 \cdot 9 \begin{vmatrix} +6 \cdot 5 \end{vmatrix} - 4 \cdot 6 \begin{vmatrix} +4 \cdot 9 \end{vmatrix} - 4 \cdot 6 \begin{vmatrix} +4 \cdot 9 \end{vmatrix} + 4 \cdot 9 \begin{vmatrix} -4 \cdot 6 \end{vmatrix} + 4 \cdot 9 \begin{vmatrix} -4 \cdot$	$\begin{vmatrix} -4.6 & -2.3 & +4.3 & -5.6 & 41.2 \\ -2.1 & -6.1 & +5.6 & -6.0 & 41.7 \\ -4.1 & -11.3 & +8.1 & -7.4 & 42.6 \end{vmatrix}$
3÷	$0 \begin{vmatrix} + & 5 \cdot 7 \end{vmatrix} + & 9 \cdot 6 \begin{vmatrix} - & 7 \cdot 8 \end{vmatrix} + & 3 \cdot 7 \begin{vmatrix} - & 0 \cdot 5 \end{vmatrix} + & 1 \cdot 4 \begin{vmatrix} - & 7 \cdot 8 \end{vmatrix} + & 1 \cdot 7 \begin{vmatrix} + & 7 \cdot 0 \end{vmatrix} + & 2 \cdot 1 \begin{vmatrix} - & 3 \cdot 4 \end{vmatrix} + & 9 \cdot 5 \begin{vmatrix} + & 5 \cdot 9 \end{vmatrix} + & 0 \cdot 1 \end{vmatrix} + & 1 \cdot 3 \begin{vmatrix} + & 3 \cdot 6 \end{vmatrix} + & 7 \cdot 3 \end{vmatrix} = 0 \cdot 0 \begin{vmatrix} - & 1 \cdot 2 \end{vmatrix} + & 8 \cdot 9 \begin{vmatrix} + & 1 \cdot 7 \end{vmatrix} + & 7 \cdot 0 \begin{vmatrix} + & 2 \cdot 9 \end{vmatrix} + & 1 \cdot 7 \begin{vmatrix} + & 7 \cdot 9 \end{vmatrix} + & 2 \cdot 1 \end{vmatrix} + & 2 \cdot 9 \begin{vmatrix} + & 1 \cdot 7 \end{vmatrix} + $	2 - 2.8 - 8.7 + 1.3 - 6.5 42.5
17	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
10	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	3 - 5.8 - 5.9 + 8.1 - 3.0 42.7
25	$0 \begin{vmatrix} + & 7 \cdot 6 \end{vmatrix} - & 1 \cdot 1 \begin{vmatrix} + & 6 \cdot 1 \end{vmatrix} + & 4 \cdot 0 \begin{vmatrix} + & 6 \cdot 7 \end{vmatrix} + & 2 \cdot 5 \end{vmatrix} + & 2 \cdot 5 \begin{vmatrix} + & 6 \cdot 7 \end{vmatrix} + & 2 \cdot 5 \end{vmatrix} + & 2 \cdot 5 \begin{vmatrix} + & 6 \cdot 7 \end{vmatrix} + & 2 \cdot 5 \end{vmatrix} $	0.0 + 8.4 - 1.5 - 6.5 42.6
25 16	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	6 + 4.0 + 6.5 + 5.4 - 1.6 42.9
	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{vmatrix} + & 6.4 & + & 1.7 & - & 0.4 & - & 7.6 & 44.5 \\ + & 12.3 & - & 0.8 & - & 1.3 & - & 7.6 & 44.0 \end{vmatrix}$
	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	+ 3.8 - 3.4 + 0.1 - 4.3 45.1
as a	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	- 1.3 - 3.8 + 3.0 - 4.3

TABLE XIX. Excess or Defect of Temperature on every day in the month of April, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; above or below the Mean of that day for all the years.

APRIL.
26 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1859 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 1869
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$\frac{3\cdot3}{7\cdot4} \begin{array}{ c c c c c c c c c c c c c c c c c c c$
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
$\frac{4 \cdot 5}{5 \cdot 9} + \frac{6 \cdot 4}{3 \cdot 1} + \frac{1 \cdot 5}{5 \cdot 3} + \frac{1 \cdot 4}{3 \cdot 1} + \frac{4 \cdot 5}{5 \cdot 5} + \frac{1 \cdot 4}{5 \cdot 5} + \frac{4 \cdot 5}{5 \cdot 6} + \frac{1 \cdot 2}{5 \cdot 6} + \frac{1 \cdot 3}{5 \cdot 6} + \frac{1 \cdot 3}{5$
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
$ \begin{vmatrix} 3 \cdot 9 \\ 0 \cdot 0 \\ 0$
$\frac{1\cdot8}{7\cdot2} \begin{vmatrix} -2\cdot1 \\ 0\cdot0 \end{vmatrix} + \frac{1\cdot8}{3\cdot1} \begin{vmatrix} +6\cdot4 \\ -2\cdot1 \end{vmatrix} + 1\cdot8$
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
$ \begin{vmatrix} 3 \cdot 4 \\ -9 \cdot 1 \\ -8 \cdot 6 \end{vmatrix} = \begin{vmatrix} 9 \cdot 1 \\ -8 \cdot 6 \end{vmatrix} = \begin{vmatrix} 4 \cdot 6 \\ -2 \cdot 5 \end{vmatrix} = \begin{vmatrix} 4 \cdot 6 \\ -2 \cdot 5 \end{vmatrix} = \begin{vmatrix} 4 \cdot 6 \\ -2 \cdot 5 \end{vmatrix} = \begin{vmatrix} 4 \cdot 6 \\ -2 \cdot 5 \end{vmatrix} = \begin{vmatrix} 4 \cdot 6 \\ -2 \cdot 6 \end{vmatrix} = \begin{vmatrix} 4 \cdot 6 \cdot 6 \end{vmatrix} = \begin{vmatrix} 4 \cdot$
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
$\frac{6\cdot9}{9} + \frac{15\cdot0}{9} + \frac{8\cdot2}{9} - \frac{7\cdot9}{9} + \frac{11\cdot1}{9} + \frac{6\cdot5}{9} + \frac{2\cdot0}{9} - \frac{2\cdot7}{9} + \frac{2\cdot4}{9} - \frac{3\cdot7}{9} - \frac{9\cdot6}{9} + \frac{2\cdot1}{9} - \frac{2\cdot8}{9} + \frac{6\cdot2}{9} + \frac{2\cdot4}{9} + \frac{7\cdot5}{9} + \frac{7\cdot7}{9} + \frac{1\cdot3}{9} + \frac{5\cdot0}{9} + \frac{2\cdot7}{9} + \frac{4\cdot7}{9} - \frac{2\cdot7}{9} + $

TABLE XX. Excess or Defect of Temperature on every day in the month of May, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; above or below the Mean of that day for all the years.

DAY 0	MAY.	OF 44
ONT	1826 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1859 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 1869	MENNS
1 2	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1 1
3 4 5	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	5 52.2 6 51.8 6 52.5
6	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	
9 10	$ \begin{vmatrix} 8 & -3.6 & -8.8 & +0.1 & +1.6 & +6.1 & -8.5 & +3.8 & +6.0 & +11.4 & +5.4 & -1.8 & -5.1 & +8.2 & +6.3 & +8.3 & +1.5 & +0.1 & -7.4 & +5.0 & -9.4 & +3.6 & +1.9 & +5.5 & -5.5 & -7.7 & -0.1 & +7.0 & -10.8 & -3.6 & -8.7 & -7.9 & -4.8 & -4.7 & +2.2 & +3.1 & -13.8 & +2.5 & -3.1 & +1.6 & +4.8 & +3.1 & +14.8 & +3.6 & +1.9 & +5.8 & +3.8 & +3.1 & +1.6 & +3.1 & +14.8 & +3.6 & +1.9 & +5.5 & -5.5 & -7.7 & -0.1 & +7.0 & -10.8 & -3.6 & -8.7 & -7.9 & -4.8 & -4.7 & +2.2 & +3.1 & -13.8 & +2.5 & -3.1 & +1.6 & +4.8 & +3.1 & +14.8 & +3.6 & -1.4 & +3.0 & -5.8 & -4.9 & +10.0 & -5.6 & -1.3 & -1.2 & -0.6 & -0.6 & -10.9 & +0.3 & +0.3 & +0.3 & +0.8 & +0.4 & +3.6 & +1.9 & +5.8 & +0.8 & +0.1 & -3.1 & -5.3 & +3.8 & +3.3 & +7.0 & -5.5 & -3.1$	6 52.3
11 12 23	$ \begin{vmatrix} -0.6 & -1.8 & +5.4 & +3.9 & -5.2 & -3.8 & -4.5 & +8.3 & +10.3 & +4.2 & +2.1 & -5.5 & -5.8 & -5.7 & +0.4 & +9.2 & +2.4 & -3.9 & +3.8 & -3.5 & +0.5 & +1.5 & +10.7 & -8.6 & +1.7 & +1.4 & -0.7 & -7.5 & -3.6 & -5.4 & +2.7 & +2.2 & -1.6 & -2.7 & +4.5 & -6.9 & -2.0 & +1.4 & -3.5 & -4.0 & -0.8 & +6.0 & +4.5 & -0.6 & +1.7 & +1.4 & -0.7 & -7.5 & -3.6 & -5.4 & +2.7 & +2.2 & -1.6 & -2.7 & +4.5 & -6.9 & -2.0 & +1.4 & -3.5 & -4.0 & -0.8 & +6.0 & +4.5 & -0.6 & +0.4 & +1.2 & +0.6 & +0.4 & +1.2 & +0.6 & +0.4 & +1.2 & +0.6 & +0.4 & +0.4 & +0.1 & -1.10 & -5.2 & +4.2 & -1.1 & -0.5 & -1.0 & -1.2 & +0.6 & +0.4 & +3.1 & +0.6 & +0.4 & +3.1 & +0.6 & +3.4 & +0.2 & -3.6 & +3.8 & +4.2 & -2.4 & +3.3 & -4.9 & +1.5 & -9.0 & +0.5 & +8.1 & -0.5 & -1.6 & +2.9 & -10.7 & -1.6 & +0.4 & +4.1 & +0.1 & -11.0 & -5.2 & +4.2 & -1.1 & -1.0 & -1.2 & +4.2 & -1.1 & -1.0 & -1.2 & +4.2 & -1.1 & -1.0 & -1.2 & +4.2 & -1.1 & -1.2 & +4.2 & -1.4 & -1.2 & +3.2 & -1.4 & -1.2 & +3.2 & -1.4 & -1.2 & +3.2 & -1.4 & -1.2 & +3.2 & -1.4 & -1.2 & +3.2 & -1.4 & -1.2 & +3.2 & -1.4 & -1.2 & +3.2 & -1.4 & -1.2 & +3.2 & -1.4 & -1.2 & -1.2 & -1.4 & -1.2 & -1.2 & -1.4 & -1.2 & -1.2 & -1.4 & -1.2 &$	7 53.0 1 52.7
15	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	9 53'I 0 54'I 1 55'4
17	$ \begin{vmatrix} 17 & + 5.6 & + 6.1 & + 6.6 & + 1.2 & + 8.2 & + 4.4 & -8.1 & + 15.4 & -5.0 & + 2.1 & + 3.9 & + 3.6 & -7.7 & -6.4 & -1.1 & + 1.5 & -0.5 & -2.0 & -7.3 & -8.1 & -5.3 & + 2.7 & + 8.5 & + 1.0 & -0.6 & -0.9 & + 1.6 & + 1.1 & -2.9 & -7.4 & -4.1 & + 4.3 & + 0.4 & -3.8 & -1.8 & -6.8 & + 4.4 & -3.1 & + 8.4 & -0.7 & -4.0 & -5.6 & + 3.2 & -2.1 & + 3.9 & + 3.6 & -7.7 & -6.4 & -1.1 & + 1.5 & -0.5 & -2.0 & -7.3 & -8.1 & -5.3 & + 2.7 & + 8.5 & + 1.0 & -0.6 & -0.9 & + 1.6 & + 1.1 & -2.9 & -7.4 & -4.1 & +4.3 & + 0.4 & -3.8 & -1.8 & -6.8 & + 4.4 & -3.1 & + 8.4 & -0.7 & -4.0 & -5.6 & + 3.2 & -2.1 & + 3.9 & + 3.6 & -7.7 & -4.0 & -3.8 & -1.8 & -4.7 & + 6.2 & -3.8 & -1.8 & -6.8 & + 4.4 & -3.1 & + 8.4 & -0.7 & -4.0 & -3.8 & -1.8 & -3.8 & -1.8 & -3.8 & -1.8 & -3.8 & -1.8 & -3.8 & -1.8 & -3.8 & -1.8 & -3.8 & -1.8 & -3.8 & -1.8 & -3.8 & -1.8 & -3.8 &$	1 54'9 1 55'1 8 65'8
20	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	4 56.0
22	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3 56.6
3 2 2 2 2 2 2 2 2 2	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	0 26.3
1 2	$ \begin{vmatrix} + & 1 \cdot 6 & + & 4 \cdot 5 & + & 3 \cdot 9 & + & 2 \cdot 1 & - & 2 \cdot 2 & + & 2 \cdot 8 & + & 4 \cdot 2 & + & 3 \cdot 9 & + & 2 \cdot 1 & - & 2 \cdot 2 & + & 2 \cdot 8 & + & 4 \cdot 2 & + & 3 \cdot 9 & + & 2 \cdot 9 & +$	1 56.2
3	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	
) Jie:	$ \begin{vmatrix} 2 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 &$	·

TABLE XXI. Excess or Defect of Temperature on every day in the month of June, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; above or below the Mean of that day for all the years.

The color The	DAY OF	JUNE.
2 - 90 - 94 - 11		1847 1848 1849 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 1869
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Means + 3.5 -0.1 + 2.2 - 0.2 -0.1 + 2.2 - 0.2 -0.1 + 2.2 - 0.2 -0.1 + 0.5 + 0.6 + 1.4 + 0.7 + 2.1 + 0.5	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

TABLE XXII. Excess or Defect of Temperature on every day in the month of July, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; above or below the Mean of that day for all the years.

DAYO	F			-														•						Jυ	LY.													<u> </u>					0F 4:1
HONT	182	5 182	7 18:	28 18	29 18	30	831	1832	1833	183	18	35	1836	1837	1838	1859	1840	1841	1842	184	3 1844	1845	1846	1847	1848	1849	1850	1851 1	352 185	3 1854	1855	1856	1857	1858 1	859 18	60 186	1 186	2 1863	1864	1865 18	66 186	7 1868	Means Years
1	+ 8	0 + 2	*3 + 3 *1 + 6	9 _	2.7 +	3.5	-0·2 + 2·0	+5.5	-8·9	+ °1	·5 +	2·9	+ 12·6 + 7·6	-7·3	+ 3·6 + 2·9	0 -5°	6 + 0.6	+0.2	-2.7	- °0·	$\begin{vmatrix} 4 & 2 & 3 \\ 2 & -2 & 3 \end{vmatrix}$	$\begin{vmatrix} 0 & 0.4 \\ 0 & -2.7 \end{vmatrix}$	+ 2.2	+ 0.6	-8·0 -4·5	+ 4·5 + 0·5	-0.9 -0.5	+ 7.0 -	$\begin{bmatrix} 0.1 & -4 \\ 1.2 & -3 \end{bmatrix}$	-1 - 5.4	+5.3	- 4·5 - 5·4	-0.6 -2.9	-3·8 + -4·3 +	0.1	0.3 +2	8 -4	2 +0.3	-8·2	~2.2	2.2 + 5.	3 - 1.5	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
3	+ 10-	3 + 0	7 + 10	- 9	4.3 -	2.6	+ 0.7	-0.7	-6.3	÷ 1	.0 +	2.7	+ 5.9	+ 2.2	-1.8	$\left -1 \right $	3 - 3.6	+3.2	+1.1	+ 4	3 - 2	9 + 6.5	+ 1.8	- 0.8	-2.6	+1.6	-0.9	-3.6 +	1.9 -2	1 + 1.2	+4.3	- 5.6	-0.3	-7·5 +	3.9 -	0.6 -0.	7 -8	2 + 2.8	-6.6	+0.2 -	6.9 + 0.	7 + 3.2	$\begin{bmatrix} -3.0 \\ -4.0 \\ +1.0 \\ \end{bmatrix}$
5	+ 7	$\begin{vmatrix} -1 \\ +1 \end{vmatrix}$	·1 + 3 ·7 + 1	1 -	4·8 - 0·7 -	1·7 1·3	+ 3.0	+ 1.8 + 0.7	+3.8	+ 4'+ 3'	·5 - ·2 -	0·7 - 3·3 -	+ 14·3 + 0·7	+ 4.2	+1.8	$\begin{vmatrix} -0.1 \\ +1.1 \end{vmatrix}$	$\begin{vmatrix} 1 & 4.5 \\ 2 & 5.4 \end{vmatrix}$	+ 2.1	-5.6	+ 90	$\begin{bmatrix} -4 & 4 & 6 \\ 2 & -4 & 6 \end{bmatrix}$	+ 0·8 + 5·9	$\begin{vmatrix} +10.1 \\ -2.1 \end{vmatrix}$	+ 4.3 + 7.7	+1.4	$ \begin{array}{c c} -2.4 \\ +0.1 \end{array} $	-7·4 -1·9	$\begin{vmatrix} -3.6 \\ -1.3 \end{vmatrix} + 1$	$\begin{vmatrix} 5 \cdot 2 \\ 3 \cdot 4 \end{vmatrix} + 3 \cdot \begin{vmatrix} 4 & 3 & 3 \\ 3 & 4 & 4 \end{vmatrix}$	$\begin{vmatrix} 0 & -6.9 \\ 1 & -8.5 \end{vmatrix}$	$\begin{vmatrix} -1.9 \\ -2.4 \end{vmatrix}$	- 3·0 - 0·7	-1·7 -6·8	$\begin{vmatrix} -5.9 \\ -7.7 \end{vmatrix} +$	0·9 -	$\begin{vmatrix} 6 \cdot 2 & -4 \\ 4 \cdot 8 & -2 \end{vmatrix}$	$\begin{vmatrix} 9 & -2 \\ 2 & -3 \end{vmatrix}$	$\begin{vmatrix} 9 & -0.4 \\ 3 & -0.3 \end{vmatrix}$	-3·3	+ 3.6 - + 7.4 -	$\begin{vmatrix} 6 \cdot 3 \\ - 3 \end{vmatrix} - \begin{vmatrix} 1 \cdot \\ - 3 \cdot \end{vmatrix}$	4 - 4.6	+ 1.9 64.0
8	+ 7.	+ 7	9 + 9	4 -	0.4	5.7	+ 2.2	+3.1	-1.9	+ 4	.3 -	2.2	+ 0.6	+4.1	+1.2	+ 0.0	1 - 1.9	-2.5	-5.4	- 3	7 + 0.3	3 + 2.1	- 1.0	0.0	-2.9	+6'5	-7.5	1.4 +	7.3 + 6.	2 - 4.3	+ 2.7	-16.2	-7.1	-6.7 +	5.9	4.8 -1.	1 +0:	2 + 2.1	-6.9	+1.0 -	1.5 -10	6 + 8.1	+ 0.7 62.9 + 5.2 62.5 - 0.5 62.5
10	÷ 6	+ 4	0 + 1	- 8	1.3 _	3.9	-0.4	+ 2.3	+0.2	+ 0	8 –	2.6	+ 9.8	-0.3	+ 5.2	+ 0%	4 - 5·4	-1.3	-2.1	- 0.9	9 + 3.9	-1.2	- 2.1	+ 6.4	-2.6	+ 2.3	-5.3	-6.3 +	6.8 -4	4 - 3.0	+ 6.7	- 2.2	+0.9	-7.3 +	7.0 -	6.6 - 3.	$8 -5^{-6}$	7 + 6.0	-5:1	-5.6 +	1.7 - 1.0	0 + 5.1	$\begin{vmatrix} -0.5 \\ +1.7 \\ +2.1 \end{vmatrix}$ 62.5.
12 13	+ 2.	+ 2+ 3	$\begin{vmatrix} 1 & -4 \\ -8 & -5 \end{vmatrix}$	·5 -	2.9 -	7·1 3·2	+ 1·3	+ 5.0	-7·9 -8·5	+ 5	·7 +	0·5 H	+ 0·9 + 1·3	-3.5 -1.8	+ 3.7	+ 0.0	$\begin{vmatrix} - & 9.4 \\ - & 11.1 \end{vmatrix}$	-4.9	$\begin{vmatrix} -2.9 \\ -2.4 \end{vmatrix}$	+ 13	$\begin{vmatrix} 5 & - & 3 \\ - & 1 \end{vmatrix}$	$\begin{vmatrix} -7.4 \\ -4.5 \end{vmatrix}$	+ 7·I	+ 8.5	+ 0.8	+ 0.9	-2·5 -0·9	+ 2.5 + -1.8 +	$\begin{vmatrix} 3.7 & -0. \\ 5.9 & -0. \end{vmatrix}$	$\begin{vmatrix} 2 & -10.7 \\ 7 & -4.5 \end{vmatrix}$	÷ 1·9 + 3·5	- 3·3 - 1·9	+ 5.0	+4.3 +	9.7 -	4·0 + 3· 3·2 + 1·	$\begin{vmatrix} 6 & -3 \\ 7 & -1 \end{vmatrix}$	$\begin{vmatrix} 6 & +5.1 \\ 8 & +4.7 \end{vmatrix}$	-6.3	-5.0 + 5 + 5 + 5 + 5	$\begin{vmatrix} 0.3 \\ -1.6 \end{vmatrix}$	3 + 3·7 5 + 3·3	+ 9·5 63·9 - 3·7 64·0
14 15 16	+ 0	÷ 0	8 - 4	-0 +	2.1	1.2	-0.5	-1.6	-2.9	+ 3	-8 +	1.7	- 5:3	-1.2	-3.7	-3.3	0.7	-6.2	-3.9	+ 2:	2 - 3.2	8.0	+ 1.1	+ 8.0	-5.7	-1.6	+8.8	-4.1 +	8.5 -7.	8 - 4.0	+ 0.2	+ 0.3	+7.9	+9.6 +	6.2 -	3.4 -1.3	$3 \mid -5.6$	5 +4.9	-0.4	+4.0 +4	.4 - 44	4 + 6.6	+ 0·3 64·3 + 1·7 64·3 + 8·4 63·7
17 18				•4 -	4.8 -	2.7	+ 0.8	+4.7	+ 3.7	+ 12	·6 +	1.6	- 2:3	-0.7	+0.2	+ 414	4 - 0.4	-3.3	-1.3	+ 5.0	6 - 2.8	3 -1.5	- 2.6	- 1.8	-0.9	-2.5	+ 4.4	-4.0 +	2.4 -5.	8 - 2.6	-6.1	- 6.0	-0.2	+ 2.0 +	8.0 -	2.6	3 -4.5	-6.4	-0.3	-0.8	.1 - 2.1	l + 7·3	+ 10·6 64·4 + 10·6 63·2
19		-		+ [5:3	2.9	1.2	+ 1.2	- 5.6	-2.3	+ 0	·3 +	8.6	- 12:1	-1.0	-0.9	+13	3.0	-4.9	-1.5	- 3.0	0 - 3.4	1 -0.8	+ 1.8	+ 4.5	-1.4	-4.4	+ 0.8	+ 0.3 +	2.0 -1.	0 + 3.1	÷4·4	+ 1.2	+5'6	+ 3.9 +	7.3 - 3	2.3 + 3.0	- 2.2	2 -3.6	+6.2	+1.2 -3	- 1.7	7 + 12.6	+ 2·1 62·4 - 3·7 62·3
22)·5 +	2.1 +	4.1	-4.1	-5.7	-5.2	- 1	·5 +	4.8	- 4'7	+ 0.7	-9.4	-0:	1 - 4.7	-5.2	-7.9	- 41	1 + 5%	-0.1	+ 2.5	- 1.8	+ 1.6	-0.8	+7.4	+ 2.3 +	2.8 -3.	0 + 5.6	+1.2	+ 6.2	+ 3.9	-0.4 +	5.4 - 6	6.1 -2.1	3.4	-6.0	+0.7	+3.2 -8	1.6	6 + 12.5	+ 3·2 62·5 + 12·4 63·2 + 4·4 63·4
2 1 25	÷ 1	7 + 4	-3 + 0).6 +	2.3 +	9.7	-1.4	-0.6	+3.1	+ 1	-8 +	4.9	- 3.4	+6.1	-7.0	-11	4 - 1.6	-2.3	-2.4	- 2	7 + 12.	$\begin{vmatrix} -2\cdot 3 \end{vmatrix}$	- 1.8	- 4.7	-3.7	-4.1	-4.5	-2.2 +	3.2 -0.	6 + 11.9	-2.9	+ 0.1	-1.3	-2.2	0.1 -12	2.2 + 0.6	-2.1	-2.9	-3.0	+4.3	9 - 0.2	+ 6.1	+ 3.8 62.8 + 5.0 62.6
25 27 28	- 1	3 +	:7 - 4	1.3	5.9 +	10.6	+ 6.4	-4.5	+7.4	- 4	+ 1	4.9	+ 0.4	+9.7	-4.3	-6	0 - 4.1	-1/3	-0.4	- 0.	7 + 1.4	4 -4.8	+ 4.1	+ 1.1	-2.7	-2.5	-5.9	+ 0.3 +	2.9 + 1.	6 - 3.2	-1.0	– 1·3	+ 4.0	+1.0 +	8.1 - 3	-5.6	-2.3	-2.8	+1.4	+6.2 -2	·8 -10·5	+ 9.7	$ \begin{array}{c ccccc} + & 2.7 & 62.6 \\ + & 0.7 & 63.3 \\ - & 7.7 & 63.7 \end{array} $
29 30	÷ 2	2 + 15	2-1	5·5 -	·5·4 +	10.2	+ 6.7	_3.7	+ 2.0	+ 9	+ 0.0	3.5	- 0.1	+0.2	-3.2	-3.	8 + 1.2	-6.6	-8.6	- 1	5 + 0.0	6 -8.6	+ 10.1	+ 6.6	+1.1	-3.4	-1.6	-0.7 +	2.4 -0.	7 - 2.7	+ 0.1	+ 2.2	-0.3	-7 ·5 +	5.9 - 4	1.4 -0.4	0.0	-1.0	+4.0	+2.6 -2	2 - 6.8	$\left -21 \right $	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
31 Mar.	-	- -								-	_ -		-		-	 		_	-	-	_	_	-						_		<u></u>						-			-			+ 3.6 62.9
JIES!	15 + 3	5 +	3.4 +	0.2	-2.1 +	1.6	+1.8	-0.6	-0.8		3·6 +	- 2.0	+ 1.1	+0.9	-0.9	-0.	6 - 28	3 - 3.4	- 2.8	3 - 1	1 + 0.	$1 \mid -2 \cdot 1$	+ 2.7	+ 2.5	-0.7	-0.8	-0.7	-1.4 +	2.0 -1.	2 - 1.0	-0.1	- 1.0	+12	-1'6 +	5.0 - 4	1.2	-4.0	-1.0	-1.3	+0.8 -1	.3 - 5.6	+ 5.6 -	+ 2.3

TABLE XXIII. Excess or Defect of Temperature on every day in the month of August, as deduced from the observations, taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; above or below the Mean of that day for all the years.

	AUGUST.														
DAY OF _	AUGUST. Secondary 1826 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1849 1850 1851 1852 1853 1854 1859 1850 1851 1852 1853 1854 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 1869														
MONTH :	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$														
1 2 3 4 5 6 7 8 9 10 11 12 13 14 - 15 16 17	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$														
19 20 21 22 23 24 25 26 27 28 29 30 31															

TABLE XXIV. Excess or Defect of Temperature on every day in the month of September, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; above or below the Mean of that day for all the years.

047.0	S:EPTEMBER.														11. E3.																																
TEE MONT	1826 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1849 1850 1851 1852 1853 1859 1850 1851 1852 1853 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 1869 1860 1861 1862 1863 1864 1865 1860 1861 1862 1863 1864 1865 1860 1860 1861 1862 1863 1864 1865 1860 1860 1861 1862 1863 1864 1865 1860 1860 1860 1860 1861 1862 1863 1864 1865 1860 1860 1860 1860 1860 1860 1860 1860															869	YEA																														
1			1											- 5·5 - 4·0	-1·3 -0·1	-0·7	+9.1	- 4 - 0	·0 + 3	1·5 + 1 0·2 +	9.6	+ 3.7 -	- 2·6 - 2·8	-0.1	- 3·6	6 - 3.7	+3.7	-1·1 +3·0	+6.8	+2:0	-1·5 -6·7	-1·8	-2·8	-1·1 -5:0	+3.2	-0.5	-5·1 -	4.4 + 3	6 - 1	1.4	0.6 -0.0	- °0:	1 +0.6	+ 9.1 +	3.8 -	6.1 5	9·6
3	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$															-5.8 5	0.8																														
5	$ \begin{vmatrix} +1 \cdot 1 & -0 \cdot 3 & + & 2 \cdot 8 & -0 \cdot 4 & -1 \cdot 7 & +0 \cdot 1 & +0 \cdot 8 & -2 \cdot 8 & -0 \cdot 8 & +7 \cdot 6 & -3 \cdot 9 & -5 \cdot 0 & +3 \cdot 3 & +1 \cdot 6 & +0 \cdot 9 & -1 \cdot 2 & +1 \cdot 5 & -2 \cdot 0 & -3 \cdot 1 & -1 \cdot 5 & +5 \cdot 6 & -4 \cdot 9 & -1 \cdot 4 & +6 \cdot 3 & +5 \cdot 5 & +1 \cdot 3 & +2 \cdot 0 & +1 \cdot 1 \cdot 5 & +5 \cdot 6 & -4 \cdot 9 & -1 \cdot 4 & +6 \cdot 3 & +5 \cdot 5 & +1 \cdot 3 & +2 \cdot 0 & +1 \cdot 1 \cdot 5 & +5 \cdot 6 & -4 \cdot 9 & -1 \cdot 4 & +6 \cdot 3 & +5 \cdot 5 & +1 \cdot 3 & +2 \cdot 0 & +1 \cdot 1 \cdot 2 & +4 \cdot 1 & 5 & -2 \cdot 0 & -3 \cdot 1 & -1 \cdot 5 & +5 \cdot 6 & -4 \cdot 9 & -1 \cdot 4 & +6 \cdot 3 & +5 \cdot 5 & +1 \cdot 3 & +2 \cdot 0 & +1 \cdot 1 \cdot 2 & +4 \cdot 1 & 5 & -2 \cdot 0 & -3 \cdot 1 & -1 \cdot 5 & +5 \cdot 6 & -4 \cdot 9 & -1 \cdot 4 & +6 \cdot 3 & +5 \cdot 5 & +1 \cdot 3 & +2 \cdot 0 & +1 \cdot 1 \cdot 2 & +4 \cdot 1 & -5 \cdot 3 & +2 \cdot 0 & -2 \cdot 1 & -2 \cdot 0 & -2 \cdot 0 & -2 \cdot 0 & -2 \cdot 1 & -2 \cdot 0 & -2 $															+ 7·5 5 + 4·1 5	9.2																														
7	-1.	$ \begin{vmatrix} -5.7 & -1.9 & + & 6.7 & -0.9 & -2.1 & -5.0 & -1.6 & -2.5 & +5.1 & -6.2 & + & 1.9 & + & 0.8 & + & 0.7 & -0.2 & -4.9 & + & 4.0 & + & 7.1 & + & 5.4 & -5.3 & -2.7 & -2.8 & -8.1 & -1.7 & + & 2.3 & -7.5 & -1.0 & + & 3.3 & + & 1.8 & -0.7 & -4.3 & -1.1 & -3.9 & -0.4 & + & 7.6 & + & 5.1 & + & 0.5 & + & 1.8 & + & 11.5 & + & 8.2 & -6.5 & -2.1 & -0.9 & -2.2 & + & 0.9 $														9.9																															
10	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$														+ 1.4 5	8.5																															
12	$ \begin{vmatrix} -0.9 \\ -3.0 \\ -1.6 \\ -0.9 \\ -1.6 \\ -0.9$															-2.4 5	7.2																														
14 15	$ \begin{vmatrix} -0.9 \\ +1.0 \\ +1.9 \\ -4.9 \\ +5.0 \end{vmatrix} + \begin{vmatrix} -0.9 \\ +0.4 \\ +1.9 \\ -4.1 \\ -3.5 \end{vmatrix} + \begin{vmatrix} -0.9 \\ +0.4 \\ -4.9 \\ +5.0 \end{vmatrix} + \begin{vmatrix} -0.9 \\ +0.4 \\ -4.9 \\ +5.0 \end{vmatrix} + \begin{vmatrix} -0.9 \\ +0.4 \\ -4.9 \\ -4.9 \end{bmatrix} + \begin{vmatrix} -0.9 \\ +0.4 \\ -4.9 \\ -4.9 \end{bmatrix} + \begin{vmatrix} -0.9 \\ +0.4 \\ -4.9 \\ -4.9 \end{bmatrix} + \begin{vmatrix} -0.9 \\ +0.4 \\ -4.9 \\ -4.9 \end{bmatrix} + \begin{vmatrix} -0.9 \\ +0.4 \\ -4.9 \\ -4.9 \end{bmatrix} + \begin{vmatrix} -0.9 \\ +0.4 \\ -4.9 \\ -4.9 \end{bmatrix} + \begin{vmatrix} -0.9 \\ +0.2 \\ -4.9 \\ -4.9 \end{bmatrix} + \begin{vmatrix} -0.9 \\ +0.9 \\ -4.9 \\ -4.9 \end{bmatrix} + \begin{vmatrix} -0.9 \\ +0.9 \\ -7.2 \\ -1.4 \\ -1.1 \\ -2.8 \\ -3.4 \\ -3.8 \\ -3.4 \\ -4.9 \\ -3.9 \end{bmatrix} + \begin{vmatrix} -0.9 \\ +0.9 \\ -7.2 \\ -1.4 \\ -4.9 \\ -1.1 \\ -2.8 \\ -3.4 \\ -3.8 \\ -3.4 \\ -3.8 \\ -3.4 \\ -3.9 \\ -$														-1-1 57	7'2																															
17	$ \begin{vmatrix} -4^{+9} \\ -4^{+4} \\ +8^{+0} \\ -7^{+0} \end{vmatrix} + \begin{vmatrix} -5^{+0} \\ -9^{+0} \\ -1^{+1} \end{vmatrix} + \begin{vmatrix} -5^{+0} \\ -1^{+1} \\ -1^{+$														3.1 58	8-1																															
19	+9	1 -	3-4 +	0.8	-2.9	+ 1.5	-0:	2 -8	8 -5	3 + 8.6	6 +	5.2 -	4.2 +	10.2	+ 0.5	-1.0	-8:6	5 + 2	.8 + (0.8 +	8.1	-3.8	- 5.6	-0.2	- 4.7	4.4	-4.4	+4.1	+ 0.7	+0.7	+1.4	+7.6	+ 3·1	- 7.6	- 0.8	- 0.3	-5.2 -	6.2 -0	7 + 3	1 +4	-3.0	+ 3.5	+0.4	+2.8 + + 0.9 +	2.4 -	1.8 56	3.7
21 22	-6	6 –	1.5 +	5.8	-1.0	-4.0	-15	5 0.	0 +1.0	6 + 3.1	1 +	7.6	5.3 +	⊦ 3.5	-1.4	-3.2	-9.5	+ 5	0 -	4.4 +	3.9	- 2.5	- 3.3	+ 5.9	+ 2.9	+ 6.3	+ 2.1	+ 1.8	+1.0	-5.2	+4.0	-5.2	+ 2.4	-1.4	+ 2.7	+ 3.8 -	. 1.1	1.2 + 0.	1 - 1	$6 \mid -3$	+ 2.0	- 0.6	-7.7	-1·1 + +0·2 +	3.1 +	0.9 56	5'4
23 24 25	+3.	5 -	0·7 +	7.0	-3.3	-3.3	+6.	1 + 4.	2 + 2.5	7 -2.2	2 -	0.8 +	4.6	- 4.0	-3.7	+ 0.1	-3.4	+ 1	·1 - 1	1.2 +	0.9	-2.9 -	- 7.2	+ 3.1	- 3.7	+ 3.3	+0.2	+2.0	+ 2.2	-0.7	-7.5	+ 1.2	-1.7	-1.4	+ 5.9	-2.1 +	8.7	7.7 -3	2 + 1	4 -7	.2 +1.7	+ 4.4	-3.3	-1·5 + -4·9 + -7·1 -	2.1 +	9.5 56	3·0
26	+ 8	2 +	7.2 +	11.1	-0.8	-3.7	+ 3:	6 + 4	5 -0.	7 + 3.8	8 -	0.7 +	9.7	- 4.7	-2.8	+ 0.8	-2.8	3 + 0	9 + (0.1	5.9	-3.6	- 4.2	+ 3.1	- 4.6	+ 2.4	+1.8	-1.2	-5.5	-1.4	-6.5	-4.0	-8.0	-1.8	+ 2.8	+ 3.8 +	4.0 -	5.9 -6.	6 + 5%	8 -6	2 -0.6	+ 5.4	+ 1.7	-7·1 - -3·0 + -2·8 +	3.2 +	2.5 55	6
:8 :9	+6° +7°	4 +	3.8 +	4·0 4·8	-6.7 -9.8	+ 3·4 - 1·8	+ 9.	6 + 8· 6 + 8·	$ \begin{vmatrix} 7 & -1.8 \\ 8 & -2.9 \end{vmatrix} $	$\begin{vmatrix} 8 & +4.8 \\ 2 & +0.1 \end{vmatrix}$	3 - +	5·0 - 1·9 -	1·4 - 2·9 -	- 4·2 - 4·4	-1·9 +0·4	- 2·9 - 4·4	-1.9	+ 5	6 - 9	2.7 -	8·0 4·8	-1.6 - -5.9 -	- 3·3 - 2·8	1.7	- 8·1	+ 0.1	+ 4·8 + 6·2	-1·4 -1·8	-4·3 -6·6	+0·1 -2·5	+4.6	-1·1 -0·7	+6.7	$\begin{vmatrix} -3.3 \\ -2.0 \end{vmatrix}$	+1.1	+ 0·5 + + 7·9 -	0.9 -	4·6 + 0· 4·6 + 0·	$\begin{vmatrix} 2 & + & 4 & 6 \\ 2 & + & 6 & 6 \end{vmatrix}$	$\begin{vmatrix} 8 & -5 \\ 5 & -8 \end{vmatrix}$	$\begin{vmatrix} \cdot 9 & -1 \cdot 1 \\ \cdot 0 & -0 \cdot 4 \end{vmatrix}$	- 1·2 + 1·7	+4.4	+1.7 +	2·5 + 1 2·7 + 1	2·6 55 9:6 55	·8
- Mr2	-		_		_		-	_	_	-	_		-					-					-			-														_				+ 2.2 +			2

TABLE XXV. Excess or Defect of Temperature on every day in the month of October, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; above or below the Mean of that day for all the years.

Day of	OCTOBER.	FA
THE MONTH 1826 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 183	3 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1849	1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 1869
		$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{vmatrix} 7 & -4.1 & -7.4 & +1.2 & -2.8 & +5.3 & +5.7 & +3.4 & -2.5 & -1.0 & +2.9 & -1.7 & +3.0 & -3.8 & +0.9 & -6.3 & +6.1 & 0.0 & +2.8 & +4.1 & -2.1 & +8.1 & -5.1 & -5.1 & -3$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$6 \begin{vmatrix} -2.4 & -12.0 & -1.3 & -3.2 & +8.1 & -0.3 & -4.9 & +5.1 & +2.6 & +9.7 & -4.9 \end{vmatrix}$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$3 + 5 \cdot 3 - 9 \cdot 1 - 1 \cdot 0 + 0 \cdot 1 + 5 \cdot 2 - 6 \cdot 4 - 4 \cdot 0 + 0 \cdot 8 + 2 \cdot 8 + 5 \cdot 5 - 4$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{vmatrix} 6 & -5.7 & +9.8 & -6.0 & -1.8 & +4.3 & -5.5 & +0.7 & -1.4 & -3.9 & +2.8 & -6.6 & +7.6 & +5.2 & +5.1 & -1.9 & +5.7 & +0.6 & -10.5 & -1.2 & +9.0 & 5.2 \\ 8 & -10.6 & +6.6 & -5.1 & -1.0 & -0.3 & -1.0 & +2.3 & +4.2 & -8.9 & +1.2 & -9.8 & +4.9 & +5.1 & +3.2 & -1.4 & +3.9 & -1.0 & -8.3 & -4.0 & +6.7 & 3.2 & 9 \\ \hline $
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$7 \begin{vmatrix} -0.8 \end{vmatrix} - 6.4 \begin{vmatrix} + 1.6 \end{vmatrix} - 3.0 \begin{vmatrix} - 9.1 \end{vmatrix} + 4.8 \begin{vmatrix} + 1.1 \end{vmatrix} - 4.9 \begin{vmatrix} + 4.7 \end{vmatrix} - 0.9 \begin{vmatrix} - 8 \end{vmatrix}$	$ \begin{vmatrix} 8 & -10\cdot2 & +10\cdot1 & -7\cdot0 & +0\cdot9 & -7\cdot6 & +2\cdot5 & +1\cdot7 & +6\cdot8 & -6\cdot4 & +2\cdot9 & -12\cdot5 & +7\cdot6 & +4\cdot4 & +3\cdot0 & +0\cdot9 & -0\cdot6 & -2\cdot3 & -7\cdot8 & +1\cdot0 & +8\cdot6 & 5^{1\cdot6} \\ -7\cdot3 & +7\cdot2 & -5\cdot3 & +2\cdot6 & -3\cdot1 & -2\cdot5 & +3\cdot2 & +4\cdot7 & +4\cdot4 & +0\cdot9 & -3\cdot8 & +9\cdot9 & +2\cdot6 & +5\cdot9 & +0\cdot1 & -3\cdot4 & -3\cdot9 & -5\cdot6 & -0\cdot8 & +6\cdot4 & 5^{1\cdot4} \\ -7\cdot0 & -6\cdot7 & +5\cdot3 & -1\cdot3 & +3\cdot9 & -1\cdot0 & -5\cdot8 & +2\cdot8 & +0\cdot3 & +6\cdot8 & +3\cdot8 & -4\cdot2 & +8\cdot7 & +8\cdot2 & +4\cdot5 & -1\cdot1 & -1\cdot5 & -2\cdot1 & +0\cdot5 & -3\cdot2 & -2\cdot0 & 5^{1\cdot3} \\ -7\cdot0 & -6\cdot7 & +5\cdot3 & -1\cdot3 & +3\cdot9 & -1\cdot0 & -5\cdot8 & +2\cdot8 & +0\cdot3 & +6\cdot8 & +3\cdot8 & -4\cdot2 & +8\cdot7 & +8\cdot2 & +4\cdot5 & -1\cdot1 & -1\cdot5 & -2\cdot1 & +0\cdot5 & -3\cdot2 & -2\cdot0 & 5^{1\cdot3} \\ -7\cdot0 & -6\cdot7 & +5\cdot3 & -1\cdot3 & +3\cdot9 & -1\cdot0 & -5\cdot8 & +2\cdot8 & +0\cdot3 & +6\cdot8 & +3\cdot8 & -4\cdot2 & +8\cdot7 & +8\cdot2 & +4\cdot5 & -1\cdot1 & -1\cdot5 & -2\cdot1 & +0\cdot5 & -3\cdot2 & -2\cdot0 & 5^{1\cdot3} \\ -7\cdot0 & -6\cdot7 & +5\cdot3 & -1\cdot3 & +3\cdot9 & -1\cdot0 & -5\cdot8 & +2\cdot8 & +0\cdot3 & +6\cdot8 & +3\cdot8 & -4\cdot2 & +8\cdot7 & +8\cdot2 & +4\cdot5 & -1\cdot1 & -1\cdot5 & -2\cdot1 & +0\cdot5 & -3\cdot2 & -2\cdot0 & 5^{1\cdot3} \\ -7\cdot0 & -6\cdot7 & +5\cdot3 & -1\cdot3 & +3\cdot9 & -1\cdot0 & -5\cdot8 & +2\cdot8 & +0\cdot3 & +6\cdot8 & +3\cdot8 & -4\cdot2 & +8\cdot7 & +8\cdot2 & +4\cdot5 & -1\cdot1 & -1\cdot5 & -2\cdot1 & +0\cdot5 & -3\cdot2 & -2\cdot0 & 5^{1\cdot3} \\ -7\cdot0 & -6\cdot7 & +5\cdot3 & -1\cdot3 & +3\cdot9 & -1\cdot0 & -5\cdot8 & +2\cdot8 & +0\cdot3 & +6\cdot8 & +3\cdot8 & -4\cdot2 & +8\cdot7 & +8\cdot2 & +4\cdot5 & -1\cdot1 & -1\cdot5 & -2\cdot1 & +0\cdot5 & -3\cdot2 & -2\cdot0 & 5^{1\cdot3} \\ -7\cdot0 & -6\cdot7 & +5\cdot3 & -1\cdot3 & +3\cdot9 & -1\cdot0 & -5\cdot8 & +2\cdot8 & +0\cdot3 & +6\cdot8 & +3\cdot8 & -4\cdot2 & +8\cdot7 & +8\cdot2 & +4\cdot5 & -1\cdot1 & -1\cdot5 & -2\cdot1 & +0\cdot5 & -3\cdot2 & -2\cdot0 & 5^{1\cdot3} \\ -7\cdot0 & -6\cdot7 & +5\cdot3 & -1\cdot3 & +3\cdot9 & -1\cdot0 & -5\cdot8 & +2\cdot8 & +0\cdot3 & +6\cdot8 & +3\cdot8 & -4\cdot2 & +8\cdot7 & +8\cdot2 & +4\cdot5 & -1\cdot1 & -1\cdot5 & -2\cdot1 & +0\cdot5 & -3\cdot2 & -2\cdot0 & 5^{1\cdot3} \\ -7\cdot0 & -6\cdot7 & +5\cdot3 & -1\cdot3 & +3\cdot9 & -1\cdot0 & -3\cdot2 & -2\cdot0 & 5^{1\cdot3} \\ -7\cdot0 & -6\cdot7 & +5\cdot3 & -1\cdot3 & +3\cdot9 & -1\cdot0 & -3\cdot4 & -3\cdot9 & -3\cdot2 & -2\cdot0 & 5^{1\cdot3} \\ -7\cdot0 & -6\cdot7 & +5\cdot3 & -1\cdot3 & +3\cdot9 & -3\cdot2 & -2\cdot0 & -3\cdot2 & -2\cdot0 & 5^{1\cdot3} \\ -7\cdot0 & -6\cdot7 & +5\cdot3 & -1\cdot3 & +3\cdot9 & -3\cdot2 & -2\cdot0 & -3\cdot2 & -2\cdot0 & 5^{1\cdot3} \\ -7\cdot0 & -6\cdot7 & -7\cdot8 & -7\cdot8$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{vmatrix} -6 \end{vmatrix} - 2 \cdot 2 \begin{vmatrix} -5 \cdot 7 \end{vmatrix} + \begin{vmatrix} 4 \cdot 6 \end{vmatrix} + \begin{vmatrix} 2 \cdot 2 \end{vmatrix} - 13 \cdot 1 \begin{vmatrix} +3 \cdot 1 \end{vmatrix} + 6 \cdot 2 \begin{vmatrix} -1 \cdot 6 \end{vmatrix} - 1 \cdot 3 \begin{vmatrix} -4 \cdot 1 \end{vmatrix} - 6 \end{vmatrix}$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{vmatrix} -9 & -3.2 & + & 1.6 & + & 5.1 & + & 0.8 & - & 7.8 & -0.9 & +2.8 & +1.9 & +4.3 & - & 7.2 & + & 4.5 & +1.1 & + & 1.9 & + & 0.9 & - & 2.3 & -12.0 & -4.4 & +5.4 & -4.3 & +6.8 & -11.6 & + & 5.4 & -4.3 & +6.8 & -4.3 & +6.8 & -4.3 & +6.8 & -4.3 & +6.8 & -4.3 & +6.8 & -4.3 & +6.8 & -4.3 & +6.8 & -4.3 & +6.8 & -4.3 & +6.8 & -4.3 & +6.8 & -4.3 & +6.8 & -4.3 & +6.8 & -4.3 & +6.8 & -4.3 & +6.8 & -4.3 & +6.8 & -4.3 & +6.8 & -4.3 & +6.8 & +6.8 & -4.3 & +6.8 & -4.3 & +6.8 & +4.3 & +6.8 & +4.3 & +6.8 & +4.3 & +6.8 & +4.3 & +6.8 & +4.3 & +6.8 & +4.3 $	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
$20 \div 9.6 \div 8.2 = 3.4 + 6.4 \div 9.5 + 8.7 = 5.5 = 6.5 + 5.2 = 6.6 = 5.5 + 2.2 + 3.2 = 6.6 = 5.5 =$	$ \cdot 5 + 1 \cdot 4 - 5 \cdot 6 - 2 \cdot 3 - 13 \cdot 5 - 8 \cdot 2 - 2 \cdot 4 + 0 \cdot 6 + 0 \cdot 2 - 0 \cdot 7 - 4 \cdot 4 + 7 $	$ \begin{vmatrix} 3 & + & 3 \cdot 2 & + & 9 \cdot 2 & - & 7 \cdot 4 & - & 0 \cdot 3 & - 7 \cdot 1 & + 0 \cdot 6 & - 1 \cdot 2 & + 3 \cdot 9 & + & 3 \cdot 6 & + 1 \cdot 3 & + & 2 \cdot 8 & - & 0 \cdot 2 & + 1 \cdot 0 & + 6 \cdot 2 & - 7 \cdot 2 & + & 6 \cdot 9 & - & 3 \cdot 8 & - 11 \cdot 4 & - 11 \cdot 7 & 5 \circ \circ \\ 2 & - & 2 \cdot 7 & + & 10 \cdot 6 & - & 5 \cdot 5 & - & 2 \cdot 1 & - & 1 \cdot 0 & + & 3 \cdot 8 & + & 2 \cdot 7 & + & 6 \cdot 9 & + & 3 \cdot 2 & + & 6 \cdot 9 & + & 3 \cdot 2 & + & 6 \cdot 2 & - & 3 \cdot 3 & - & 10 \cdot 0 & - & 7 \cdot 0 & 49 \cdot 4 \\ 2 & - & 6 \cdot 9 & + & 7 \cdot 1 & + & 1 \cdot 7 & + & 0 \cdot 9 & + & 0 \cdot 5 & + & 4 \cdot 4 & + & 1 \cdot 7 & + & 3 \cdot 1 & + & 2 \cdot 5 & - & 12 \cdot 6 & - & 5 \cdot 0 & + & 3 \cdot 4 & + & 0 \cdot 2 & + & 4 \cdot 2 & + & 3 \cdot 5 & - & 6 \cdot 7 & + & 6 \cdot 4 & + & 1 \cdot 7 & - & 7 \cdot 0 & - & 2 \cdot 0 \\ 2 & - & 2 \cdot 7 & + & 10 \cdot 6 & - & 5 \cdot 0 & + & 3 \cdot 4 & + & 0 \cdot 2 & + & 4 \cdot 6 & + & 3 \cdot 6 & - & 4 \cdot 6 & + & 3 \cdot 6 & - & 4 \cdot 9 \cdot 7 & + & 6 \cdot 9 & - & 3 \cdot 8 & - & 11 \cdot 4 & - & 11 \cdot 7 & 5 \circ \circ \\ 2 & - & 2 \cdot 7 & + & 10 \cdot 6 & - & 5 \cdot 5 & - & 2 \cdot 1 & + & 1 \cdot 2 & - & 6 \cdot 9 & + & 4 \cdot 6 & + & 3 \cdot 6 & - & 8 \cdot 2 & + & 6 \cdot 2 & - & 3 \cdot 3 & - & 10 \cdot 0 & - & 7 \cdot 0 & 49 \cdot 4 \\ 2 & - & 6 \cdot 9 & + & 7 \cdot 1 & + & 1 \cdot 7 & + & 0 \cdot 9 & + & 0 \cdot 5 & + & 4 \cdot 4 & + & 1 \cdot 7 & + & 3 \cdot 1 & + & 2 \cdot 5 & - & 12 \cdot 6 & - & 5 \cdot 0 & + & 3 \cdot 4 & + & 0 \cdot 2 & + & 4 \cdot 2 & + & 3 \cdot 5 & - & 6 \cdot 7 & + & 6 \cdot 4 & + & 1 \cdot 7 & - & 7 \cdot 0 & - & 2 \cdot 0 \\ 2 & - & 2 \cdot 7 & + & 10 \cdot 6 & - & 5 \cdot 0 & + & 3 \cdot 4 & + & 0 \cdot 2 & + & 4 \cdot 2 & + & 3 \cdot 5 & - & 6 \cdot 7 & + & 6 \cdot 4 & + & 1 \cdot 7 & - & 7 \cdot 0 & - & 2 \cdot 0 \\ 2 & - & 2 \cdot 7 & + & 10 \cdot 6 & - & 5 \cdot 0 & + & 3 \cdot 4 & + & 0 \cdot 2 & + & 4 \cdot 2 & + & 3 \cdot 5 & - & 6 \cdot 7 & + & 6 \cdot 2 & - & 3 \cdot 3 & - & 10 \cdot 0 & - & 7 \cdot 0 \\ 2 & - & 2 \cdot 7 & + & 10 \cdot 6 & - & 5 \cdot 0 & + & 3 \cdot 4 & + & 0 \cdot 2 & + & 4 \cdot 2 & + & 3 \cdot 5 & - & 6 \cdot 7 & + & 6 \cdot 2 & - & 3 \cdot 3 & - & 10 \cdot 0 & - & 7 \cdot 0 \\ 2 & - & 2 \cdot 7 & + & 10 \cdot 7 & - & 10 \cdot 1 & - & 10 \cdot 0 \\ 2 & - & 2 \cdot 7 & + & 10 \cdot 7 & - & 10 \cdot 0 \\ 2 & - & 2 \cdot 7 & + & 10 \cdot 7 & - & 10 \cdot 0 \\ 2 & - & 2 \cdot 7 & - &$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	$ \begin{vmatrix} 4 & -7.6 & +3.1 & +5.7 & +8.0 & -0.9 & +5.5 & +2.5 & -5.3 & -1.6 & -14.2 & 0.0 & +2.8 & -0.3 & +2.8 & +2.2 & -2.8 & -1.2 & +9.2 & -8.2 & -3.2 & $
$25 \left[\div 5.2 \right] \div 6.9 \left[+2.5 \right] - 2.4 \left[\div 8.6 \right] \div 7.5 \left[-3.0 \right] + 9.4 \left[-5.3 \right] + 2.4 \left[+2.2 \right] - 7.2 \left[\div 5.2 \right] + 2.4 \left[+2.2 \right] + 2.2 \left[-7.2 \right] + 2.$	$ \cdot 5 + 0.2 - 7.9 - 4.3 - 5.5 - 5.0 - 1.7 - 5.6 - 1.0 - 7.2 + 2.7 + 9$	$ \begin{vmatrix} -8 & -9 & -4 & +5 & -2 & -0 & -7 & +6 & -3 & -4 & -4 & -3 & -4 & -4$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{vmatrix} -5 & -2.1 & -4.3 & +0.1 & -1.4 & -4.1 & -0.3 & +0.2 & -5.0 & +4.4 & +3.9 & +10.6 & -1.0 & -2.8 & -0.4 & -3.9 & -1.7 & -7.3 & +6.3 & -8.1 & +5.1 & +0.6 & +8.6 & -1.0 & -2.8 & -2.1 & -2.1 &$	$ \begin{vmatrix} 3 & 5 & 5 & 2 & 2 & 3 & 5 & 5 & 5 & 5 & 5 & 5 & 5 & 5 & 5$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{vmatrix} 0 & -3.3 & -5.4 & +1.9 & -7.8 & -3.5 & +0.8 & +2.6 & +1.4 & +6.5 & -0.8 & +5.6 & -1.5 & +5.6 & -1.5 & +2.6 & +1.4 & +5.6 & -1.5 & +2.6 & +$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
		$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
Means + 2.6 + 2.5 + 0.7 - 1.9 + 1.4 + 6.5 + 1.0 + 0.9 + 1.2 - 1.4 - 2.0 + 0.5 +	$0.7 \begin{vmatrix} -0.2 \end{vmatrix} - 4.5 \begin{vmatrix} -0.2 \end{vmatrix} - 0.2 \begin{vmatrix} -4.1 \end{vmatrix} - 1.8 \begin{vmatrix} -0.7 \end{vmatrix} - 1.2 \begin{vmatrix} -0.3 \end{vmatrix} + 2.0 \begin{vmatrix} -0.2 \end{vmatrix} - 0.2 \begin{vmatrix} -0.2 \end{vmatrix}$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$

DAY O	NOVEMBER. NOVEMBER. 1826 1827 1828 1820 1830 1831 1832 1832 1832 1834 1835 1836 1837 1838 1830 1840 1841 1842 1843 1844 1845 1846 1847 1848 1840 1850 1851 1852 1853 1854 1855 1856 1857 1858 1850 1857 1858 1857 1857													
THE MONTH	1826 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1849 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 1869													
1 2	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$													
3 4	$ \begin{vmatrix} +2\cdot5 & + & 0\cdot4 & + & 1\cdot6 & 0 \cdot 0 & + & 8\cdot2 & - & 4\cdot7 & + & 5\cdot2 & - & 1\cdot3 & + & 4\cdot8 & - & 0\cdot4 & + & 0\cdot8 & - & 6\cdot7 & - & 3\cdot6 & + & 2\cdot5 & + & 3\cdot0 & + & 2\cdot5 & + & 3\cdot6 & + & 3\cdot$													
5 6	$ \begin{vmatrix} +0.3 & + & 4.4 & - & 3.3 & - & 0.2 & + & 8.5 & - & 0.1 & - & 6.4 & + & 2.6 & + & 12.9 & - & 6.6 & - & 6.0 & - & 5.0 & - & - & 6.6 & - & 6.0 & - & 5.0 & - & 6.6 & - & 6.0 & - & 5.0 & - & 6.6 & - & 6.0 & - & 5.0 & - & 6.6 & - & 6.0 &$													
8	$ \begin{vmatrix} -8.8 & + 4.7 & -3.1 & -2.8 & +3.4 & + 2.4 & -3.6 & -4.5 & +9.5 & -2.3 & -10.4 & -10.8 & +9.5 & +4.7 & +3.8 & +1.0 & -1.9 & +3.8 & +3.4 & +3.8 $													
11	$ \begin{vmatrix} -2.9 & + 5.4 & - 7.1 & + 3.7 & + 9.3 & - 2.3 & + 2.9 & + 4.7 & + 2.2 & - 5.9 & + 3.6 & + 6.5 & - 4.4 & + 9.9 & + 0.7 & + 6.8 & + 3.7 & - 3.3 & - 0.1 & + 3.6 & + 6.5 & - 4.4 & + 9.9 & + 0.7 & + 6.8 & + 3.7 & - 3.3 & - 0.1 & + 3.6 & + 6.7 & - 9.6 & - 3.7 & + 0.7 & + 0.2 & - 7.8 & - 10.9 & - 3.3 & + 0.4 & + 2.2 & - 2.5 & - 8.6 & 42.8 \\ + 5.0 & + 7.7 & -11.7 & + 1.1 & + 4.5 & + 9.3 & + 0.1 & + 3.4 & + 1.2 & - 2.9 & + 2.2 & + 2.5 & - 7.4 & + 2.9 & - 0.7 & + 8.8 & - 1.2 & + $													
13	$ \begin{vmatrix} +1 \cdot 2 & +1 \cdot 6 & -13 \cdot 2 & +12 \cdot 8 & -0 \cdot 8 & +9 \cdot 9 & -1 \cdot 9 & +0 \cdot 4 & +0 \cdot 6 & -3 \cdot 2 & -4 \cdot 3 & +6 \cdot 1 & +1 \cdot 5 & +4 \cdot 5 & +7 \cdot 1 & -6 \cdot 7 & +9 \cdot 5 & -7 \cdot 5 & -5 \cdot 0 & -2 \cdot 3 & -4 \cdot 3 & -7 \cdot 2 & -3 \cdot 7 & -4 \cdot 4 & +0 \cdot 6 & +9 \cdot 3 & -1 \cdot 8 & -0 \cdot 5 & -3 \cdot$													
16	$ \begin{vmatrix} -5 \cdot 1 \\ + 1 \cdot 3 \end{vmatrix} + 8 \cdot 4 \begin{vmatrix} + 1 \cdot 7 \\ + 7 \cdot 6 \end{vmatrix} - 6 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \\ - 4 \cdot 3 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + 4 \cdot 0 \end{vmatrix} + 7 \cdot 9 \begin{vmatrix} + $													
17	$ \begin{vmatrix} +0.6 \\ + & \pm .3 \end{vmatrix} + \begin{vmatrix} 7.2 \\ - & 4.3 \end{vmatrix} + \begin{vmatrix} 7.2 \\ - & 4.3 \end{vmatrix} + \begin{vmatrix} 2.1 \\ - & 10.0 \end{vmatrix} + \begin{vmatrix} 0.7 \\ + & 4.3 \end{vmatrix} + \begin{vmatrix} 4.4 \\ + & 4.4 \end{vmatrix} + \begin{vmatrix} 4.4 \\ + & 4.3 \end{vmatrix} + \begin{vmatrix} 4.4 \\ + & 4.4 \end{vmatrix} + $													
20 21	$ \begin{vmatrix} +1.7 & + & 3.7 & + & 8.2 & -12.6 & + & 4.3 & + & 0.1 & + & 4.4 & + & 2.1 & - & 6.0 & + & 7.2 & - & 3.6 & + & 1.1 & - & 3.2 & + & 0.5 & - & 6.9 & + & 5.7 & - & 2.0 & - & 5.0 & + & 1.0 & + & 5.7 & + & 10.0 & - & 9.0 & - & 4.0 & - & 7.0 & - & 5.2 & 41.7 & - & 4.0 & + & 9.7 & - & 4.0 $													
22 23 24	$ \begin{vmatrix} +0\cdot4 & -14\cdot6 & + & 3\cdot4 & - & 3\cdot6 & -1\cdot4 & +11\cdot7 & + & 0\cdot7 & +9\cdot2 & + & 1\cdot9 & + & 9\cdot7 & - & 0\cdot4 & +10\cdot6 & +1\cdot3 & - & 2\cdot8 & + & 7\cdot8 & -7\cdot3 & + & 8\cdot0 & - & 4\cdot2 & - & 7\cdot9 & + & 2\cdot7 & + & 1\cdot4 & + & 7\cdot5 & +1\cdot7 & - & 3\cdot2 & + & 2\cdot9 & + & 1\cdot0 & + & 2\cdot5 & + & 2\cdot1 & -1\cdot2 & + & 1\cdot0 & - & 2\cdot3 & - & 4\cdot3 & + & 9\cdot5 & - & 2\cdot0 & + & 9\cdot5 $													
25	$ \begin{vmatrix} -7 \cdot 1 & -4 \cdot 0 & +6 \cdot 5 & -8 \cdot 5 & -4 \cdot 3 & +11 \cdot 9 & +5 \cdot 3 & -6 \cdot 7 & -1 \cdot 2 & +10 \cdot 9 & -6 \cdot $													
27 28 29	$ \begin{vmatrix} -8\cdot2 & -1\cdot7 & +10\cdot7 & -2\cdot0 & -1\cdot9 & -5\cdot7 & +1\cdot1 & -1\cdot8 & -1\cdot8 & +10\cdot5 & +12\cdot3 & +0\cdot3 & -3\cdot9 & -10\cdot7 & -11\cdot8 & +6\cdot9 & +6\cdot2 & +11\cdot9 & -7\cdot6 & +11\cdot3 & -1\cdot8 & +6\cdot9 & +6\cdot2 & +11\cdot9 & -7\cdot6 & +11\cdot3 & -1\cdot8 & +6\cdot9 & +6\cdot2 & +11\cdot9 & -7\cdot6 & +11\cdot3 & -1\cdot8 & +6\cdot9 & +6\cdot2 & +11\cdot9 & -7\cdot6 & +11\cdot3 & -1\cdot8 & +6\cdot9 & +6\cdot2 & +11\cdot9 & -7\cdot6 & +11\cdot3 & -1\cdot8 & +6\cdot9 & +6\cdot2 & +11\cdot9 & -7\cdot6 & +11\cdot3 & -1\cdot8 & +6\cdot9 & +6\cdot2 & +11\cdot9 & -7\cdot6 & +11\cdot3 & -1\cdot8 & +6\cdot9 & +6\cdot2 & +11\cdot9 & -7\cdot6 & +11\cdot3 & -1\cdot8 & +6\cdot9 & +6\cdot2 & +11\cdot9 & -7\cdot6 & +11\cdot3 & -1\cdot8 & +6\cdot9 & +6\cdot2 & +11\cdot9 & -7\cdot6 & +11\cdot3 & -1\cdot8 & +6\cdot9 & +6\cdot2 & +11\cdot9 & -7\cdot6 & +11\cdot3 & -1\cdot8 & +6\cdot9 & +6\cdot2 & +11\cdot9 & -7\cdot6 & +11\cdot3 & -1\cdot8 & +6\cdot9 & +6\cdot2 & +11\cdot9 & -7\cdot6 & +11\cdot3 & -1\cdot8 & +6\cdot9 & +6\cdot2 & +11\cdot9 & -7\cdot6 & +11\cdot3 & -1\cdot8 & +6\cdot9 & +6\cdot2 & +11\cdot9 & -7\cdot6 & +11\cdot3 & -1\cdot8 & +6\cdot9 & +6\cdot2 & +11\cdot9 & -7\cdot6 & +11\cdot3 & -1\cdot8 & +6\cdot9 & -2\cdot3 & +2\cdot4 & +6\cdot1 & +3\cdot2 & +2\cdot3 & -4\cdot6 & -1\cdot9 & +4\cdot1 & +1\cdot7 & -1\cdot7 & +4\cdot1 & -7\cdot9 & +0\cdot6 & +3\cdot7 & 40\cdot2 & -1\cdot9 & +1\cdot1 & -1\cdot3 & -1\cdot4 & -1$													
30	$ \begin{vmatrix} +3\cdot3 & +5\cdot8 & +8\cdot9 & -1\cdot5 & +1\cdot5 & +0\cdot4 & +1\cdot8 & +3\cdot1 & +0\cdot4 & +1\cdot8 & +3\cdot1 & +0\cdot4 & +1\cdot8 & +3\cdot1 & +0\cdot2 & +4\cdot2 & +6\cdot3 & +3\cdot2 & +7\cdot0 & +9\cdot2 & -1\cdot5 & -1\cdot5 & -5\cdot5 & +1\cdot1 & -13\cdot0 & +1\cdot5 & -5\cdot9 & +8\cdot1 & -0\cdot6 & -5\cdot0 & -15\cdot2 & -2\cdot3 & +1\cdot6 & -5\cdot8 & +1\cdot2 & +7\cdot3 & -2\cdot2 & -6\cdot9 & +0\cdot3 & 0\cdot0 & -8\cdot5 & 41\cdot5 \\ $													
Mean	$ \begin{vmatrix} -1 \cdot 4 & & + & 1 \cdot 2 & & + & 2 \cdot 7 & & - & 2 \cdot 1 & & + & 2 \cdot 7 & & - & 2 \cdot 1 & & + & 2 \cdot 7 & & - & 2 \cdot 4 & & - & 2 \cdot 6 & & + & 2 \cdot 7 & & - & 2 \cdot 4 & & - & 2 \cdot 6 & & - & 2 \cdot 8 & & - & 2 \cdot 7 & $													

TABLE XXVII. Excess or Defect of Temperature on every day in the month of December, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; above or below the Mean of that day for all the years.

DAY OF	DECEMBER.	OF 41
Мохтн	1826 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1859 1850 1851 1852 1858 1859 1850 1851 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 1869	MEANY
1 2	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	
3	$-\frac{1\cdot5}{6\cdot1} + \frac{4\cdot8}{7\cdot7} + \frac{5\cdot2}{8\cdot3} + \frac{2\cdot2}{2\cdot2} - \frac{3\cdot9}{3\cdot9} + \frac{2\cdot3}{7\cdot2} - \frac{4\cdot6}{3\cdot9} + \frac{2\cdot3}{7\cdot2} + \frac{3\cdot6}{3\cdot9} + \frac{3\cdot6}{7\cdot2} +$	41.4
5	$-\frac{5\cdot7}{9} + \frac{7\cdot8}{9} + \frac{4\cdot2}{9} + \frac{3\cdot0}{9} - \frac{4\cdot7}{9} + \frac{2\cdot8}{9} - \frac{2\cdot9}{9} + \frac{1\cdot5}{9} - \frac{4\cdot4}{9} - \frac{1\cdot4}{9} + \frac{2\cdot9}{9} - \frac{5\cdot9}{9} - \frac{0\cdot8}{9} - \frac{5\cdot9}{9} - \frac{0\cdot8}{9} + \frac{3\cdot4}{9} + \frac{2\cdot4}{9} + \frac{3\cdot6}{9} - \frac{3\cdot5}{9} + \frac{3\cdot5}{9} - \frac{5\cdot6}{9} + \frac{2\cdot9}{9} + \frac{1\cdot5}{9} - \frac{3\cdot6}{9} + \frac{2\cdot9}{9} + \frac{1\cdot5}{9} - \frac{3\cdot6}{9} + \frac{2\cdot9}{9} + \frac{1\cdot5}{9} - \frac{3\cdot6}{9} + \frac{2\cdot9}{9} - \frac{5\cdot9}{9} - \frac{3\cdot6}{9} + \frac{2\cdot9}{9} - \frac{3\cdot6}{9} - \frac{3\cdot9}{9} - \frac{3\cdot6}{9} + \frac{2\cdot9}{9} - \frac{3\cdot6}{9} + \frac{2\cdot9}{9} - \frac{3\cdot6}{9} - \frac{3\cdot9}{9} - \frac{3\cdot6}{9} + \frac{3\cdot9}{9} - \frac{3\cdot6}{9} - \frac{3\cdot9}{9} - 3$	42°9
7	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	41"5
9	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	41°2 h
12	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	4016 1
14	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	40'S
16	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	40.7
19	$+ \frac{1\cdot7}{1} + \frac{13\cdot7}{1} + \frac{10\cdot6}{1} - \frac{4\cdot7}{1} - \frac{5\cdot6}{1} + \frac{3\cdot1}{1} - \frac{1\cdot0}{1} + \frac{9\cdot5}{1} - \frac{1\cdot5}{1} + \frac{9\cdot5}{1} - \frac{9\cdot5}{1} + \frac{9\cdot5}{1} - \frac{9\cdot5}{1} - \frac{9\cdot5}{1} - \frac{9\cdot5}{1} + \frac{9\cdot5}{1} - \frac{9\cdot5}{1} - \frac{9\cdot5}{1} - \frac{9\cdot5}{1} - \frac{9\cdot5}{1} - $	9)
21	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	39.3
	$+ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	28.2
25 26	$+\frac{9\cdot9}{12\cdot2} + \frac{2\cdot7}{10\cdot7} - \frac{7\cdot7}{10\cdot7} - 7$	36·8 1 37·5
27 28	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	36.2
30	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	39*1
1	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	{

In the preceding Tahles I. to XII., the mean temperature of the air is shown for every day in 44 years, and in the forty-sixth column of these Tables the mean temperature of every day is determined. By taking the differences between the mean temperature of every day, from the average of the same day as found from all the years, the excess or deficiency of every day is shown; and in this way Tahles XVI. to XXVII. were formed, those days of excess of temperature being distinguished by the sign plus (+), and those of defect of temperature being denoted by the sign minus (-).

A glance at these Tables shows that the differences from day to day are very great, and that the temperature of the same day is very different in different years. At times it will he seen there have been long periods together with one or other sign prevailing, but that there have been but few months in which on every day of the month it has been either always above or below the average; the only instances are February 1853, July 1857, and August 1860, during which months every day was cold and of lower temperature than the average; and October 1831, in which every day was warm and of higher temperature than the average. There are, however, a few having but one with either a + or — sign and all the remainder affected with the opposite sign; they are:—

January, 1830 and 1834 February, 1855 April, 1844 June, 1860 November, 1851 December, 1852

record other month there have been two or more days with different signs. It will thus be seen how very rarely every day of a month has been wholly of high or wholly of low temperature. This will be more rearly shown by the following Table:—

20

TABLE XXVIII.

Showing the Greatest Daily Excess and Deficiency in each Month of the Years 1826-69.

DECEMBER	1	6.1	6.9	4.1	13.9	19.6	7.4	5.5	4.1	6.1	15.0	9.6	12.1	10.5	9.8	18.1	7.5
DECE	+	$10^{\circ}_{\cdot 9}$	13.7	13.3	3.0	5.1	12.0	6.6	12.6	12.5	8.1	11.7	11.0	9.1	13.3	7.5	19.0
MBER	1	9.9	14.6	13.2	12.6	8.0	10.1	6.4	8.5	7.4	8.1	10.4	15.0	9.3	10.2	14.0	10.01
November	+	0.9	10.9	13.3	12.8	6.6	11.9	10.1	9.5	12.9	12.9	12.4	10.6	9:5	11.6	15.5	X . W . L
BER	1	11.3	8.1	2.2	14.5	2.2	:	7.5	6.5	8.3	10.1	14.2	7.5	15.7	1.2	12.0	9.0 18.9
павстоо	+	11.7	9.1	0.9	8.5	9.01	11.9	10.3	11.0	8.5	7.5	0.6	9.1	9.2	9.6	1.9	0.0
IBER	1	9.9	4.1	0.2	8.6	8.1	8.0	8.8	8.5	3.8	0.9	11.1	8.1	2.8	4.4	9.5	10.0
September	+	9.1	7.5	11.1	3.3	3.4	2.6	8.8	3.3	6.6	8.1	2.6	10.2	5.5	8.4	9.1	0.0
1	1	3.8	4.9	8.8	10.8	0.6	1.6	6.1	10.8	6.4	4.0	6.4	8.3	6.3	9.4	9.9	C T
August	+	9.6	8.1	0.9	5.2 1	5.5	8.5	8.8	5.5	8.2	10.5	4.7	10.1	8.2	2.2	6.8	0.8
	-	0.7.1	1.1	9.2	8.5	7.1	4.1	2.2	6.8	4.1	5.1 1	12.1	7.3 1	9.4	0.9	11.1	1
July	+	11.3	12.1	10.0	4.6	15.0	9.6	5.5	7.4	12.6	9.8	14.3 1	2.6	6.2	4 8	1.6	8-11
-		6.5	7.4 1	5.6 1	10.3	9.4	6.3	6.5	0.8	6.9	13.5	3.0 1	9.5	2.8	11.1	8.2	8:12
JUNE	+	3:1	2.8	8.8	9.7	6.5	4.8	9.0	9.3	13.1	10.01	11.5	5.9	5.8	8.6	6.8	
	'	0.1	8.8	8.7	6.3	5.5	12.8	9.6	3.4	5.3 13	7.1 1(6.3 11	13.7	11.6	12.9	9.5	- 100
MAY		2.6 10 7.6 10	12.4 8	7:0 2	6.5		7.3 12	6 2.6			7.1 7	4.7 6	3.6 13	8.4 11	9.1 12	8.4 9	
	+			2 9.2		1 13.5	3.3 7	6.3	7.6 16.9	7.2 16.2						8 0.9	
APRIL	1	111.1	0 10.5		3 11.3	1 12.1					7 10.8	5 10.7	3 13.0	3 11.9	2 13.6		1 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -
	+	10.4	15.0	16.1	5.3	12.1	111.6	10.0	5.8	8.7	13.7	3.5	5.3	10.3	6.5	12.0	
Мавсн	1	0.2	6.5	7.5	0.6	2.5	4.9	9.4	10.8	6.5	1.9	9.0	11.4	8.6	11.5	8.1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
M	+	14.7	10.4	12.6	9.8	12.0	1.9	7.8	0.2	12.1	2.0	11.9	2.4	9.5	8.0	2.0	1 1
FEBRUARY	ı	3.4	14.4	7.8	12.7	20.6	9.9	9.5	4.0	9.1	2.9	8.9	6.9	13.1	2.6	10.5	
Feb	+	10.8	8.5	13.4	7.2	11.9	16.9	10.2	13.2	9.6	9.8	9.5	10.3	4.8	11.8	2.8	111.6
JANUARY	1	18.2	13.8	6.4	15.9	15.8	12.5	10.6	9.11	6.3	13.3	12.8	11.3	29.6	12.8	12.7	0.0
JANI	+	5.4	13.9	16.0	9.9	2.4	9.5	10.4	2.8	15.8	12.7	11.3	10.7	8.4	10.4	12.8	9.0
1	LEAK	1826	1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	1840	1 8 4 2 E
-																	

-	-		-6	- 2		- 27				-2	5	5		-	_										
1	1.01	18.0	5.0	11.2	12.8	8.5	8-2	4.1	15.7	9.5	19.5	15.5	5.1	2.6	19.7	18.1	11.8	4.1	4.4	16.8	0.0	10.1	17.8	3.5	13.0
(Accept	8.0 1.4	6.3	12.9	12.1	11.2	11.9	10.8	13.4	2.8	11.6	11.4	13.9	13.1	9.3	13.4	7.3	9.8	13.4	9.5	7.1	0.6	11.2	10.1	11.3	11.0
Michael Property	12.4	13.0	10.0	13.4	14.4	9.2	11.5	5.9	13.3	$11\cdot 2$	10.7	15.2	3.5	21.5	18.0	9.4	17.7	15.1	2.8	112	8.5	0.6	12.8	11.7	9.8
1-81	11.9	11.6	12.2	11.5	11.9	10.2	0.5	15.9	8.1	3.1	2.2	11.1	11.1	8.0	7.3	4.0	12.1	4.8	11.5	7.5	10.0	9.3	6.6	5.3	11.6
-	77.8	8.1	7.5	11.6	11.6	10.6	0.2	13.5	13.1	9.2	0.9	8.5	5.3	10.9	18.6	12.5	1.7	9.3	4.6	2.2	8.5	10.6	12.5	11.4	12.1
-	0.9	9.9	9.5	2.6	10.3	3.2	9.01	0.2	11.6	0.8	5.5	8.9	6.9	8.9	8.6	6.8	10.5	8.8	2.0	2.2	0.2	9.2	9.5	5.1	.0.6
-	10.11	4.8	10.5	10.3	7.4	2.6	9.9	9.4	2.2	5.5	9.1	9.7	8.9	3.3	6.3	12.1	9.9	10.4	8.5	8.6	1.8	2.2	7.1	1.5	8.9
-	7.2	2.8	6.4 1	9.1	7.4	4.7	8.9	5.4	5.3	9.2	8.3	3.5	7.1	6.2	8.1	2.4	6.2	6.5 1	4.5	9.8	2.1	5.5	9.1	11.5	9.6
	8.0	4.9	8.2	0.8	7.3	6.01	2.2	8.9	2.2	8.01	4.3	5.5	4.5	8.9	8.1	8.4	4.8	8.5	8.4	11.3	12.0 1	9.4	12.1	4.7	0.8
	7.6.7	11.0	8.0	3.5	8.1	3.7	8.5	6.5	5.6	8.1	0.2	10.2	12.5	7.4	10.3	:	11.1	3.7	5.8	9.1	5.2	8.9	13.9 13	10.5	9.5
1	2 9.8	2.9 11	5.1	8.0	5.5	0.8	9.9	1.2	9.1	8 2.01	7.1	16.2 10	7.6	2.2	3.7 1(12.5	6.2 11	9.1	9.4	6.6	5.9	8.1	10.5 11	$4.6\ 10$	3 2.2
-	1-			8.8	6.5 5	9.5	9 0.2		6 9.8		2 2.9	9.5 16	1.6.1	9.6			9.6	1.5 9	0.9	6 0.6	7.4 5	9.3	5.3 10		
-	_	2 13.5	7 11.8					7 15.2		0 11.9					8 11.9	. 2								6 15.4	.2 12.4
1	1.8	3.5	8.7	3 7.2	7 10.2	3 15.2	3 9.2	1 9.7	0.3	0.8	14.5	2 9.5	5 9.1	4.8	1 3.8	3 9.7	4 7.2	1 9.0	5 5.7	8.1	8.3	8.3	3 7.3	1 2.6	27
1	2.6	14.9	5.3	9.9	11.7	8.5	10.6	3.4	0.2	10.1	11.4	10.5	12.5	16.7	7.1	1.3	9.4	5.1	5.5	5.5	9.5	2.6	10.3	8.4	12.3
	7.01	5.3	2.9	3.4	9.8	12.3	10.8	9.8	14.5	6.2	13.9	11.9	8.1	7.8	9.9	8.4	13.8	4.2	9.5	10.0	5.1	13.6	16.5	2.9	13.5
	1.0	8.3	17.6	12.3	11.1	3.2	5.3	0.2	6.5	4.2	14.3	4.9	9.3	11.5	8.9	2.2	9.3	12.6	7.2	10.6	12.8	3.6	14.8	16.1	4.9
	1.7	8.4	10.8	6.2	13.3	5.1	9.4	0.6	12.1	8.5	10.4	8.8	10.1	9.2	$11\!\cdot\!0$	$11 \cdot 4$	16.8	15.2	9.8	9.4	9.6	9.6	3.0	10.0	7.1
	1.8	9.8	0.2	12.3	4.7	2.2	6.5	6.5	8.2	14.1	6.8	2.2	9.5	12.0	14.9	4.6	3.7	10.4	8.5	2.8	14.8	14.9	2.6	6.9	15.3
, ,	22.3	9.1	14.7	3.0	2.9	12.5	9.0	9.3	14.0	2.2	10.8	2.8	8.3	10.9	10.4	9.1	5.3	12.6	5.5	2.2	13.2	10.0	12.0	0.9	8.8
100	-	11.0	7.1	8.01	9.2	6.7	2.9	9.6	8.1	13.9	4.8	3.6	8.6	10.0	14.2	0.8	2.2	12.3	10.2	2.2	3.9	12.3	9.8	10.5	4.5
100	2.7.3	7.1 1	8.1	5.8 1	5.4	4.7	11.8	2.8	13.1	10.5	22.4	0.9	13.0	10.7	7.6	13.0	7.4	13.9	6.5	15.0	15.2	9.5	6.4	4.1	5.8
1.0	1 -	13.5	11.8	12.1	8.4	13.0	6.5 1	12.6	:	12.3	2.4 2	12.9	6.6 1	4.7	11.5	4.2 1	7.4	3.7	9.1	9.2	5.9 1	12.2	11.8	10.5	12.0
H. F.		6.8 13	9.7	15.7 13	11.7	9.7	9.2	7.3 13	4.0	13.3	15.5	10.3	15.4	10.5	4.1	0.9	21.3	11.8	0.5	19.0	12.5	5.5 1	26.1 1	8.0 1	9.7
7.0.1	-	14.5 6	6.5	11.5 15	13.5 11	4.5		14.8 7	12.5	11.7 13	11.8 15	10.4 10	9.6	9.8 10	11.8	13.5	8.5 21	13.2 11	10.0	10.4 19	10.1	12.4	13.6 20	11.3	14.5
10				_			14.9													864 10				868 11	
0	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	186	1865	1866	1867	¥ 86	1869

On looking over this Table the first thing that strikes one is the the largest numbers are those generally under the — sign, ar particularly so in the months of winter. There are but four bland in the Table, viz., February 1853, July and August 1860, and Octobe 1831, showing, as before, that these are the only four months of or temperature throughout, three being cold and one warm.

By picking out under each month the largest number with a + signand the largest number with a - sign, the extreme departures in each

month in 44 years will be shown, and are as follows:-

In January the	greatest excess	on any one day v	vas 16.0 in	the ye	ear 1828
"February	,,	,,	16.9	,,	1831
,, March	,,	,,	14.7	,,,	1826
,, April	,,	,,	16.1	,,	1828
,, May	,	*1	17.6	,,	1847
,, June	,,	٠,	16.7	,,	1858
,, July	,,	,*	15.4	,,	1868
,, August	,,	,,	14.5	,,	1842
" September	,,	,,	12.1	,,	1865
,, October	,,	,,	11.9	,,	1831
"November	,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	15.9	**	1852
,, December	7.9	,,	13.9	,,	1856

And

				0		
In	January the greate	est deficiency	on any one day	was 29.6 in	the year	1838
,,	February	,,	,,	22.4	,,	1855
22 -	March	,,	,,	22.3	> 7	1845
,,	April	3.7	,,	16.8	,,	1861
,,	May	,,	,,	16.5	,,	1867
,,	June	"	,,	27.2	,,	1869
,,	July	,,	,,	16.2	,,	1856
,,	August	-,,	,	12.1	,,	1867
,,	September	,,	,,	12.1	,,	1860
,,	October	19	,,	18.6	2.9	1859
,,	November	,,	,,	21.5	,,	1858
,,	December	,,	25	20.5	"	1844

In every month, with the exception of May and August, the extreme deficiency of temperature is larger than the extreme excess, and verlargely so in many months.

The greatest excess of temperature during the 44 years was 17°; this took place on May 28, 1847; and the greatest deficiency was 29°, on January 20, 1838.

These extremes of temperature affect vegetation greatly, but the seldom occur alone; it is very necessary for the operations of open-conticulturists to know for what lengthened periods these departures from averages may extend. By looking over Tables XVI. to XXVII.,

will be seen that very often there are long groups of + or — quantities, and that frequently several of the numbers are very large to which these signs are attached; and it is the accumulation of these departures, more than in isolated cases, which requires the attention of the horticulturist. These periods are variable in length, frequently of a week's duration, and less frequently of a fortnight; taking the latter as a limit, the following numbers show all the periods of excess of 14 days' or more than 14 days' continuance.

By taking the periods of excess above the average in each month, in which the number of days extend to 14 or more, and entering them opposite the month in which the period commences, we have the following:—

1828	January	17 to February	8	equal	23 days
1835	,,	23 ,, ,,	8	,,	17 "
1840	,,	14 " January	29	"	16 ,,
1846	,,	13 ,, February	7	"	26 ,,
1849	,,	13 " January	28	,,	16 ,,
1863	,,	18 " February	8	,,	22 ,,
1866	"	26 " "	12	,,	18 "
1869	,,	28 " "	21	,,	25 ,,
1828	February	19 " March	4	"	15 "
1831	,,	24 ,, ,,	13	"	18 "
1834	,,	18 ,, ,,	12	"	23 "
1835	,,	11 " February	27	"	17 ,,
1837	,,	8 ,, ,,	23	,,	16 ,,
1846	,,	16 ,, March	11	,,	24 ,,
1848	,,	3 " February	16	,,	14 ,,
1859	21	9 ,, ,,	22	**	14 "
1863	,,	19 " March	8	,,	18 ,,
1867	,,	1 ,, February	26	,,	26 ,,
1868	,,	17 ,, March	7	,,	19 "
1828	March	8 ,, ,,	21	73	14 ,,
1830	**	8 ,, ,,	31	,,	24 ,,
1841	,,	5 " April	1	,,	28 ,,
1842	,,	7 ,, March	20	,,	14 "
1843	,,	11 ,, ,,	26	,,	16 ,,
1848	,,	22 ,, April	5	***	15 ,,
1850	,,	30 ,, ,,	19	"	22 ,,
1857	,,	26 " "	10	"	16 "
1862	"	24 ,, ,,	7	,,	15 ,,
1826	April	2 ,, ,,	23	"	22 ,,-
1827	"	2 ,, ,,	17	,,	16 ,,
1830	"	20 ,, May	8	,,	19 "
1831	"	19 ,, ,,	4	,,	16 ,,
1834	,,	27 ,, ,,	16	",	20 ,,
1840	"	20 ,, ,,	16	,,	27 ,,

	4 77	0	7.7.	7.4	1	0.77 .1	
1844	April		May	14	equal	37 d	ays
1863	,,	8 ,,	April	28	2.7	21	"
1867	,,	1 ,,	,,	20	"	20	,,
1868	,,	15 ,,	May	4	";	20	,,
1828	May	6 ,,	,,	19	22	14	,,
1833	,,	1 ,,	,,	25	,,	25	2.7
1841	,,	21 ,,	June	5	3.7	16	,,
1846	,,	29 ,,	"	22	,,	25	"
1848	,,	3 ,,	May	18	,,	16	,,
1858	,,	29 ,,	June	17	"	20	,,
1859	**	24 ,,	,,	13	,,	21	,,
1868		8 ,,	May	22	,,	15	,,
1000	"	٠,,	2200		"		"
1826	June	6 ,,	June	20	,,	15	,,
1826	,,	23 ,,	July	15	,,,	23	,,
1828	,,	22 ,,	,,	11	,,	20	,,
1831	71	9 ,,	June	23	,,	15	,,
1836	,,	26 ,,	July	13	,,	18	,,
1837	,,	12 ,,	June	25	,,	14	"
1842		3 ,,	,,	17	,,	15	,,
1859	27	"	July	23		24	
1000	,,	30 ,,	July	20	"	2 I	"
1827	July	6 ,,	,,	20	,,	15	,,
1831	·	26 ,,	August	17	17	23	"
1834	**	28 ,,	_	21		25	
1835	"		July	30	"	16	2.5
	,,	0 "	•	29	"		"
1852	,,	00 "	,,		. ,,	27	9.2
1856	,,	28 ,,	August	16	"	20	"
1868	,,	6 ,,	July	28	"	23	3 2
1826	August	14 ,,	Septembe	r 6		24	
1837	0		-	23	2.7	15	27
	,,	- 0 //	-		22		"
1842	,,	12 ,,	٠, ,,	30	,,,	19	"
1831	September	23 ,	November	r 2	,,	41	,,
1843	*	6 ,,	~			19	
1846	,,	4 ,		18	22	15	"
1859	,,		0 . 1	20	"	21	"
1861	,,	00		15	"		,,
	"	0 ′′			,,	18	2.2
1865	,,	2 ,,	Septembe		22	20	,,
1868	,,	1 ,	, ,,	15	"	15	,,
1826	October	18 ,	October	31		14	
1849				30	"		"
1852	33	0.0	37 1		"	14 24	"
1853	"	0.1	,	8	"	19	,,
	,,	^ ′	0 1 1		"		"
1856	"	2,		18	"	17	,,
1863	"	10 ,	2 33	23	>>	14	,,
1827	November	3,	, Novembe	r 20		18	
1828				30	"	17	22
1020	,,	11 ,	2.2	00	2.2	Τ./	2.7

1831	November	30 to	December	20	equal	21	days
1832	,,	14 ,,	November	28	,,	15	,,
1839	,,	3 ,,	,,	20	,,	18	,,
1846	,,	10 ,,	,,	26	,,	17	,,
1863	,,	14 ,,	,,	28	,,	15	,,
							,,
1826	December	7 ,,	December	21	,,	15	22
1827	,,	14 ,,	,,	27	,,	14	12
1828		* 0	• • • • • • • • • • • • • • • • • • • •	0.5		10	
1040	,,	10 ,,	,,	25	,,	16	22
1833	,,	14 ,,	1834 Jan.	28	,,	46	**
1837	,,	17 ,,	1838 Jan.	4	,,	19	,,
1843	"	14 ,,	December	31	,,	18	,,
1848	**	3 .,		16		14	
1040	,,	ð,,	"	10	2.1	14	,,,
1852	,,	2,	, 1853 Jan.	16	,,	46	,,
1863	,,	2 ,,	December	21	,,	20	,,
1868		1 ,,	, ,,	28		28	
1000	"	- ,,	,,,		"	20	"

During the 44 years, there were periods of excess of temperature, of a fortnight or more in duration, beginning:—

In	January	in	8 y	ears	I	n	July	$_{ m in}$	7	years
,,	February	,,	11	,,	,,		August	,,	3	,,
,,	March	,,	9	,,	,,		September	,,	7	,,
,,	April	,,	10	,,	,,		October	,,	6	,,
,,	May	,,	8	,,	,,		November	,,	7	,,
,,	June	,,	8	,,	,,		December	,,	10	,,
					or 94 instances in all:					

By taking the periods of defect below the average in each month in which the number of days extend to 14 or more, and entering hem opposite the month in which the period commences, we have the ollowing:—

1829	January	5 to January	25	equal	21 days
1830	,,	8 ,, February	6	,,	30 ,,
1838	,,	5 " January	28	,,	24 "
1842	,,	17 ,, ,,	30	,,	14 ,,
1844	,,	31 " February	14	,,	15 ,,
1845	,,	28 ,, ,,	24	,,	28 ,,
1847	,,	9 ,, January	23	,,	15 ,,
1850	,,	5 ,, ,,	18	,,	14 ,,
1853	,,	31 ,, March	4	,,	33 ,,
1855	,,	13 ,, February	24	,,,	43 ,,
1857	,,	22 ,, ,,	5	: ;	15 ,,
1865	,,	16 "January	31	,,	16 ,,
1827	February	2 ,, February	25	,,	24 ,,
1838	,,	10 ,, ,,	24	,,	15 ,,
1840	,,	18 " March	9	,,	20 ,,
1845	,,	28 ,, ,,	21	,,	22 ,,
1858	,,	14 ,, ,,	12	;,	27 ,,
1866	,,	26 ,, ,,	15	,,	18 ,,
1867	,,	27 ,, ,,	22	,,	24 ,,

1837	March	11 to April	24	equal	45 days
1850	>>	14 ,, March	. 29	,,	16 ,,
1853	,,	14 ,, ,,	30	,,	17 ,,
1865	***	3 ,, ,,	31	,,	29 ,,
1869	"	20 " April	4	23	16 ,,
1826	April	24 ,, May	9	,,	16 ,,
1838	,,	16 " April	30	"	15 ,,
1842	,,	1 ,, ,,	19	,,	19 "
1849	,,	10 ,, ,,	24	>>	15 "
1854	22	22 " May	6	,,	15 ,,
1855	,,	25 " "	9	,,	15 ,,
1857	,,	22 ,, ,,	10	,,	19 ,,
1860	"	9 ,, April	28	"	20 ,,

There are no instances in May in which the periods extend to 1 days, but there are several periods of 13 days.

		-						
1860	May	26	to	June	23	equal	29	days
1830	June	7	,,	>>	23	,,	17	"
1847	**	13	,,	,,	26	,,	14	,,
1854	,,	2	,,	**	21	"	20	12
1856	,,	11	,,	,,	24	,,	14	,,
1860	,,	25	,,	September	7	,,	75	,,
1862	,,	8	,,	July	7	,,	30	,,
1869	,,	9	,,	June	26	,,	18	,,
1840	July	2	,,	July	27	,,	26	22
1848	,,	31	,,	August	25	,,	26	,,
1849	,,	17	,,	,,	1	"	16	,,
1850	,,	1	:9	July	14	22	14	77
1853	,,	10	,,	,,	26	,,	17	,,
1862	"	9	,,	,,	25	"	17	,,
1863	,,	16	,,	August	1	,,	17	,,
1867	"	22	,,	"	7	"	17	,,
1828	August -	9	,,	"	23	,,	15	,,
1829	,,	24	,,	September	8	,,	16	,,
1845	"	6	,,	August	24	"	19	,,
1853	"	3	٠,	,,	18	"	16	37
1866	,,	3	,,	"	18	,,	16	,,
1829	September	11	٠,	October	2	,,	22	,,
1836	"	5	,,	September	22	,,	18	"
1840	,,	11	"	,,	26	,,	16	,,
1840	"	28	,,	October	15	,,	18	12
1850	"	28	,,	,,	17	,,	20	"
1852	**	29	,,	>>	14	"	16	,,
1863	"	4	"	September	17	"	14	"
1842	October	18	,,	November	8	,,	22	,,
1869	"	16	,,	October	31	,,	16	2.2
1835	November	1	,,	${\bf November}$	16	,,	16	"
1844	"	21	,,	December	17	"	27	"
1846	,,	27	,,	"	18	,,	22	,,
1851	22	11	,,	2*	4	,,	24	٠,

1853	November	14	to	November	28	equal	15	days
1855	,,	29	,,	December	14	,,	16	,,
1856	"	3	,,	November	17	,,	15	,,
1858	,,	6	,,	,,	24	"	19	,,
1859	,,	8	,,	,,	22	"	15	,,
1862	,,	11	,,	- 11	27	,,	17	,,
1829	December	13	,,	1830 Jan.	6	,,	25	"
1835	,,	4	,,	${\bf December}$	17	,,	14	"
1837	,,	1	,,	,,	16	,,	16	;,
1840	,,	3	,,	"	30	,,	28	,,
1841	,,	30	,,	1842 Jan.	15	,,	17	,,
1853	,,	14	,,	1854 Jan.	6	,,	24	**
1859	,,	10	,,	${\bf December}$	23	,,	14	"
1860	>9	10	,,	1861 Jan.	19	,,	41	,,

During the 44 years there were periods of deficiency of temperature f a fortnight or more in duration, beginning

In	January then	e are	12 1	imes	1	In	July	there	are	8	times
,,	February	,,	7	,,		,,	August	,	,	5	,,
,,	March	"	5	,,		,,	Septemb	er	,	7	,,
,,	April	,,	8	,,		,,	October	,	,	2	,,
,,	May	,,	1	,,		,,	Novemb	er .	, 1	0	,,
,,	June	,,	7	,,		,,	Decembe	er	,	8	**

r 80 instances in all, being 14 less in number than in similar periods f excess of temperature.

From the above groups we find that the largest periods of excess and efficiency above or below the average in each month are as follows:—

```
In January, of excess 26 days in 1846; and of deficiency 43 days in 1855
" February
                    26
                               1867
                                                                  1858
             ,,
.. March
                     28
                                1841
                                                       45
                                                                  1837
" April
                    37
                                1844
                                                       20
                                                                  1860
                    25
                                1833 and 46
                                                       29
" May
                                                                  1860
" June
                    24
                               1859
                                                       75
                                                                  1860
" July
                    27
                               1852
                                                       31
                                                                  1860
                    24
                               1826
                                                       31
" August
                                                                  1860
"September "
                    41
                               1831
                                                       22
                                                                  1829
" October
                    24
                                1852
                                                       22
                                                                  1842
"November "
                    21
                                1831
                                                       27
                                                                  1844
                    46
                                1833 and 52
                                                       41
                                                                  1860
" December "
```

Thus the longest period of excess above the average is 46 days, both ginning in December, in 1833 and 1852; and the longest period of ficiency below the average is 75 days, beginning in June 1860.

By taking the algebraical means of the values in each column of bles XVI. to XXVII., the following Table was formed.

By looking over this Table at the general distribution of the + and signs, the most remarkable fact is the preponderance of + signs in a month of January, towards the end of the series, over those at the

TABLE XXIX.

Showing the Departure above or below the Average of the Temperature of each Month.

JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	July	August	SEPTEMBER	Остовки	November	DECEMBER
0.9-	+4.4	0.1+	+2.5	-1.5	+3.5	+3.5	+ 3.8	+0.3	+2.6	c - 1	+3.8
-1.7	- 5.5	+ 3.0	+1.9	+1.9	-0.1	+3.4	+ 0.1	+1.9	+ 2.5	+1.2	2.++
+4.3	+ 2.6	+ 3.0	+1.6	+ 2.9	+ 2.2	+ 0.5	6.0 -	+ 2.6	2.0+	+ 2.7	+ 5.3
4.4	+0.4	-1.5	-2.3	+1.4	-0.5	-2.1	-2.4	-2.5	-1.9	-2.1	7.9-
-5.2	2.6	+6.1	+ 2.8	+ 2.2	1.7.	+1.6	-1.9	-2.0	+1.4	+ 2.7	-4.1
-1.8	+3.5	+ 4.4	+3.4	+0.1	6.0+	+1.8	+ 3.3	+1.0	9.9+	4.0.4	+ 2.6
9.0 -	-1.5	+0.3	+ 0.8	-1.5	9.0+	9.0-	40.9	+0.1	+1.0	+1.6	+1.8
-2.5	+ 4.3	-3.5	-1.0	9.9+	9.0+	6.0 -	-2.3	-2.4	6.0+	6.0+	+ 5.7
+8.2	+1.8	+3.0	9.0-	+3.4	+1.4	+ 2.5	+1.4	+ 2.2	+1.2	+ 2.0	6.0+
+ 1.3	+3.6	+0.4	+ 0.8	6.0-	2.0+	+ 2.0	+3.0	+1.6	7	+1.9	0.9-
9.0-	-1.5	+ 2.4	-2.6	-1.4	+2.1	+1.1	2.0-	7.2-	-2.0	-0.1	+ 0.3
6.0+	+1.6	-4.8	-6.1	6.4	+ 0.3	6.0+	9.0+	2.0-	9.0+	-2.5	+1.1
9.8-	L.e -	-0.1	-3.9	-1:1	-1.5	6.0 -	-0.4	-14	4.0+	-1.0	-1.2
+ 0.3	8.0+	8.0-	-3.5	-1.5	9.0+	9.0 -	9.0-	+ 0.5	+ 0.5	+3.5	+ 0.5
+ 2.2	6.0-	-3.0	+ 2.6	+ 2.5	6.0+	-2.8	+1.6	9.8-	-F.5	9.0+	9.2-
-2.9	-2.4	+4.9	0.0	4.5	- 3:1	-3.4	-0.4	+1.7	-0.5	+0.1	+ 0.3
-4.1	+1.8	+ 3.5	9.0-	9.0+	+ 3.1	1.2.8	0.9+	4 0.5	- 1:1	9.0+	9.1+
1.9.7 1.1.3	9.0	1.1.4	0-1-1-	0.13	3.0	1-0-1-	+ 1:3	+ 4.9	1.8	9.0+	+ 3.9
+ 3.6	- + + +	1.1.1	+ 0.1	- + - 1.0	- 0.5	0.7	- 07 1 +	6.0 +	27.0	2 - 27 - 0 + 1 +	
4 . 10		* * *	4-1-0	C.2.	4- O-5	2-0	- 1.9	6.1 -	0.0	1 13.00	_

0.0 +	+ 2.1	+2.4	-2.0	8.0-	+ 0.1	+ 7.2	7.9	-0.1	+.+-	9.0-	+ 4.2	0.0	- 4.3	9.4-	9.0-	+3.5	+ 2.3	-5.0	. + 2.5	+ 3.0	-3.2	+5.2	-2.4	
+ 1.0	+3.5	-1:1	+ 0.2	+ 5.0	9.9	+ 5.8	-1.7	-3:1	-1.8	-2.6	+3.1	0.9	-2.4	-3.0	9.8 -	-2.8	+2.1	-1:1	+1.4	+ 2.0	-2.3	-1.4	+ 0.3	
31	+2.0	-0.5	- 0:3	-5.0	+ 2.0	-3.4	9.0+	-14	+ 0.1	6.0+	+ 2.0	9.0-	6.0-	-0.4	+4.3	41.5	+1.7	+ 0.5	-0.1	9.0+	7.1	-2.6	6.0 -	
0.8 –	-3.3	8.0-	6.0+	-1.9	8.0-	8.0-	-1.4	+ 0.3	2.0-	-2.3	+ 1.8	+ 2.9	8.0-	- 4.3	9.0-	+ 0.3	-3.1	9.0 -	+ 5.1	6.0-	6.0+	+3.3	+ 2.5	
3.0	+0.4	-3.5	+1.1	-149	+1.4	6.0+	-1.6	-1.0	8.0+	+1.6	+ 3.0	-0.1	6.0+	0.4-0	+1.0	-2.1	9.0+	-2.3	-2.4	-1.9	+0.3	+2.6	6.0 -	
1.2 -	+ 2.5	2.0-	8.0-	2.0-	-1.4	+ 5.0	-1.5	-1.0	-0.1	-1.0	+1.2	-1.6	+ 5.0	ć.+-	-1.4	- 4.0	-1.0	-1.3	8.0+	- 1.3	-2.6	9.9+	+ 2.3	
10 1	-2.5	-1:1	-0.5	+ 0.9	-0.1	-2.5	-1:1	-2.9	-2.5	2.0-	+1.9	+ 5.3	+2.4	-5.5	-0.1	-3.1	9.0-	-2.1	6.0-	+1.8	F-0-4	+3.1	-3.9	
2.4	+2.9	+ 4.6	+1.3	-2.5	-1.9	-1.7	-1.9	-2.6	9.4-	-3.8	9.0+	-1.3	9.0-	-0.5	-1.8	. + 2.4	-1.5	+0.4	+2.5	- 3.3	+ 0.3	+4.1	-2.9	
-0.1	-2.9	+ 0.1	- 3.3	+1.5	-1.7	-1.4	-1:1	+1.6	-1.5	<u> </u>	-1.4	+0.5	9.0-	4.4	-3.5	+1.1	+2.1	+1.3	9.++	+1.3	+ 3.3	+1.4	+3.2	
0.0-	-1.0	+1.4	2.0+	-2.2	2.0+	-1.4	-3.8	+1.6	0.4-0	-2.9	+0.1	0.0	+ 4.0	9.0-	+1.4	+1.5	+ 2.3	-1.0	9.9-	-1:3	- 3:8	+3.0	- 4.3	
- 6.3	-3.6	+4.4	+ 2.5	+ 4.3	+0.3	2.0+	6.9	-0.4	9.01-	+ 2.4	-1.6	- 4.5	+ 2.4	-4.2	+2.1	+2.1	+ 2.9	2.8-	-2.2	+1.2	+ 5.5	+4.0	+ 5.8	
+ 1.0	+ 5.7 - 2.0	-3.0	+2.5	-4.0	+ 4.7	+3.0	+4.8	+1.3	-3.5	+1.4	-1.5	-1.3	+ 2.4	+1.6	-4.8	+1.1	+ 4.2	-2.7	-1:3	+ 5.3	- 4.2	+0.1	+3.5	
1845	1846	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	9981	1867	1868	1869	

Note.—The sign plus(+) signifies above the average, and the sign minus(-) below the average.

beginning of the series; it is a fact well worthy the thoughth attention of all horticulturists; the same thing is also shown i February, but to a less degree. Then, on the contrary, in the montl of May, June, and July, the + signs seem to be more frequent at the beginning of the series than towards the end; particularly this shown in the month of July, implying that our winter months at somewhat warmer, and our summer months somewhat colder, that formerly.

It will be seen that the same months have frequently been either above or below the average for three or four years in succession.

By selecting under each month the largest number with the + sig and the largest number with the - sign, the warmest and coldest the several months are shown, and are as follows:—

			0					0		
In January the	greatest	excess	was 8.2	in	1834,	and greatest	deficiency	was 8.6 in	18	3:
"February	,,	,,	5.8	,,	1869	**	,,	10.6 ,,	18	3:
,, March	,,	**	6.1	,,	1830	,,	,,	5.6 ,,	18	31
" April	,,	,,	4.6	,,	1865	,,	,,	6.1 ,,	18	3.1
", May	,,	,,	6.6	,,	1833	,,	,,	4.9 ,,	18	3;
" June	,,	,,	6.3	,,	1846	**	**	5.2 ,,	18	34
" July	,,	**	5.6	,,	1868	,,	,,	4.5 ,,	18	31
" August	,,	2.5	5.0	,,	1842	**	,,	4.0 ,,	18	31
"September	,,	,,	5.1	,,	1865	**	,,	4 ;3 ,,	18	31
" October	,,	,,	6.5	,,	1831	**	,,	5.0 .,	18	3,
"November	,,	,*	5.8	,,	1852	,,	٠,	5.6 ,,	18	34
,, December	,,	,,	7.2	,,	1852	- 11	,,	7.6 .,	18	3.
>										

Therefore the largest monthly excess of temperature was 8°·2 i January 1834, and the largest deficiency was 10°·6 in February 1855

By taking the means of the numbers in each horizontal line; Table XXIX., the departure from the average of each year's tenperature will be shown, divided into two groups of warm and cole and are as follows:—

	W	arm Years	\$			C	old Years	
In	1826	too high	by 1°5		In	1829	too low	by 2°0
٠,	1827	**	1.1		,,	1836	,,	0.5
,,	1828	٠,	2.3		59	1837	,,	1.1
,,	1830	12	0.1		•,	1838	••	2.1
**	1831	*1	2.2		,,	1840	,,	1.0
,,	1832	,.	0.2		91	1841	**	0.1
٠,	1833	**	0.5		٠,	1844	, , , ,	0.4
,,	1834	,.	2.3		,,	1845	•	1.8
,,	1835	,,	0.7		,,	1847	,,	0.2
,,	1842	,,	0.7		,,	1850	,,	0.9
. ,,	1843	**	0.4		,,	1851	,,	0.2
**	1846		1.8		,	1853	,,,	1.8
,,	1848	,,	0.2	1	,,	1854	**	0.6 .

War	m Years		1	Co	ld Years	
In 1849 to	o high	by 0.2	In	1855	too low b	y 2°7
,, 1852	,,	1.0	,,	1856	,,	0.7
,, 1857	,,	1.1	,,	1858	,,	0.5
,, 1859	,,	0.7	,,	1860	,,	2.8
,, 1862	,,	0.1	,,	1861	,,	0.6
., 1863	,,	1.0	,,	1864	**	1.2
,, 1865	,,	0.4	,,	1867	,,	0.7
,, 1866	,,	0.5				
,, 1868	,,	2.4				
,, 1869	**	0.1				


The year 1839 was of the average temperature.

The warm years 1828, 1831, 1834, and 1868 were all $2^{\circ}\frac{1}{4}$ above the average: the year of greatest excess was 1868.

The cold years 1829, 1838, 1855, and 1860 were from 2°0 to 2°8 below the average: the year of greatest deficiency was 1860.

Thus in 44 years, the temperature of 23 have been above; 20 below, and one of the average value.

It is remarkable that from 1826 to 1835, with the single exception of 1829, every year was above the average; and those from 1836 to 1841, with the exception of 1839, which was just the average, all were below; and since then the only group of four or five years together of the same character in this respect were those from 1850 to 1856 (with the exception of 1852), which were below their averages. Since the year 1856, warm and cold years have been almost alternate.



ON THE

DAILY RANGES OF TEMPERATURE

ON EVERY

DAY OF THE YEAR

FROM ALL

THE MAXIMUM AND MINIMUM READINGS

OF

THERMOMETERS


TAKEN AT THE

HORTICULTURAL GARDENS

AT

CHISWICK

FROM THE YEAR 1826 TO THE END OF 1869



DAILY RANGES OF TEMPERATURE.

r is found that animal life is best preserved when the temperature f each season is that of its average, and when the range of tempeture is also that of the average, and that sickness and death follow

ay great departure from these averages.

The occasional destruction of shrubs and fruit-trees by the cold of inter is very distressing and very annoying, and this sometimes takes lace when the mean temperature of the air is the same as the plant as previously endured without injury; but the mean temperature of a priod does not represent the actual temperature to which the plant is been subjected. The mean temperature may be based upon a mage of temperature corresponding to the average, or it may be from the much smaller or much larger than the average; and in the latter see the plant is subjected to the injurious effect of alternate very high and very low temperatures, and in winter time this would imply a riod, and perhaps a long one, in which the temperature was below? Fahr.

It is very important that the agriculturist and out-door horticulturist ould know the ranges of temperature to which plants are exposed in e open air. This variation of temperature differs day by day and onth by month; and it is only after a long series of observations at we are able to determine the average daily range in every season. It is readings of the maximum and minimum thermometers have been ken continuously at Chiswick since 1826, and the difference between ese values gives the range of temperature on each day throughout e period comprised between the years 1826–1869. Collecting these north by month and arranging them in parallel columns for different ars, we have at one opening the ranges of temperature on every day roughout that month for the whole forty-four years, and thus Tables XX. to XLI. were formed.

Looking over the numbers in these Tables we see that in any mont the range may be as small as 1° to 5°, and as large as from 30° to 40° in the winter months, and exceeding 40° by several degrees in th summer months. That frequently several days of small range com together, indicative of so many days of cloudy skies; and several day of larger range come together, indicating periods of clear skies.

By looking at the numbers on the same horizontal line, or the dail ranges of temperature on the same day of the month in different year similar large differences appear; for instance on January 1 in the year 1837 the range was 23°, whilst in 1851 and 1859 on the same day the year it was 3° only. Great varieties are thus shown on every day be comparing the results of different years together, or the numbers of the same horizontal line in the several Tables.

These results, being dependent on the different directions of the win the more or less cloudy state of the sky, and the different conditions the weather generally, are as variable as the weather itself.

The maximum and minimum temperatures from which these resul have been obtained are not given in these series of Tables, but the may be found approximately on any day by adding one-half of the range to the mean temperature of the same day, Table I. to XII., for the maximum, and by subtracting one-half of the range from the mean temperature for the day for the minimum.

By selecting the smallest and largest range in each month in all tyears Table XLII. has been formed.

This Table shows very clearly how variable the range of temperatural may be in twenty-four hours, and how very different in different year.

For instance, in the month of January under 'greatest' in the ye 1833, the largest range in any one day was 15°, whilstingeneral it excees 20°, and in some years it has been as large as 30°. On the contraunder 'least' in the years 1828 and 1854 the range has been as smil as 1°, and by looking down the column it will be seen that ranges small as 2° or 3° are common, whilst in other years there has been range less than 8° or 9°. As small daily ranges have taken place a January and December, as 1°; in February and November as 2°; and March, April, and October as 3°, in June and September as 4°; al in July and August as 5°. As large daily ranges as 32° have taken place in the months of January and December; of 34° in Novembe; of 38° in February; of 39° in March; of 42° in June and October; for 44° in May; of 45° in July; of 48° in April, and one of 49° in August 1861, which is the largest in the Table.

· By taking the mean of all the daily ranges in each year, or the men of the numbers in every vertical column in Tables XXX. to XI., Table XLIII. is formed.

From these numbers we see that the mean monthly daily range f temperature has varied

TABLE XXX. Ranges of Temperature on every day in the month of January, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869.

DAY O	- 11		-			_															J	A N	U.A	A R	Υ.									•					<u>* -</u>						
Mont		826	1827	1828	1829	1830	1831	1832	1833	1834	1 83 5	1836	1837	1838	1839	1840	1841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860	186 1	1862 1	863	1864	1865	1866	1867	1868 1	869
1	10	9	17	o 6	13	7	13	10	15	8	11	19	23	-6	11	9	ıî	13	16	12	11	16	6	0 13	o 4	16	3	14	5	15	° 7	° 7	13	22	3	13	20	ŝ	10	17	0 16	20	20	6	15
2	1	3	20	12	15	6	13	. 8	7	15	17	14	19	7	7	13	13	12	14	18	20	19	8	11	9	12	10	15	7	20	7	14	16	11	10	13	15	16	11	20	21	10	20	4	7
3		6	20	18	11	5	8	17	9	7	15	12	11	21	9	6	18	15	24	28	11	15	5	10	9	12	6	19	11	14	13	10	13	20	7	15	19	16	12	18	17	11	26	9	16
4		5	9	12	13	4	2	9	13	11	14	7	7	20	16	12	6	5	14	17	9	16	5	22	3	22	8	14	14	1	9	7	9	14	6	17	13	19	12	10	21	7	18	9	15
5		2	9	4	11	18	9	10	12	4	22	10	12	4	12	16	11	6	10	10	11	18	13	22	8	21	18	16	12	5	11	6	7	9	9	12	11	24	14	23	15	11	26	3	18
6		3	s	8	5	6	16	5	12	14	13	18	12	3	21	19	9	4	7	16	11	7	3	14	16	17	14	14	17	10	6	13	11	14	7	12	18	20	16	11	8	20	19	10	17
7		6	4	5	7	13	19	S	11	11	9	6	17	8	15	20	21	7	10	23	22	5	5	13	13	22	10	12	23	5	7	10	7	16	10	15	22	25	15	20	19	15	9	10	9
8		8	5	8	5	10	8	7	7	9	8	12	16	8	5	16	14	6	12	13	4	9	5	9	8	14	17	17	17	15	7	11	14	16	15	17	31	23	27	19	9	9	16	5	8
9	1	.0	14	. 9	6	5	3	9	8	6	14	6	7	3	15	8	22	3	15	7	7	9	14	10	10	4	16	15	15	5	15	4	8	-21	12	15	25	11	11	15	12	16	12	4	12
10	1	0	6	13	10	11	8	7	9	8	13	5	14	10	17	10	8	6	7	18	19	5	9	4	11	6	16	15	9	6	12	15	13	12	15	12	14	11	5	20	11	17	7	5	6
11	1	8	6	3	2	8	7	9	9	5	5	10	10	16	8	22	6	4	9	16	7	10	13	13	8	7	4	8	9	7	, 8	13	11	20	5	11	16		9	20	10	9	14	6	4
12	1	3	14	3	4	7	7	9	9	10	13	11	18	15	12	20	17	7	20	9	5	5	9	15	2	5	4	18 -	8	11	9	10	16	31	7	15	9	10.0	17	8	14	15	20	11	4
13	1	8	14	3	6	11	6	10	3	5	13	14	16	5	11	11	6	4	9	9	21	13	17	8	4	9	5	11	8	14	11	19	9	29	10	8	12	24	14	5	18	22	32	15	7
14	1	7	10	9	5	3	8	13	8	8	9	8	9	19	12	10	4	4	11	9	15	13	16	9	24	5	8	12	13	19	22	18	20	25	10	8	6	13	9	3	12	12	26		10
15		3	9	5	8	8	2	14	4	14	5	14	9	22	13	5	8	19	14	20	3	13	15	22	14	6	13	12	7	8	14	20	13	14	15	15	10		14	8	15	15	16		20
16		9	4	1	6 	7	10	17	4	13	16	13	6	8	15	10	12	11	11	17	16	11	9	13	20	5	14	15	12	7	18	10	19	18	16	22	4	21	$\frac{7}{10}$	7	18	8	13		15
17		6	12	5	12	16	12	10	8	9	20	14	5	12	15	7	7	21	5	10	5	15	3	15	15	8	14	11	8	3	12	15	20	18	11	23	7		12	11	12	12	14	13	12
18	-11	9	16	9	10	5	13	16	2	12	18	13	6	6	20	26	14	2	16	6	13	18	4	11	14	4	15	22	18	15	17	13	6	19 15	1.5	12 17	8	19 5	20	12	16 14	12	19	11	12
19		9	14	13	22	22	9	5	2	9	18	16	5	11	21	14	8	6	10	11	13	13	7	6	11	18	14	19	18	16	15		18 15	10	10	21	19	5	11	7	14	13	7		19
20		1	10	13	10	6	4	13	10	15	17	11	111	22	15	14	12	4	10	20	11	11	11	6	10	3	10	11 20	12 17	16 12	15 12	1.1	16	11	6	15	16	11	10	13	13	9	5	14	8
21	1		13	15	0	7) j	1 4	14	10	17	10 9	111	18	13	10	10	0	10	13	28	11	6	2 5	19	8	10	16	7	20	17	5			15			25					12	13	14
22	i i		7		10			16	13	5	10	10	5	119	10	10	14	10	5	10	10	19	10	6	6													22					28		8
23 24	- 1		14	7	9	12		8	12	0	15	12 14	10	10	1.6	16	10	13	0	15	9	19	10	8	3	5	9	14	10	15	11	13	9	27	17	17	15	19	18	22	16	20		14	
25		4	6	12	3				7		13	14	5	3	17	16	8	18	5	10	22	12 10	14	7		19	13	17	10	24	10	15		24		13	13	19	12	17		11			14
26		2	10		15		8	12	111	9	13	12	6	4	8	18	6	7	6	21	19	14	10	7	13	30	14	24	7	24	14	15	6		12		14	24	18	20	7	11	10		12
27		_	19		13		1	11	7	8	10	6	5		9	11	10	14.	2	11	19	14	0	12	11	10	21	17	9	4	19	22	17	27	14	17	19	18	15	16	6	12	9		11
28		-	17	6	16	3						15				12	16	18	11	22	22	17	22	12	.12	16	14	16	5	10	10	18	19	26	17	17	21	22	18	16	24		10	19	13
29	- 11			18	18	9	11	11	11	11	14	11	9	17	12	11	14	14	7	15	25	17	23	16	18	16 18 18	10	20	8	5	13	19	18	25	12	21	26	9	22	23	21	12	10	16	14
30		_		22	8	3	13	6	11	11	17	11 14	10	5	17	10	3	11	14	19	7	13	17	12	19	18	11	24	8	7	8	17	24	14	15	14	8	10				15	18	17	15
31		8	9	13	7	9	_				11		13	3	15	11	14	17	7	15	16	11	20	16	25	10	12	7	23	13	8	18		26	12	17	26	7	8	17	17	11	13	11	6
	1	n							<u> </u>			V.									1																		-						

J

TABLE XXXI. Ranges of Temperature on every day in the month of February, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at

Chiswick in the years 1826-1869.

DAY	OF					•															F	E B 1	R U	AR	Y.																				
Mo	ie NTH	1826	1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	1840	1841	184.2	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	ı 866	1867	1868	1869
		0 4	12	120	23	6	10	12	° 7	16	100	10	° 7	° 4	16	9	8	15	8	19	ıî	12	10	ıî 11	16	 8	0 14	18	 0 4	18	16	9	21	0 16	12	20	21	10	12	0 14	10	13	ıî	21	0 14
	2	6	13	14	21	7	16	18	13	10	16	5	9	18	16	10	13	10	8	11	19	13	5	17	7	15	8	8	14	14	5	10	14	5	15	9	23	9	7	7	20	18	13	12	23
	3	5	11	11	18	9	14	20	13	14	14	6	20	14	16	7	14	8	21	17	9	13	7	13	6	32	19	17	5	12	16	19	11	21	15	16	15	14	27	14	18	17	21	18	9
ļ	4	10	12	13	7	8	12	17	13	17	15	2	9	13	16	7	8	15	9	15	18	13	17	12	15	17	15	15	10	7	6	14	16	15	14	15	8	10	16	12	9	16	19	17	17
	5	7	15	7	11	17	10	9	15	20	17	8	13	11	10	11	6	15	10	21	17	19	8	5	12	10 ·	17	12	10	11	9 .	17	26	22	16	18	6	15	12	5	7	8	17	11	22
	6	10	10	14	5	11	23	16	10	21	13	15	16	15	8	16	4	12	7	17	24	17	21	9	4	14	21	14	9	6	6	8	16	22	18	22	12	11	9	8	11	9	20	20	19
	7	20	11	11	9	12	8	22	13	15	9	17	16	10	5	13	3	9	5	14	21	21	18	12	10	15	14	19	11	19	9	9	13	18	20	18	17	10	16	16	12	15	9	8	6
	8	23	6	17	11	11	3	21	15	12	12	14	13	12	4	15	3	18	3	18	17	17	7	9	19	12	11	8	14	7	5	8	12	20	12	21	11	17	19	13	16	17	13	14	8
	9	18	10	7	10	15	13	23	20	13	17	6	5	11	4	10	3	14 .	5	12	9	19	30	15	16	15	19	12	16	15	10	15	11	- 1	11	16	6	10	17	16	15	13	13	20	10
1	0	8	10	8	7	21	29	16	9	18	17	14	7	13	25	14	5	6	11	12	13	19	14	12	17	21	4	20	4	10	19	13	18	8	15	22	23	17	11	22	11	11	10	16	13
1	1	11	7	6	6	15	14	11	15	16	12	11	13	15	15	12	4	5	5	9	18	19	.34	17	29	15	15	21	9	14	25	11	15	4	9	24	20	14	23	14	15	11	18	17	17
1	2	15	7	6	6	17	17	6	9	14	1.4	23	10	27	7	15	13	9	9	7	35	12	28	12	23	16	14	18	7	15	13	8	27		10	16	15	17	32	16	13	9	13	20	15
~1	3	9	15	5	8	18	6	4	10	16	14	18	18	21	18	25	7	14	24	9	16	18	24	4	18	22	13	12	8,	16	14	10	21		18	14	16	6	23	15	6	22	9	23	16
1	4	2	14	5	9	6	11	3	13	14	11	22	20	25	22	21	11	15	23	10	18	24	6	5	20	24	19	16	6	26	19	10	25		20	15	20	10	29	17	7	22	20	15	6
] 1	5	6	13	19	9	11	14	10	14	12	14	28	22	6	19	16	7	14	7	12	7	14	18	23	25	7	25	16	12	15	24	23 .	22		12	15	14	15	25	11	32	11	19	10	0
1	6	8	20	19	12	11	16	9	16	21	16	16	15	9	15	7	12	20	12	22	19	7	8	19	12	18	19	20	13	6	13	22			18	10	20	12	38	22	21 12	15 24	19 13	20	1.1
	7	19	19	15	15	17	14	9	12	22	19	17	23	9	20	7	10	22	22	20	21	8	11	16	24	8	23	9	10	14	14	9	24 22		20 20	10	22 25	10 14	27	10	16	21	10	7	16
	8	13	13	15	6	15	11	12	12	3	24	10	20	8	15	10	15	23	3	10	20	9	10	17	17	11	10	16	12	13	26	10	18		16	13 22	15	11	7	$\begin{array}{ c c }\hline 17\\12\\ \end{array}$	18	22	9	7	22
] 1	9	12	16	20	18	13	13	14	9	13	13	14	11	16	15	6	12	24	3	21	19	10	17	17	12	2	12	16	15	15 24	22 _. 27	6	22	15	16	17	10	13	14	2	14	19	17	15	16
1	.0	14	(15	12	24	13	20	(14	17	19	17	6	10	0	21	01	1.77	22	15	10	12	23	19	21	13	16	13			a		1	25		11	29	20	8	9	20	20	13	13
	I	10	01	11	11	10		11	10	19	11	17	13	5	10	10	A .	16	11	21	6	15	7	12	19	13	21	16	13	14	16	16	30	17	26			16	15	$\begin{vmatrix} 0 \\ 21 \end{vmatrix}$	13	26	7	19	4
		14	99	11	11	12		10	13	5	17	25	18	9	21	12	12	10	16	24	13	8	7	14	16	24	16	18	18	16	19	23	28	10	23	25	8	12	17	19	11	26	26	18	11
1	23	19	23	*	7							17	13	15	17	15	4	9	10	24	20	10	14	1 7	10	9	22	111	8	12	16	25	31	19	27	26	9	6	13	12	14	10	19	11	19
	25	18		5	7	12		8		28		18			22			17	6	14	12	14	19	111	17	12	119	16	11	16	12	16	20	17	27	25			13	1				24	15
	26	11		12	4			10		25	_	5			17	8	13	18	6	26	17	21	14									17				18	1	2			1			10	11
	27	8		12	13		21		13			•	11		20	8	13	8	3	12	15	24	7									11							16	6	16	12	12	10	20
- 1	28	15	9	8	19		15				- 1	8		15		13	15			22	16	22										13				21	15	10	32		16	12	15	13	9
	29			15				6				5				.17				20				12				14				24				31				21				12	
	29			15		1		6				5				.17				20				12				14			}	24				31				21					12

TABLE XXXII. Ranges of Temperature on every day in the month of March, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869.

DAY OF		n.	<u>, </u>									-				n-					IVI A	AR (CH.															_		_				
MONTH	1826	1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	1840	1841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	. 1855	1856	1857	1858	859	860 1	861	186z	1863	1864	1865	1 866	1867	1868	1869
ı	11	16	° 7	ő	° 7	12	ő	17	ıî	10	10	7	าเ	ıî	10	14	17	17	19	14	15	18	16	10	15	13	15	ıŝ	36	14	0 4	22	ő	17	19	19	14	19	25	0 14	18	17	0 10	ıŝ
2	8	9	6	4	7	9	14	14	9	16	13	12	6	19	13	12	10	18	15	9	19	8	10	17	10	13	24	18	37	15	9	9	6	14	27	12	17	21	16	16	16	15	13	13
3	13	15	10	7	26	14	8	10	14	13	15	9	23	17	18	21	11	15	13	19	13	19	26	12	21	15	26	14	36	20	9	22				18	35	28	10	23	19	15	13	12
4	18	20	9	13	18	14	10	15	12	14	12	13	11	20	24	13	19	18	13	16	12	11	16	19	24	19	31	16	27	22	11	17	20			21	33	33	16	20	12	14	7	15
5	17	18	18	10	23	4	21	21	7	18	19	10	7	5	31	14	27	21	24	15	21	8	6	18	22	8	26	10	25	27	13	21 .		1		11	21	31	10	20	16	24	17	15
7	19	15	12	9 8	22 13	25	20	9	18	14	19 21	19	22	10	33 31	11 19	28	14 26	13 18	8 13	12 25	12	18 14	24	29 25	13	21	11	20	28	12	16	15			18	13	14	15	12	21	15		16
8	18	12 12	12	9	13	14	14	17	15	13	16	16	19 17	8 17	34 31	26	22	17	19	13	30	13	9	16 16	9	16 11	18	20 16	26 9	24 22	23 26	20 19		25		13	15	17	14	24	20	9		25
9	24	14	19	16	3	24	24	8	18	18	16	11	26	20	31	30	11	10	24	13	29	20	17	14	23	10	22	25	15	19	26	17		19 26		30 18	20	15 26	17	14	14	14	15	17
10	28	15	23	13	9	20	22	8	20	16	9	17	21	15	20	36	14	16	13	13	29	16	11	19	26	12	16	19	16	23	16	10		_	- 1	24	23	16	16	16 20	17	9		11
11	22	11	19	14	8	17	20	12	24	16	11	18	23	14	12	34	13	7	18	16	29	19	12	10	28	19	11	21	24	8	25	15	23			12	18	14	14	13	15	9		11 12
12	17	16	17	9	19	17	18	17	17	22	14	15	25	17	22	36	18	8	16	22	22	21	10	13	30	3	24	28	36	15	17	17	18			16	23	15	24	18	21	12	17	19
13	13	11	14	11	17	16	11	19	20	24	10	14	15	14	14	22	20	13	15	12	12	22	8	23	27	16	17	24	21	20	11	12	14	7		30	16	23	13	18	18	4		1.4
14	11	14	23	16	13	18	15	16	18	17	11	11	17	11	14	24	4	11	10	18	9	28	25	10	13	19	18	15	19	14	15	22	14	8	17	24	11	21	13	12	27	7	10	8
15	16	17	25	20	14	8	16	15	24	14	17	6	16	12	10	36	8	12	23	12	12	21	22	8	29	17	14	20	20	14	14	31	15	17	24	21	10	16	13	11	25	15	25	8
16	20	14	14	20	14	8	18	9	20	11	14	5	20	18	7	30	12	18	15	15	24	17	8	19	25	16	18	10	23	21	11	19	21	9	22	20	8	17	25	21	16	18	15	12
17	19	17	16	22	13	15	15	3	11	13	5	5	17	9	8	1/5	13	33	14	26	23	35	6	29	31 .	9	17	6	30	17	5	27		- 1		17	5	17	31	15	23	20	19	6
18	21	12	10	19	9	22	14	7	22	21	18	14	16	10	7	16	12	31	11	16	24	34	27	11	20	15	13	14	18	14	9	26				14	14	17	26	10	18	5	16	21
19	16	11	17	17	7	19	7	20	21	25	32	11	14	20	20	20	16	14	15	19	24	22	24	15	15	8	12	20	14	21	10				i	19	18	19	35	10	12	4		17
20	14	10	13	18 23	16 13	11	15 16	14	22 13	15	25 8	17	21	12	23	8	10	20	20 27	24	15	16	23	19 27	12	16	31	22 14	14 22	28	12	18				15	9	18	10	15	14	16	10	7
2.2			13					13	10	11		9	22	10	21	6			Z (18	2.1	33			9	16				11	24	15	24 30	17	10	93	11	19	10	18	14	14	13	5
23	11		16	1	6	13	20	12	8	12	13	22	12	10	20	16	18	18	26	9	18	18	14	14	17	12	34	17	19	11	32	21											17	
24	8	1	1		11	9	9	10	21	16	14		13	18	13	28	12	23	13	29	25	19	25	17	20	11	40	24	15	13	13	17	33	7	14	26			30		11		14	
25	10			27	25	5	18	12	27	24	15	13	23	16	18	29	18	19	18	15	17	25	20	7	28	15	13	23	13	18	8	19	21	14	16		17		26		16	6		20
26	14	24	17	12	39	18	16	13	21	26	22	25	32	13	9	26	11	15	14	16	17	28	15	11	23	9	17	27	20	16	13	25	33			_	15		17		10	17	1	21
27	13	1	1	16	23	22	18	15	13	25	19	14	28	13	7	21	11	8	19	13	31	24	17	11	28	12	19	23	28	24	30	19	23				17	23	23	25	17			19
	12		22		35	23	25																										19				7	17	20	16	16	17	14	7
	17		14	1	38		22			1		15	25	11	16	18	11	27	34	31	22	23	29	22	20	21	18	22	29	19	19	11	38	_	19		13		24			21	19	16
30	23		23	10	31	11	15	16	18	3 3	12	23	22	8	11	14	17	12	17	20	24	30	23	13	15	18	11	29	20	17	32	13	16	12	13	19	18	15	25	25			30	19
31	23	15	27	10	29	17	12	21	18	23	14	22	16	8	5	15	15	12	22	33	21	23	36	25	22	12	9	17	28	23	40	22	27	12	9 :	28	26	16	19	27	12	35	29	23
	111									·																					3													

TABLE XXXIII. Range of Temperature on every day in the month of April, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869.

DAYO	F																				Æ	P	RII	Ĺ.																			
THE MONTE	1 826	1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	5 1837	1838	1839	1840	1841	1842	1843	1844	1845	1846	1847	1 848	1849	1850	1851	1852	1853	854	1855	1856	1857	1858	859 1	360 18		62 186	3 186	4 1869	1866	1867	1868	1 869
I	17	10	0 14	21	6	13	13	0 14	0 14	31	12	26	19	0 7	21	o 11	 19̈́	9	36	30	17	23	34	15	17	17	17	16	41	28	35	12	17	18 2	$\begin{bmatrix} - \\ 0 \end{bmatrix}$	° 3 10	37	0 16	22	18	13	200	19
2	10	15	17	9	3	13	28	12	6	23	11	14	20	3	22	30	16	11	43	27	19	16	35	20	20	10	27	20	30	19	24	16	į į	1	3 1			17	29	15	16	20	16
3	23	13	17	21	14	26	28	18	27	23	18	19	9	5	26	31	12	15	40	39	16	12	42	17	12	19	22	12	22	12	10	18	18	24 2	0 2	0 28	33	17	22	15	19	27	15
4	13	20	17	13	20	24	33	18	18	22	23	12	19	5	19	16	10	11	30	34	13	13	34	24	14	17	20	12	33	19	24	6	22	22 2	4 2	7 22	17	20	15	26	19	32	15
5	12	23	11	14	26	18	34	16	19	20	16	14	13	7	24	21	17	18	19	26	15	17	21	22	29	25	30	18	28	29	17	18	11	26 1	7 2	9 9	19	7	13	17	22	35	14
6	14	25	15	10	18	19	23	20	18	19	13	20	11	19	28	24	17	4	30	38	17	11	22	15	13	21	18	18	39	24	30	20	8	31 3	0 1	4 10	15	11	20	17	17	20	4
7	18	14	21	28	17	16	19	22	24	34	20	14	13	18	16	15	23	18	27	34	8	14	11	21	24	22	10	14	36	22	25	20	8	33 2	7 1	8 11	14	17	22	10	18	24	23
8	15	19	14	14	26	9	19	26	12	26	14	20	13	11	25	19	31	20	41	34	25	20	5	30	18	14	21	20	30	15	14	23	14	10 1	4 2	5 10	22	24	42	15	15	22	17
9	26	14	17	11	23	15	23	17	8	11	10	21	20	5	20	18	23	10	44	12	28	21	19	10	22	16	22	19	34	19	21	31			3 2		- 1	14	44	13	20	22	5
10	14	10	23	20	17	13	22	16	20	22	14	20	19	23	26	8	7	24	37	14	21	28	23	16	25	13	34	16	24	14	19	26		23 2				23	36	19	14	25	24
11	16	13	12	12	15	12	22	17	16	27	18	22	24	16	29	17	15	27	28	19	25	3	17	12	25	17	17	23	27	15	15	20			6 30			34	41	15	21	19	38
12	9	10	11	13	14	22	12	14	18	28	10	9	27	10	29	18	10	20	17	20	20	22	17	13	26	14	30	24	16	14	23	22		14 1				26	31	10	20	20	30
13	14	25	9	1.6	22	22	29	16	25	38	24	8	20	6	42	14	11	24	12	13	27	18	lő	16	13	21	42	16	25	18	31	15		- 1	9 13			21	34	15	9	17	35
14	17	19	20	13	14	19	25	19	29	34	13	23	12	13	39	15	13	12	19	17	19	14	26	23	14	10	38	23	37	22	16	28		17 1				36	20	14	7	21	27
1.5	19	18	12	11	12	11	23	20	26	31	26	23	26	13	41	26	15	11	18	10	8	15	13	14	16	. 9	19	9	36	24	21	30		$\begin{bmatrix} 23 & 1 \\ 10 & 2 \end{bmatrix}$				12	23	17	22 15	23	23
16	14	11	13	12	9	14	26	20	26	23	28	7	17	16	33	26	10	21	34	15	18	19	12	16	11	14	18	13	24	30	23	24	1	$\begin{array}{c c} 10 & 2 \\ 0 & 0 \end{array}$				27	26	16 17	15	17	0
17	12 27	12 14	11 15	15 16	19	12 20	26	17	21	21	15	13	15	16	30	21	10	22	35	24	13	32	29	22	28	24	25	20	27	25	21 29	25 30		$egin{array}{c c} 26 & 2 \ 20 & 2 \ \end{array}$				40	20	36	17	14	16
1	15	26	13	17	12	23	17	22 19	29 28	17	17	21	14	12	31	20 26	7 2h	22	31	21	10	18 30	22 25	18	27	23	16	21	26 83	43 31	14	26		$\begin{bmatrix} 20 & 2 \\ 26 & 1 \end{bmatrix}$			1	29	22	27	15	11	14
19	25	13	9	24	20	18	19	27	32	17	11 16	31 27	19	16 22	35	20	31	$\frac{22}{24}$	24	32	27	30	13	21	18 24	20	18 28	17	24	40	24	31		$\begin{bmatrix} 20 & 1 \\ 27 & 1 \end{bmatrix}$				33	28	22	22	15	16
21	26		9	15		1	23		1						28											12			24				43		5 39			28	36			19	24
22	23	10	1	5		20		30																		12								35 2			i i	-)		1	19	13	30
23	14	15		17		13	1	17	16	9	12	18	21	16	27	10	38	22	32	38	11	29	16	$\frac{1}{12}$	26	26	26	22	16				40		20		24					18	11
24	25	1	14	8		15		12	4	20	18	30	25	27	34	12	28	28	40	30	23	21	11	13	26	24	20	11	23			14			1 24		18			24	20	16	22
25	22	28	12	11	20				22			14	10		40	7				15				18				10	12		41	15	28	10 1	8 36	6 33	29	26	41	28	11	14	21
26	14	24	27	19	21	23		16	1						35	11		23				14		31	20	27	26		21		25	11	29	23 2		0 22	33	16	-	29	15	14	26
27	20	24	26	17	28	16	25	14	19				1			24	22	27	25	17	18	18	27	21	21	22	25	32	18	32	8	18			0 10		21					20	
28	16	29	27	19	25	17	19	17	22	16	21	12	20	23		31	27	14	36	14	29	20	28	27	22	26	20	16		21	23	14	30	9 2			14						30
29	22	35	17	16	30	17	14	29	11	5	26	6	16	31	40	29	28	16	28	17	22	22	31	23	22	20	11	19	19					25 3			18			1	28		29
30	20	26	20	7	27	22	12	25	11	8	19	14	12	32	28	27	33	20	29	12	17	31	34	21	18	26	22	35	6	15	28	22	20	7 2	9 29	2 31	16	23	26	14	28	23	27
	1			1					1	J.		1	·							1		4			1								- 50		_	_ '						-	

TABLE XXXIV. Range of Temperature on every day in the month of May, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at

Chiswick in the years 1826-1869.

DAY	17					-															ī	I	VI A	Y.											_				_		_				
Mon	- 1	326 1	827 1	828	1829	1830	1831	1832	2 1833	3 1834	183	1836	1837	1838	1859	1840	1841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1859	1856	1857	1858	1859	1860	1861	1862	1863	1 864	1865	1866	1867	1868 1	869
I	2			18	13	21	27	° 6	8	25	21	14	20	12	28	24	34	29	28	32	17	5	14	24	17	23	26	23	28	15	20	17	19	20	20°	28	22	29	35	20	23	10	19	17 1	19
3	1		21	15 12	18	20	14	13	10 26	19 35	17	16 14	20 22	21 17	19 27	32 31	31	26 25	29 22	25 20	28	18	29 13	33 39	17 30	33 20	23 22	18 29	17	19 25	29 29	27 15	20 26	16 19	14 25	27 28	21 26	20 22	33 31	13 16		20 20	25 25	24 38 1	29 16
4	1	0	18 9	24 16	25 12	25 23	27 18	20 5	30 22	19 19	23 17	16 14	20 29	22 23	23 17	29 24	19	22 17	21	11 29	24 21	20 21	22 32	34	30 29	28 22	20 16	24 24	16	28	21 27	21 18	28	20 38	20 26	35 28	22 17	28 27	21 28	12 18		33 21	22 28		15 20
6	i i		16 13	18 18	24 20	27 34	23 22	17 24	20 29	16 29	23 25	22	27 18	28 31	26 30	19 18	22 19	13 17	21 30	31 33	18	20 23	22 15	40	17 19	4	16 20	14 32	15	17	22 19	11 5	22 28	23 35	31 35	29 23	32	22	34 31	28 23	31 20	19 28	32	19 1	13
8	3:	2 2		16	17	18	16	20	25	32	18	19	19	38	28	19	18	22	7	25	18	27	12	40	16	12	23	21	24	21	26	8	28	30	23	18	18	22	22	17	24	22	31	40	16
10	2		14 29	14 16	27 28	11 12	$\begin{bmatrix} 20 \\ 18 \end{bmatrix}$	15 19	19 12	30 34	23 27	18 31	20 19	36 29	16 13	20 22	15 14	28 29	15 14	29 30	26	23 30	21 18	40	9	25 17	19 30	28 12	16 23	26 17	29 19	11 24	31	30	23 17	29 14	22 14	20 22	35 34	16		30 26	28 32	18 1 22 9	11 21
11			28 : 25 :	14 19	16 23	10 18	28 32	18 16	27 31	23 16	14	32 37	13 26	36 38	17 17	7 14	31 16	21 9	28 21	12 31	16 16	38 21	25 20	44 39	26 21	15 30	29	15 11	25 15	16 28	25 25	28 22	34 29	31 34	$\frac{20}{21}$	18 17	6 19	19 17	19 ⁻ 8	8 19	16 25	24 26	21 11	18 1 24 2	14 22
13	1.0		20 1 15 1	30 27	30 30	9 20	26 36	21	31 26	19	21 15	31 32	23 16	31 14	30 23	18 16	20 25	34 34	24 20	39 32	17 25	23 24	27 19	40 33	22 21	29 18	19 20	9	19 21	30 20	12 22	25 18	23 31	29 20	32 26	22 25	26 31	34 15	22 13	29 31	28 10	21 21	7 12	27 24	23
15	2	6	23	15	24	23	26 36	22	30	30	20	32	18	31	25	11	34	21	18	19	15	29	16	42	10	27	35	23	27	23	9	22 20	35	17	23	18	32	18	19	40	18	20	13	29	19
16	2	4	20	19 15	25 26	23 28	33	20 14	31	23 20	23 35	31 30	32 25	31 30	30 32	18 16	25 23	28 25	12 18	25 27	18 26	17 25	19 24	35 27	18	18 23	$\begin{array}{ c c }\hline 32\\12\\ \end{array}$	19	22 31	26 34	12 31	22	27 34	19	18 10	17 17	33 32	35	20 23	42 39	25 27	23 23	13 22	16 27	26
18		6 2	14 19	16 17	24 24	28 18	18 15	28 32	$\begin{array}{ c c }\hline 25\\20\\ \end{array}$	26 31	30 27	23 22	19	28 14	14 20	17 12	20 13	29 24	3 14	16 17	17 21	16 14	25 17	21	17	28 28	23 26	27 29	33 32	16 34	25 21	20 30	32	25 25	13 18	27 32	29 34	38 40	27 13	40 33	39 34	34 31	24 22	32 33	9
20	- 1	- 1		18 16	27 30	20	26	22 25	27 31	34 26	13 26	27	16 15	10 14	19 30	20 12	17 18	14 15	14 20	23	18	16 32	25 24	29 15	6 24	23 20	10 21	19	28 25	30 17	23	31 23	29	31 25	14 15	35 32	36 30	29 23	13 18	38 19	27 23	25 20	19	29 9 25 9	22 22
22	3	3	22	13	30	18	19	25	35	20	23	19	15	16	17	28	15	23	15	21	18	25	27	25	21	14	23	14	27	18	33	18	13		20	31	27	18	17	29	32	23		16 2 14 2	
23	. 1	9	20	14	23	13	25	27	32	27	20	22	32	16	28	12	9	25	24	21	16	30	27	35	26	17	24	17	23	22	21	21	30	20	30	30	36	19	32	25	24 ·	23	17	15	17
25		4		19 23	17 23	11 16	28 23			25 25	20	24		24	23	27	22	19	21	17	23	34	39	32	25	15	18	5	28	22	24	22		22	24		23	24	25	24		31	28	21 23 2	
27	- 11		16 14	18 13	25 27		18 20	28 29	32	25 31			32 21	19 15			22 29							33 40		18 21	23 24		27 20		1	23 29				17 28					23 26			31 3 33	16 5
33			15 15	17 23				26 21				30 23		18 19			18 25			1		1			29 24		1	6 19	25 17			19 17				27 24		19 16			21 19		30 20	26 1 23 1	17 25
31										32								1	13	1							33	1				8				14		33			25			25	

TABLE XXXV. Range of Temperature on every day in the month of June, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at

Chiswick in the years 1826-1869.

DAY O					1						•										J	UN	E.																				
MONTE	1826	1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	1 840	1841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	2 1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867	1868 1869
I	9	18	17	23	19	33	20	33	36	21	12	18	20	26	34	200	20	11	28	29	33	37	11	30	36	28	18	9	17	19	13	0	0 35	23	22	19	36 36	31	25	18	32	32	30 2±
2	7	18	18	20	20	32	21	16	36	21	16	17	23	20	10	22	32	14	20	31	39	33	26	28	36	31	15	14	10	26	32		31	19	18	29	27	38	14	18	40	26	25 20
3	18	22	11	23	12	29	19	21	29	23	16	28	20	17	12	22	34	20	28	37	40	26	25	24	38	35	17	22	16	16	38		37	15	16	15	18	37	24	32	37	12	27 23
4	21	20	15	22	21	28	11	23	21	16	22	21	32	20	15	26	34	25	39	21	34	27	21	24	34	30	27	25	26	19	30		33	17	20	22	28	29	34	34	32	21	16 19
5	26	15	17	27	23	25	19	30	26	11	21	26	29	26	15	27	32	29	26	13	35	17	30	28	23	17	15	30	18	22	22	32	24	20	18	31	15	13	22	28	21	11	23 23
6	12	14	16	24	18	13	20	25	28	29	17	38	14	18	22	16	41	23	17	17	36	28	27	15	9	24	19	35	12	33	20	34	28	26	18	11	12	19	29	26	25	20	32 33
7	12	17	17	22	13	17	11	23	33	30	11	21	24	16	18	11	27	14	21	20	34	21	26	21	13	13	13	31	12	24	28	28	28	19	20	19	23	20	26	26	25	17	30 39
8	18	31	17	16	11	25	18	15	38	33	20	22	31	20	18	12	34	15	31	27	29	24	22	24	28	15	22	26	17	26	20	22	22	23	17	21	25	19	28	34	26	25	24 32
9	25	23	13	25	9	22	20	21	27	35	11	22	28	14	16	18	27	14	29	22	26	16	14	22	34	8	13	19	18	24	26	23	31	21	11	11	24	21	34	39	34	32	26 30
10	25	15	15	23	12	17	21	34	30	34	13	23	15	15	34	30	30	17	36	30	21	18	10	18	30	7	17	26	16	32	29	23	29	21	23	22	25	24	38	33	28	30	42 17
11	27	26	37	29	14	19	18	21	22	34	25	19	18	11	18	11	35	16	41	28	28	26	21	28	34	19	10	27	10	26	37	28	38	17	16	23	23	21	33	28	27	32	27 26
12	30	27	8	35	10	19	17	17	18	29	26	14	30	25	14	13	39	9	31	31	35	22	10	17	21	13	19	14	21	16	16	30	32	24	12	36	21	18	32	33	16	30	28 21
13	29	23	19	32	14	25	20	24	14	24	21	16	22	23	32	28	35	7	33	27	34	10	23	23	14	11	17	4	18	23	10	38	27	21	23	27	27	23	24	41	12	12	37 19
14	27	22	18	34	7	26	16	30	20	24	31	28	15	9	22	19	35	12	26	29	32	20	23	32	13	20	21	23	14	14	28	27	±0	20	22	28	22	29	23	40	24	21	37 25
15	19	16	15	27	16	24	18	16	18	27	28	27	24	6	21	23	32	23	35	24	31	18	24	22	27	16,	23	15	10	23	35	32	38	26	17	34	23	20	23	30	31	16	29 19
16	14	13	12	15	15	22	16	23	17	18	22	27	27	23	21	31	28	25	38	25	37	15	28	22	31	17	18	34	7	19	30	24	44	21	16	28	33	12	28	37	20	20	32 19
17	33	24	16	22	13	19	24	28	20	25	25	23	17	21	24	29	22	25	25	21	35	19	18	32	33	23	17	26	22	23	32	35	26	25	20	37	23	26	32	38	27	23	36 14
18	28	22	17	23	18	11	24	21	9	33	23	18	22	26	21	26	22	15	28	26	34	16	16	34	33	16	14	18	25	8	30	27	35	23	32	26	24	26	30	12	1#	20	26 25
19	30	14	18	27	8	12	25	16	26	16	21	27	19	21	12	24	22	11	20	30	40	25	14	17	30	21	20	16	18	25	13	34	35	18	14	37	22	22	35	26	20		20 24
20	27	15	15	18	21	15	23	18	32	16	19	24	$\frac{7}{2}$	24	30	12	20	24	21	24	25	15	19	25	34	34	15	24	22	19	27	22	28	15	21	აა ი 1	22	24	24 27	40	20	21	38 22
	15																																									22	30 }
22											,	30								1								26				33				26						30	19 23 24 28
23	26 36	1	1	28				1				31														1		25		1 1	13			23		25	- 1		14		26	20	25 29
24	21			21	1							29								18								14		1 1	32		33						19		26	27	20 23
²⁵	39			19					1	17		29				17		30		25				26 24		39	1	1			32	1 3				31			- 1	25	30	27	33 26
ļ	32							11		1	1				17				18	5				31		39		10		25		í l	## 97			36			28	- 1	31	42	32 29
27	34		23	20			30		25			29				12			27	26		22	19								35		37			24			19		33		23 24
29	30	1	32	11				19	28		34					21		17		_	1	20							30		35		1	- 1			22		22		- 1		35 24
30	24		26	15			29	24	28	1	27	34				15			29	1		18	30	8			24			24	31			24					32			35	23 11

TABLE XXXVI. Range of Temperature on every day in the month of July, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869.

DAY O	F																				J	UL	Υ.																					
MONTE	182	6 182	7 1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	1840	1841	1842	1843	1844	4 184	1840	1847	7 1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1 862	1863	1864	1865	1 866	1867	1868	1869
1	13	18	12	10	17	26	27	26	19	25	31	29	20	200	10	°7	200	17	25	19	12	19	25	22	24	19	20	24	15	16	27	24	27	17	27	23	28	35	28	24	27	39	21	14
2	35	19	14	17	15	23	19	21	19	29	42	31	23	19	13	9	23	15	16	9	16	13	18	18	19	28	23	22	14	21	36	26	24	19	22	29	27	21	24	32	25	16	25	16
3	34	16	20	9	17	27	26	25	23	27	37	29	19	21	17	24	20	17	20	32	34	20	15	15	20	14	29	21	16	23	36	15	14	25	26	35	11	28	31	40	20		21	18
4	27	17	17	20	24	29	27	24	26	26	36	26	32	21	16	20	17	25	13	25	31	40	25	24	24	20	37	20	23	25	30	14	28	28	28	20	18	35	35	30	22	20		29
5	31	19	21	20	20	27	27	27	20	23	31	22	32	20	19	18	24	30	20	21	45	34	32	31	30	30	37	19	20	43	31	14	23	31	40	25	22	31	40	23	27	17	33	31
-	26	31	19	20	10	30	25	17	21	29	33	27	25	23	18	20	32	22	11	21	16	29	29	31	18	24	34	19	26	33	28	22	34	36	21	20	19	31	29	25	33	28	23	20
2	19 21	29 25	19	8	17	28	14	8	21	21	25	29	16	20	20	14	12	15	15	28	23	23	23	34	20	20	31	21	15	24	12	23	30	32	34	25	21 27	30	29	19	30	34	28	15
9	27	30	15	19 23	20	30 29	13	19 28	24 23	26 17	28	32 23	16	23	15	12	18	0.0	24	24	12	29	19	38 35	29 26	21	36 38	20 24	27 23	24	14 27	28	21 23	30	27	30	16	23	38	24 26	13 25	35	$\begin{vmatrix} 32 \\ 30 \end{vmatrix}$	27
10	27	24	20	14	13	23	18 16	25	24	23	24	30	22 20	21 22	20 17	27 24	23	26 14	2 <i>5</i>	18	16 28	20	16 25	38	26	26	34	23	16	21 23	24	23	15	36	16	35	38	35	21	22	35	38	30	27
II	21	26	14	15	23	21	22	16	36	23	28	24	21	18	22	27	25	10	22	24	24	27	24	34	26	14	24	26	16	16	17	26	27	33	29	33	30	31	32	23.	29	20	28	37
12	15	37	11	17	23	22	23	11	27	21	26	22	22	22	23	15	26	21	12 .	16	29	35	33	29	22	.17	23	24	14	29	18	37	24	41	25	24	23	36	35	30	34	20	23	34
13	24	32	14	10	28	23	21	17	22	23	22	27	26	32	21	16	25	11	15	16	29	31	30	33	26	22	22	17	19	24	21	40	21	36	25	26	24	27	34	19	25	20	32	21
14	20	20	19	19	20	21	18	19	25	29	24	26	18	17	24	16	31	23	23	22	30	34	27	29	20	21	21	12	9	23	21	43	32	24	27	25	24	41	34	27	35	23	29	27
15	22	27	25	15	20	21	20	30	26	19	23	23	22	24	32	17	28	21	30	25	21	30	30	26	25	20	27	18	25	20	25	33	33	31	24	27	22	38	32	36	30	11	32	31
16	27	25	20	22	27	19	20	29	32	30	14	27	30	27	33	28	20	22	33	17	15	24	29	30	32	21	30	15	25	27	20	40	32	33	15	30	17	22	27	26	26	13	30	26
17	29	35	15	8	6	26	29	29	31	33	20	17	17	19	19	26	23	24	21	21	19	14	29	20	26	28	18	22	23	15	26	29	33	35	30	19	20	35	38	31	22	14	27	35
18	19	27	16	5	15	20	25	24	16	33	25	19	22	17	14	27	24	21	28	28	20	22	29	23	17	18	29	14	20	30	28	29	38	34	25	21	30	21	38	21	34	18	24	34
19	9	8	18	26	19	16	26	19	9	33	19	21	28	10	17	19	21	24	30	19	22	18	15	29	16	19	21	23	29	18	20	38	37	36	21	17	27	38	30	22	28	13	26	20
20	13	20	14	13	14	10	26	22	14	30	16	23	26	23	18	8	23	13	33	18	27	18	28	26	13	22	20	16	32	32	14	2 6	24	26	25	25	26	31	40	24	33		32	25
21	19	15	21	27	20	23	14	24	10	29	21	25	16	16	27	13	18	11	33	16	18	21	20	25	28	22	26	12	37	35	15	19	22	31	23	21	26	17	32	22	32		30	26
	9	11	_		14				20						20			13	36	17	22	28	8	13	25	18	34	22	34	36	26						22					21		
23	5	18		23					1	27 29	25	27	_	1	14	11	28	24 23	28	5	22	30	23	19	33	14	27	23 25	33	24	30	24	26	28			25		26		26			25
24	20		14		23		17		22	29	22	_		18	12	14	35			8	24	23	22	21	27	7	21	25	28	19	23	23	17	16				27	22				24 22	35
25	23	15		23	24				29	27	19				16			25		7			15			20		1	31		26 30	28 29	27 31	39 22	26 24	10 31	40 37	20 22	23		13 25		24	20
26	25		19 15	10 25	25	30	29		27	27	16 28	37			11 21				1				16		_	20		1	1			17	20		22			34	26		16		30	25
28	32		21	25			26	29	22 13	35 37	28	27 22	23	8 15				20 15	33	19 28	12 30	31	17	30	11	15 12		19	16 23	20	29	96	29	21	31			37	29		19		25	
29	31			1	1	31	_			37	17	18	28		21		20		22			34	30	16	20	26	17	15		24	29	36	31	20		1	29		29	·	1	1	14	
30	29			22		29	24		25	38	20		28	7	23	15	13	22	13	19	27		13	24	20	20	30	20	26	20	37	16	40		28			35	28				i	12
31	32					30	20	32	14		16	21	27	15	15	18	21		23		25			23	16	11	27	13	17		38		39	27	17	23		26				29		17
		1							1		1	1	1 "	10	10				1	10	20	00	1														1						1	

- 7

TABLE XXXVII. Range of Temperature on every day in the month of August, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869.

	OF																					A, T	J G	υs	T.																			
	NTH	826	1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	1840	1841	1842	1843	1844	1845	1846	1847	1 848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858 I	859 18	860 18	51 18	62 1863	3 1864	1865	1866	1867	1868	1 869
	I	23	 29̈́	19°	26	19	16	14	22	19	31	23	12	18	 26	27	17	 19	26	26	16	32		19	29	13	16	30	18	18	20	32		34 3	0 2	0 35	37	27	27	23	22	0 17	97	10
	2	20	26	16	21	20	15	27	13	25	27	30	14	13	29	32	22	29	13	23	16	25	43	23	19	14.	19	32	21	17	26	40	26	- 1		9 31			30	26	21	12	26	99
	3	21	16	16	17	22	17	21	12	22	31	31	20	15	28	39	16	21	8	17	16	26	39	15	28	26	19	16	22	12	22	34	39	31 2	20 2	$2 \mid 12$			34	28	29	25	23	16
	4	20	18	17	12	20	20	14	29	14	37	22	31	16	28	30	22	24	22	33	16	23	35	25	29	25	24	. 26	24	5	19	37	36	23 3	35 2	4 32	21	25	37	35	26	31	26	19
	5	21	15	22	21	28	25	18	17	15	25	17	25	16	25	27	7	17	19	15	20	19	18	21	30	26	18	27	26	8	22	40	23	35 5	7 1	9 39	17	20	34	30	31	23	31	20
	6	20	11	14	11	16	22	10	27	19	17	23	22	18	16	22	10	19	18	19	23	19	22	26	36	25	14	14	26	18	18	32	27	44 1	.3 2	1 35	21	16	39	36	15	16	12	18
	7	30	22	14	19	17	27	23	30	7	42	23	23	20	19	24	16	25	17	21	22	23	26	33	23	19	20	22	20	24	19	46	14	42	6 2	8 21	18	19	33	30	25	17	26	24
	8	28	19	17	26	23	26	30	25	24	33	29	19	27	27	29	18	31	22	25	16	19	27	23	31	24	28	21	28	26	18	26	15	41 2	2 1	2 15	8	20	24	36	25	18	30	9
	9	25	29	12	17	21	26	28	25	25	43	30	19	15	22	32	21	31	25	29	16	13	22	29	25	20	14	24	24	25	23	20			5 1	7 14			16	36	32	14	26	21
1	0	22	26	16	25	9	25	24	34	30	28	23	18	13	20	28	13	33	24	35	15	21	17	31	21	17	18	22	25	29	27	30				7 25			30	22	29	25	29	22
1	1	19	18	14	19	22	28	24	41	29	19	18	25	18	12	30	17	14	26	19	17	16	18	18	24	24	27	15	29	17	24	31	24		5 2			29	28	35	23	26	21	22
	2	25	15	13	16	17	30	27	26	31	29	24	28	17	22	22	24	23	30	16	14	24	28	19	17	25	24	8	14	26	23	28	31	- 1 -	- 1	6 28			43	19	1		22	29
]	3	29	14	8	17	16	29	24	22	29	30	28	31	25	18	24	16	21	18	14	16	22	32	13	18	28	25	22	15	32	31	35	26	35 2	$\begin{vmatrix} 2 & 1 \\ 1 & 0 \end{vmatrix}$	8 38			40	23	19			24
,	4	22	9	11	20	18	29	19	30	18	34	23	35	26	18	16	18	29	20	16	10	28	27	13	18 20	17	19	20	13	20	16	21 25	20	24 2		$\begin{array}{c c} 5 & 20 \\ \hline \end{array}$			31	24	16		19	19
	5 6	10 0.(.	19	10	10	26	20	30	10	13	27	15	30 27	22	22	19	20	40	22 19	21 30	18	29	24	19	22	18 25	19	23 9	11	28 25	29	33	26			$\begin{array}{c c} 6 & 22 \\ 5 & 24 \end{array}$	26 16		36	16	22	30	22	27
	7 1	16	19	17	28	20	27	26	31	23	20	25	32	16	20 91	14	19	22	25	22	26	17	12	21	31	27	22	17	20	20	38	14	30		$\begin{bmatrix} 7 & 1 \\ 7 & 2 \end{bmatrix}$		11		34	22 21	20 29	16	10	22
	8		22	20	13	94	19	10	18	22	23	22	27	20	18	12	20	30	25	21	19	18	13	21	29	27	22	22	22	27	26	10				$\begin{bmatrix} 2 & 31 \\ 3 & 23 \end{bmatrix}$			42	22	39	20	12	26
1	9	35	20	28	16	25	16	17	24	15	28	27	20	20	16	14	30	12	23	16	16	18	14	27	22	23	27	17	16	18	20	12			$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$	- 1			36	28	25	22	10	19
2	0	34	10	21	18	17	15	17	17	22	30	14	26	15	16	23	29	16	15	27	21	5	23	26	20	25	32	7	25	26	8	11			5 1	8 38	22	17	28	25	22	30	13	24
2	1	22	13	17	22	21	18	17	19	25	27		1	21	27			22			29	16		18	20	30	25	16	18	20	22	19	24	12 4	0 1	9 34	25	24		1 1	24	29	19	34
2	2							2																														26	1					
2	3	16	18	23	12	14	32	25	24	31	23	16	20	21	28	31	28	29	16	31	20	12	15	28	16	27	22	19	13	20	25	20	23	34 3	6 2	1 31	37	18	21	10	21	26	24	23
2	4	19	19	18	17	17	17	24	27	27	29	27	28	22	25	33	22	15	27	22	28	24	16	23	24	32	26	20	22	20	18	15	31	22 3	7	7 28	37	21	22	18	16	19	25	30
2	5	25	13	19	26	16	30	21	10	24	18	19	25	18	31	14	12	14	15	23	23	19					30	19								1 23	31	22	28	31	24	18	24	26
2	6	24	11	30	10	20	17	25	35	29	26	24	36	23					29			18			24		9	- 1			35				8 20			10		1 1		21	19 3	30
2	7	16	23	22	17					1		1	24.						28			19			15												- }	21	1 1	1 1		19	23 3	3.4
2	- 1	18		21		Į.	23	19			31		17			19			12						15		20			32	- 1	18			7 19		- 1		18	1 1		- 1	19 3	
2					15		21	5			38																									28			, ,		8			
3			- 4			32		19	_	1 .	38		22		- 4	24			- 1		25						23						- 6	- 1		36	1		30	1			$21 \mid 2$	1
3	1	20	16	6	8	28	25	16	9	17	36	31	23	32	12	17	24	14	. 26	36	21	23	25	21	22	22	17	25	16	23	37	21	24 2	35 2	20	49	25	21	19	30	33 2	20	21 2	9

ď

TABLE XXXVIII. Range of Temperature on every day in the month of September, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869.

	II.		_									-					_						<u> </u>													_	_							
DAY 0	F																			SE.	PT.	E M	BE	R.																				
THE	1 182	6 182	7 1 828	8 1820	1830	1831	1832	1833	1834	1835	1836	1837	1838	1820	1840	1841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	2 1852	3 1854	1855	1856	1857	1858	1850	1860	1861	186:	1862	1864	186	1866	1 960	1868 18	
			/						ļ——		-							·		.	 			.			ļ	-	-										1004		1000	1 607	100010	109
1	16	21	16	10	33	12	23	8	14	40	22	17	30	18	$2\overset{\circ}{2}$	36	8	28	40	16	21	21	24	11	26	18	30	12	33	23	28	28	25	23	34	41	19	21	21	18	21	21	27 32	$\stackrel{\circ}{2}$
2	7	13	22	19	19	22	26	26	20	38	29	19	26	16	25	25	23	28	29	17	33	26	25	25	21	14	32	18	32	22	26	20	10	11	29	27	28	13	27	37	22	19	34 27	7
3	16	18	16	19	15	30	29	17	16	28	20	9	25	21	23	17	21	25	13	22	33	19	29	17	13	16	27	13	41	21	36	22	14	21	27	26	23	21	24	37	17	21	35 26	5
4	23	13	20	20	21	16	27	19	19	23	22	19	38	18	16	14	25	33	18	21	20	29	33	18	36	18	24	16	45	24	41	22	22	30	31	20	25	27	22	32	12	20	38 31	1
5	15	21	26	14	18	18	26	21	18	23	17	23	19	17	28	15	27	29	19	10	21	27	26	25	29	18	23	18	22	22	34	29	36	22	27	19	30	19	26	32	16	31	35 21	1
6	13	20	12	17	12	24	15	20	23	24	15	26	21	28	26	24	27	31	19	25	32	35	25	29	34	14	19	24	35	26	28	26	28	20	10	18	22	15	12	31	14	17	37 13	3
7	11	18	22	18	13	27	17	19	23	31	17	16	20	11	13	13	15	30	22	29	25	23	iı	22	34	18	14	24	30	30	27	24	21	14	28	24	35	19	14	37	12	22	42 16	6
8	20	13	20	18	24	21	24	13	22	23	21	18	14	10	27	19	11	16	24	34	22	16	9	24	24	20	13	16	24	41	34	20	29	14	25	32	28	17	12	30	13	27	13 16	5
9	20	13	14	10	8	9	15	14	19	20	23	22	27	24	9	12	13	24	12	38	26	28 32	13	21 19	14	26 37	10	19	26	40	30	19	28	19	19	32	26	20	21	21			30 18	3
10	28	12	11	18	23	23	21	16	12	20	10	18	34 33	19	27	20	10	18	29 29	17	17 22	25	26 24	26	30 32	32	10 22	21 32	30	34 35	26	19 10	17	36	26	40	37	14	19	18	19		25 23	1
11	28	17	16	18	18	12	30	23	21 20	13 26	12	25 19	35	14 12	29	24 28	14 23	16 24	19	28	27	11	27	17	38	36	26	16	42 38	34	25 26	26	48	34 29	36 38	38	37	31	34	18	17		30 19	9
12	26	9	14	24	23	16	14 23	28 18	24	26	11	18	23	15	31 31	20	17	25	22	20	15	13	27	15	36	39	21	18	14	19	21	27	39	29	32	35 19	30 16	23	34	35	13	20	19 14	±
13	20 22	16	23 10	19 25	23 24	24	15	23	30	18	16	17	13	18	13	23	19	12	18	32	23	25	26	11	19	33	17	30	19	9	32	24	32	19	21	23	23	17	18 26	43 37	18		28 15	
14	27	15	27	20	9	22	28	29	31	24	16	22	21	18	18	18	24	22	11	14	27	20	32	24	13	28	18	16	18	19	25	19	32	25	18	19	25	15	29	42	22	26 30	14 12	
16	25	12	24	16	24	16	14	17	24	23	21	14	26	14	14	25	24	30	12	10	34	10	35	18	16	14	17	11	9	14	22	34	26	16	18	14	30	23	15	28	20		19 11	
17	29	18	16	14	16	18	15	24	24	29	15	12	20	16	23	28	23	32	19	9	27	19	32	19	30	24	25	16	25	7	19	36	29	25	18	21	48	29	23	35	22		14 8	
18	12	17	26	14	27	27	28	12	24	23	13	22	12	21	22	32	9	22	20	17	31	22	32	19	23	19	13	28	20	15	27	27	30	28	23	27	30	24	17	42	23	1	20 16	, G
19	16	16	24	12	13	18	26	24	25	15	17	12	11	16	19	30	20	31	23	31	33	12	31	24	17	21	10	21	14	21	24	20	14	30 -	24	31	29	27	24	39	23	19	11 20	6
20	14	17	29	24	24	15	28	19	20	18	26	24	33	18	30	11	23	34	26	10	18	29	40	13	13	25	20	21	30	31	19	26	17	22	19	33	17	18	17	38			17 16	6
21	14		22				1	25	25	17	22	26	32	21	12	14	27	25	17	16	16	9	31	15	28	18	13	21	38	29	25	29	12	18	23	17	12	22	19	15			19 26	6
22	28	21	24	21	28	33	20	24	35	18	21	16	28	23	13	18	18	23	12	22	14	23	23	16	25	18	22	13	24	34	18	21	24	18	23									
23	22	20	13	23	21	17	39	17	26	15	9	18	24	29									14													24	32	25	18	25	24	28	20 14	4
24	17	16	15	25	16	20	39	12	29	21	18	24	7	19	12	14	7	21	26	25	15	31	14	24	22	19	21	26	24	23	24	22	27	27	18	31	12	17	24	30	19	38	21 17	7
25	16	17				13	38	20										24	30	24	18	14	14																		26	31	22 23	3
26	11	17			_		35		_		,			24				22					2	1	_				1	29		21					18		34		17		20 12	
27	18	17	10		12						_			1		13		18	31	12	17	32	12	1				,		43								23			25		8 16	6
28	19		11	1										29				25						_						16								27			23		11 19	9
29	14		1		13						1	20				31		20		14								20		18	18			21		31					19		18 21	- 1
30	16	19	16	21	28	14	19	28	28	18	21	17	11	26	13	21	13	13	36	21	24	16	13	12	19	16	17	23	39	21	24	28	24	14 -	26	33	38	30	17	27	15	21	17 23	3
				1					<u> </u>	1	1	1					1	1		1	1		1	!		<u> </u>	<u></u>	1	<u> </u>	<u> </u>		!			l .	l	1	l						

TABLE XXXIX. Range of Temperature on every day in the month of October, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at

Chiswick in the years 1826–1869.

DAY OF																				0	СТ	ов	E	R.						· · ·														
тне Мохтн	1826	1827	1828	1829	1830	1831	1832	2 183	3 183	4 183	5 183	6 1837	1838	1839	1840	1841	1842	1843	1844	1845	1 84.6	847	1848	1 849	1850	1851	1852	2 1853	3 1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867	1868	1869
ı	23	8	17	17	10	17	18	22	28	9	13	21	8	27	0 12	21	18	17	25	15	24	13	$\overset{\circ}{\overset{\circ}{24}}$	12	21	16	10	27	26	24	22	15	21	0 14	22	27	20°	12	17	23	11	$\overset{\circ}{\overset{\circ}{24}}$	10	0 17
2	22	15	28	11	10	23	19	23	35	20	14	26	16	19	15	21	28	15	23	6	9	18	21	17	15	13	18	20	38	26	17	12	20	23	24	33	17	7	21	21	19	19	21	10
3	18	19	18	10	13	16	18	21	33	18	25	17	22	27	20	12	9	11	20	22	29	11	18	16	12	12	16	27	29	12	11	18	19	30	24	22	17	5	17	22	19	26	19	28
4	23	21	23	18	27	15	12	24	42	, 22	27	30	24	16	12	12	19	20	28	18	15	23	7	10	27	21	12	22	25	21	10	21	29	33	23	34	19	16	23	27	10	27	25	15
5	28	25	15	21	21	18	11	22	31	25	27	13	14	14	14	19	30	25	28	31	13	27	18	19	33	18	10	12	21	6	21	32	27	21	21	25	21	25	24	34	7	30	17	26
6	26	24	15	21	15	10	28	24	36	22	13	26	7	20	23	20	26	11	23	8	14	11	25	11	19	21	13	6	11	15	5	34	30	27	24	10	18	24	31	34	12	19	15	21
7	26	21	13	12	21	22	8	20	24	14	11	23	9	19	28	16	17	12	33	18	15	27	23	15	17	20	16	9	17	20	7	16	25	18	29	22	9	12	26	24	24	23	22	24
8	20	15	15	20	20	13	13	23	7	14	21	30	9	14	30	12	21	12	30	27	17	11	22	15	29	27	14	19	8	31	9	22	35	28	23	26	15	12	17	27	21	23	20	28
9	16	11	21	24	13	15	24	17	16	10	14	28	9	12	29	15	10	19	10	19	10	9	16	28	24	15	21	27	27	21	11	15	29	14	19	36	32	7	15	29	14	10	22	30
10	13	13	3	20	20	6	12	31	28	19	14	17	9	20	30	9	20	28	18	20	17	17	18	25	19	12	17	24	16	19	19	23	22	10	14	17	32	15	16	15	26	29	2 2	24
ıı	12	11	21	10	11	8	16	25	24	21	19	28	11	19	13	18	20	12	29	29	24	21	25	12	17	15	19	16	20	21	6	24	22	13	17	26	20	17	15	16	15	15	30	23
12	7	17	28	9	14	17	16	28	27	19	14	27	5	18	29	15	7	8	14	22	14	20	18	14	26	14	24	8	29	15	22	24	23	17	28	20	22	21	21	24	18	11	30	18
13	26	23	22	6	22	7	25	21	29	13	10	17	16	28	32	8	20	21	20	29	18	15	14	10	10	8	15	8	26	21	23	21	20	15	15	21	16	10	21	31	29	15	28	24
14	11	13	20	12	29	10	22	10	25	8	11	27	23	19	34	11	15	25	21	25	11	6	14	12	15	10	9	18	12	27	12	24	12	15	15	40	21	19	22	14	26	11	23	14
15	17	16	11	21	27	15	17	18	22	12	26	23	9	21	21	9	13	27	17	15	14	16	11	19	30	12	14	16	10	27	14	8	19	13	8	33	30	16	25	16	26	16	30	9
16	16	16	7	13	27	24	20	11	10	6	12	23	9	25	11	11	7	22	17	25	21	10	10	18	30	29	12	16	19	20	16	18	12	18	19	34	16	16	15	22	27	19	29	18
17	27	23	18	17	24	16	25	17	16	16	7	18	17	21	10	15	11	12	22	10	18	15	16	21	26	27	18	18	11	17	13	22	19				15	21	16	29	16	21	27	20
18	10	17	24	14	22	11	19	15	13	25	11	24	12	14	7	15	22	26	23	12	16	13	7	23	19	7	25	23	14	23	26	5	- 1		- 1		14	25	27	14		20	16	19
19	7	15	24	10	21	20	13	17	22	26	28	21	17	26	15	13	34	30	18	10	21	25	9	23	12	7	25	7	16	1 1	23	20					20	14	25	14		26	33	21
20	7	12	19	10	26	10	25	28	12	23	19	23	15	16	28	19	28	30	25	23	22	18	9	17	20	9	26	19	18		24			_				16	28	16		30	22	15
21										23		22	10	8	17	24	30	25	16	23	13	16	24	14	19	10	15	20	12	17	28		18						15	9		18	25	8
		- i	22									10																		20			26							18		16	20 9.t	8
23		13			16							14.								28	27	22	12							21			19		12			26	32	11		20	9	91
24		13			12				14			21										18		11						22		16			17 14				13	23		28		17
25	19		19		16		14		15		8			13			10		12	28 15		27		10			10			10 20		23 25					21							22
26	20	15	6					17	10		7		22		18 20		9							18		15 22	19					26					15	_				- 1		15
28	14	14	- 1		17		10 12		9	28	18		10 14	9		5	14		14	12	16	10	13	11 24	10		10		25			30			25		10			20			- 1	18
29		19			19		10		10		10		18	8		5				23			17 22	19	25		14			12		22			26		18			25		13	18	18
30							10 15		15	29				10		4		16 1				10	22	22	20	18				7		26					26				13		11	20
31			11		15	- 3	18		11		15			4			13	_		21				20						10			20		17	- 1	12			12	- 1	1	14	
					10	12	10	22	1	10	10	10	21	*	21		10	0	14	21	9	10	19	20	10	10	1	12	1 22	1		-			1		1	J.	, W	1	J.	1		

TABLE XL. Range of Temperature on every day in the month of November, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at

Chiswick in the years 1826-1869.

DAY OF				-																N) V :	 S M	BE	R.		,															_	1	
MONTH	1826	1827	1828	1829	1830	1831	183	2 1833	183	4 1839	1836	1837	1838	1839	1840	1841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867	1868 1869
ı	14	13	14	18	19	6	18	21	12	19	20	19	16	3	10	° 7	23	18	10	23	18	29	17	22	10	24	9	19	29	17	6	23	13	15	25	23	6	18	12	16	12	25	12 13
2	14	10	13	19	12	5,	9	12	16	15	20	19	19	7	12	18	22	7	10	30	16	12	21	21	24	19	12	14	20	13	19	15	22	17	24	19	18	15	19	25	15	28	18 15
3	9	13	20 .	7	12	16	11	20	25	8	15	20	18	7	16	19	16	15	8	34	22	6	23	13	16	19	12	20	17	13	18	11	21	22	28	32	13	18	24	30	16	19	5 17
4	7	14	22	7	13	20	20	22	17	6	6	22	17	13	11	8	11	19	11`	20	18	6	16	.18	18	8	16	8	18	13	22	10	18	18	15	21	18	12	32	20	16	12	19 21
5	5	18	19	21	8	18 -	18	11	5	18	22	22	13	20	14	6	14	16	15	27	18	14	18	20	14	15	15	6	18	18	17	10	21	19	11	25	-8	18	26	9	1.2	15	19 15
6	25	11	8	19	9	18	8	16	10	20	19	23	14	6	10	23	11	13	18	15	6	10	12	19	21	9	13	13	28	18	21	- 9	17	12	13	11	15	23	18	13	20	24	17 19
7	17	6	13	25	11	12	11	14	16	17	22	22	14	4	17	16	10	21	10	8	3	9	14	17	12	12	-6	12	25	12	12	11	12	21	21	32	9	14	28	4	10	28	28 15
8	14	9	12	16	25	12	6	10	17	14	25	11	13	9	14	12	8	24	15	20	6	8	23	.7	24	10	8	15	20	12	12	9	18	22	20	33	20	9	23	12	15	26	24 20
9	19	6	17	17	23	21	14	20	9	11	11	18	20	8	12	5	7	26	21 ·	20	9	18	15	16	13	. 6	13	27	19	32	20	7	15	20	19	25	11	22	22	10	19		18 19
10	9	6	10	13	9	27	6	11	22	6	22	8	22	6	14	9	9	16	19	19	11	24	14	27	12	11	11	24	22	22	15	8	22	24	7	16	11	25	26	19	17	14	13 29
11	17	15	10	20	13	5	20	10	10	9	16	11	13	17	13	15	8	20	13	7	13	7	12	25	10	19	8	23	14	14	11	24	20	22	16	30	10	13	15	12	20	8	7 18
12	23	18	16	7	23	7	8	11	17	9	17	15	20	12	18	31	10	27	10	26	8	16	11	20	30	17	5.	12	19	8.	14	28	18	25	11	18	23	20	16	14	14	8	10 19
13	14	15	26	15	7	20	16	11	22	10	18	11	23	8	11	14	5	19	12	18	3	17	22	16	23	11	4	\$	25	11	'9:	23	13	23	8	9	17	18	14	26	22		10 13
14	9	16	10	9	16	13	11	14	14	9	16	16	18	10	12	8 .	10	22	16	15	12	11	24	19	27	9	8	15	16	22	17	14	7	9	9	16	16	13	20	6	19		10 10
15	20	20	7	22	15	9	8	12	13	10	15	15	4	10	28	12	2	16	10	12	8	13	25	13	15	22.	9	4	23	25	2.0	15	10	29	23	30	8	12	9	23	19		16 17
16	19	5	8	13	12	16	18	16	12	13	7	19	11	8	8	10	8	24	17	14	9	15	17	19	23	16	11	21	20.	15	25	14	8	16	18	19	16	9	15	23	17		12 12
17	15	11	7	12	22	9	11	11	11	11	11	19	11	6	18	24	15	20	12	16	12	-8	11	21	12	8	14	28	10	10	23	18	12	23	11	10	19.	12	11	13	27	18	10 10
18	7	5	18	11	15	9	4	6	18	19	17	23	7	14	10	17	19	24	4	14	14	12	16	9	10	15	14	20.	8	8	20	14	16	24	10	20	11	12	20	14	22	4	4 23
19	7	18	12	20	20	14	7	14	13	17	13	11	4	17	14	10	10	17	8	12	8	19	26	21	14	12	19	24	12	9	13	14	19	28	24	17	8	18	13	12	15	23	9 23
20	B	10	11	14	29	20	14	10	10	10	16	20	5	26	13	17 9	15	16	19	19	11	13	15	8	7	19	10	18	10	7	17	10	19	17	23	20	8 10	16 20	16 14	13 15	26 24		18 18 . 26 21
21	0	12 14		13	13 23				5	9	13		10 14	12	· 6		15	9	19	22	14	5	21	14	19	12		2 <i>5</i> 18	18	1 1	11	14		27									14 10
22	12		11	1	22			11			10	19	14	10	10	16	9	10	10	10	9	10	12	13	7.7	10	0	9	17	10	8	15		10	20	24	14	14	11	8	13	16	14 8
23	19	1	18			13	17	20	10	10	18	14	12	10	18	10	10	11	19	20	10	10	15	10	10	16	14	12	19	10	14	94	17	10	12	20	15	12	16		15	13	14 9
	21		15	Å		5		_	4		13	10	13	10	20	91	10	1.1	16	15	10	10	91	15	61	23	1 1 th	13	1:4	12	12	12	15	9	9		10	27	17		14	6	8 13
²⁵	16		12	5	11		11		15	6	11	15	19	15	99	24	16	5	23	5	26	 	12	24	11	8	8	7		19	11	19	21	16	10		7	9			13	11	12 14
27	13		11	6		15	7	20	23		8	13	17	15	11	9	7	15	23	R	12	R	10	15	18	16	10	3.			26		12	15	11	27		15	22	8		30	7 4
28	20		10	3	6	8	12		12	1	11	14	14	11	13	11	13	15	11	12	23	11	10	12	11	13	23	8	17	11	16	16	15	18	13	23			17		23	22	4 20
29	14		13	6	3	13	14	11	8	_	_	22		10	11	9	14	25	7		23		7	14	8	17	5	11		12	21	13	11	19	7	8	14					. 1	18 5
30	10		13	4	3		16		23		16				10			26	_		11	5	9	20	6						21						17		15		20	8	δ 19

TABLE XLI. Range of Temperature on every day in the month of December, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869.

DAT	11			•																D	EC	E	ИВ	E R	•																			
Mon		26 18	327 18	828 182	183	183	1 832	83	3 834	4 183	5 1830	6 1837	1838	1839	1840	1841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867	868	1 8 6 9
1	12	1	î l	8 8	0 4	0 4	13	11	13	ıî	13	23	13	12	18	11	o 8	ıî	9	0 11	6	16	14	19	?	7	23	16	21	13	20	28	12	0 13	9	28	12	0 16	28	0 14	° 5	17	o 5	 0 19
2	9			2 5	4	5	14	10	19	19	14	13	12	9	21	7	13	21	8	16	7	22.	16	10	10	14	13	21	12	13	16	15	15	12	10	30	12	19	24	13	25	13	8	7
3	17	, ,	9	9 4	5	3	8	7	4	10	6	17	14	12	21	11	11	4	8	10	20	11	15	9	22	6	13	5	9	14	13	12	18	16	6	27	12	19	9	14	15	14	10	14
4	10) .	5 1	1 5	4	14	13	9	21	13	4	10	18	8	18	9	13	4	8	10	13	10	15	10	15	8	3	8	12	1:1	13	25	8	24	12	29	13	16	11	15	6	21	6	11
5	8	3 1	1 1	2 11	10	8	9	11	32	18	9	2	13	19	7	8	13	8	21	11	11	22	14	28	23	8	6	12	19	14:	15	26	20	24	13	27	4	14	18	10	12	18	10	9
6	5	1	0	7 11	5	8	9	8	17	17	7:	6	18	5	17	12	4	16	16	19	11.	13	17	18	13	5	11	9	14	14	11	17	14	22	11	11	8	16	15 -	7	12	11	12	4
7	12	1	9	9 13	4	8	11	21	12	5	13	5	15	14	8	11	6	13	14	28	9	22	5	-8	20	11	6	6.	19	15	7	15	9	17	9	26	10	9	14	. 5	9	9	9	6
8	5	1	6 1	4 7	3	4	3	14	13	8	11	11	18	4	7	11	6	28	6	25	8	15	9	14	4	19	7	14	12	16	8	12	3	21	11	18	11	10	11	5	20	10	13	7
9	16	2	0 1	0 1	7	11	5	8	13	18	11	10	10	5	19.	6	7	10	4	19	10	6.	24	19	9	18	16	17	15	13	9	8	6	9	20	23	15	10	22	6	24	20	10	4
10	7	1	0	5 14	13	7	2	9	18	15	13	6.	14	8	9	19	1:	13	4	24	20	6	31	4	14	5	5	11	15	8	9	22	5	14	23	25	19	15	22	9	19	20	7	15
11	12	1	.3 1	3 4	18	9	12	11	17	15	14	9	10	7	5	10	5	22	8	17	25	14	16	7	10	24	9	5	20	10	10	17	3	8	13	19	15	7	15	17	14	15	18	17
12	6	3		16 7	12	13	17	10	13	12	15	15	6	8	8	5	7	12	7	20	10	15	8	6	20	8	14	7	15	15	15	11	8	11	11	10	1.8	20.	15	8	12	16	14	12
13	11			5 22	13	9	11	17	13	15	15	17	9	13	13	12	19	17	7	11	19	18	24	5	14	7	11	8	15	21	10	6	7	17	12	20	12	22	11	20.	18	11	12	13
14	12	2	9 1	2 6	11	13	21	7	6.	8	16	15	14	9	9.	10	15	20	4	9	17	10	12	17	1.8	5	13	13	9	24	1:1	7	7	9.	9	14	18	11	19.	21	11	12	5	17
15			8	5 7	7	12	25	5	4	5	14	16	17	13	8	13	18	15	6	12	17	12	12	15	19	4	10	11	12	13	16	5	6	20	12	13	10	11	6	15	14	4	13	21
16		3 1	1	8 8	14	13	19	11	8	8	13	18	7	14	7	19	7	18.	8	9	14	7	4	12	16	4	25	16	16	18	19	.11	5	23	13	1:1	12	18	3	6	12	6.	17	18
17			16	4 13	7	8	19	13	7	10	20	6	4	13	15	12	15.	24	9	9	6	9	15	13	17	12	5	14	1.2	8	23	9	7	15	23	14	14	8.	20.	10.	19	12	12	11
18			4	9 7	9	13	14	10	14	13	8	11	7	7	5	19	12	5	4	14	10	8	15	10	18	111	18	8	14	19	16	14	15	22	25	10	21	13	19	8	13	22	13	18
19			9	6 11	14	14	14	10	4	5	10	13	18	7	2	21	10	5	7	13	3	5	8	13	8	9	9	7	14	12	18	25	12	24	20	15	7	16.	10	13	30.	27	28	16
20		֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	5	6 11		13	11	14	8	2	8	14	15	9	2	19	8	8	10	15	6	10	19	11	21	7	12	3	14	15	4 <u>.</u>	22	17	24	12	T' .	9	17	7	15	14	14	9	15
2.1	i i		8	7 12 9 8		17	16.	12	10	18	9	7.	10	7 8	8	9. 4 19	7	10	7	111	24	5 7 5	17	0	18	11	1.1	3	7	10	7		10· 8	710	6 14	4	7	12			14		12 17	
23			4 1			20		112	16	19	10	7		9	12	10	10	10	8	10	23	9 7	10	13	1.9	1.6.	1/2	8	21	1.3	19	14	14	10	23.	10	19				9		17	
24			7 1				10	10	10	11	10	7	4	12	10	0	05	8 9 17	9	10	9	- 4 - 5	14	12	δ 19	7	8	14	19	18	24	11	16	1'0	20	15		10.		7			15	
25			8 1		15		18		11.	_	5	17	0	15	13	99	00	17	١	14	15	6	14	10	18	16	11	12	21	15	16	25	11	9.	27	0.0	18	8					15	
26	5		6 1		8		17		12	1/5	8		11	10	6	15	5	5	4 0	14 13 13	16	10	11	R	11	26	10	17	14	6	11	10	12	10.	27 15	15		13			16		14	15
27	4	2		2 19		12	7 15		12				17	20	4	11	17	4	9	12	15	7	10	12	20	11	12	110	16	16	14	14		20	10	15	17	15		18	9		11	
28	1)	_	7 1		-	10	9	17	15	11	8	8	15	14	0	7	18.	7	ρ	30	17	5	5	8	18	11	28	16	20	19	14	12	8	13	32			17		13			15	
29	11			8 8		10	6	5		8			11	19	17	8		2	11	24	13	7	14	20	14	4.	7	17	12	11	19	14	19.	10	26			10			15		24	
30	- 1			9 5	25	11	8	13	5	20	5.		11 9	23		11			10	14	17	8.	11	10	10	19	8	15	15	22	12	16		11			14			13			13	
31	8	1		5 5		18		14	10	4			14		10	7		10	12	17	7	7		11		8		14	12	17	5.	19	2	10	12	10.	12			7		10		
	1		1	110						V.														11					1								1		- 1		- 1	1,2	1	

```
8.3 in 1830 to 19.4 in 1858
In January,
             from
., February,
                    9.7 , 1843 , 21.2 , 1857
                   13.5 ,, 1839 ,, 22.6 ,,
  March,
               ,,
  April,
                   14.8 ,, 1829 ,,
                                   30.6 ,,
                                            1865
                                   34.3 "
  May,
                   17.6 ,,
                          1828
               ,,
                          1830 ,,
                                   33.1 "
  June,
                   16.4 ,,
               ,,
  July,
                   17.6 ,,
                          1829 ,,
                                   30.4 ,,
                                   30.5 ,,
                          1829 ,,
  August,
                                    31.2 ,,
  September,
                   16.1 ,,
                          1827
                                            1865
  October,
                   13.6 ,, 1838 ,, 24.1 ,,
 November,
                   11.0 ,, 1835 ,,
                                   20.3 ,,
                          1844 ,, 16:5 ,, 1861.
 December,
                    8.1 ,,
```

Mean daily ranges, differing so greatly in each month, may well be attended with different agricultural and horticultural results.

The numbers in the bottom line show the average daily range in each month; and by taking the difference between these numbers and those in each year, the departure from the average will be found.

The gradual increasing numbers, from January 12°·2 to July 23°·5, and the gradual decrease month by month to December 12°·2, the same as January, indicates the annual law of daily range of temperature.

By taking the mean of all the daily ranges on the same day of the year from all the years, or the means of the numbers in every horizontal line in Tables XXX. to XLI. Table XLIV. was formed.

By selecting the least and greatest of these mean values in each month we find that the mean daily range of temperature has varied

```
9.7 on the 11th day to 15.0 on the 29th
In January,
              from
                                   2nd
" February,
                     12.4
                                                16.4
                                                              17th
" March,
                    13.6
                                   2nd
                                                20.4
                                                             31st
                            ,,
                                9th and)
" April,
                    18.4
                                                23.5
                                                              20th
                                  12th
" May,
                    20.9
                                   1st
                                                24.6
                                                             17th
., June,
                    21.2
                                                25.3
                                                              23rd
                                   7th
                    20.9
                                  24th
                                                26.8
,, July,
                                                              5th
                                                24.7
,, August,
                    20.9
                                   6th
                                                              4th
                 ,,
                            23
                               (16th and)
" September,
                    19.7
                                                24.7
                                                              12th
                                  28th
                                                           (5th and)
                     15.5
                                                21.1
  October,
                                  31st
                                                              6 th
  November,
                     13.0
                                   23rd
                                                16.9
                                                               3rd
  December,
                     10.8
                                  21st
                                                14.1
                                                             25th.
```

The smallest range in the year is therefore on January 15, and the largest is on July 5.

By taking the mean of all the numbers in each column the mean monthly daily range is shown; these are the same as in the bottom line of Table XLIII., and these agreements are a proof of the general accuracy of the work.

TABLE XLII.

Showing the Greatest and Least Ranges of Temperature in every Month, as Deduced from the Observations taken at the Gardens of the Royal Horticultural Society, Chiswick, 1826-1869.

																		-
IBER	JzsaJ	04	4	4	-	ಣ	ಣ	2	5	4	2	4	2	2	4	2	4	ı
D есемвен	Greatest	17	20	18	22	25	20	25	21	32	20	20	23	18	56	21	22	
4BER	Least	0,0	4	7	ಣ	က	5	4	9	4	4	9	ů.	4	ಣ	7	5	
November	Greatest	25	20	56	25	29	27	22	22	25	20	25	23	23	26	28	31	-
BER	Least	ಂಣ	os.	ಣ	9	10	9	8	∞	5	9	~	10	9	4	7	Ť	
Остовев	Greatest	28	25	28	26	29	24	28	31	42	29	28	30	24	28	3.4	31	000
MBER	Least	01-	0	10	10	4	0	14	œ	12	13	1	. G .	9	10	6	∞	2
SEPTEMBER	Greatest	29	21	53	30	33	33	39	30	35	40	29	27	38	30	31	36	-
TSD	Least	15	8	9	7	6	13	5	6	7	17	14	S	13	12	8	7	77
AUGUST	Greatest	35	29	30	28	32	35	30	41	31	43	31	98	33	31	39	30	24
X	Least	್ತ್	00	11	50	9	10	12	8	6	17	14	.17	16	7	10	7	N. C.
July	Greatest	35	37	22	27	28	31	59	32	36	38	42	37	32	32	33	87	00
Œ	Least	01	1~	00	11	7	10	11	11	6	11	7	14	7	9	10	11	2.1
JUNE	dreatest	36	33	32	35	27	34	30	3.4	38	35	36	38	32	26	34	31	410
Ŋ	Least	001	0	12	12	Ġ	2	5	8	16	13	14	13	10	13	7	7	B =
MAY	dreatest	000	32	30	30	34	36	32	35	35	35	37	34	38	32	36	34	54
ur	Least	0.0	6	7	70	ಣ	6	10	12	9	5	10	4	6	ಛಾ	16	7	01
APRIL	dreatest	27	35	27	28	30	26	34	30	32	38	28	31	27	32	42	31	38
HO	Least	01	7	9	4	ಣ	4:	9	ಣ	7	10	5	50	9	5	5	9	4 2
Мавсн	Greatest	28	24	27	27	39	25	25	25	27	99	32	25	32	20	34	36	22
UARY .	Least	007	4	4	4	4	ଦ	ෙ	7	ಣ	∞	2	50	4	4	ಣ	က	9
FEBRUARY	Greatest	23	23	20	23	24	29	23	20	28	24	28	23	27	25	25	27	300
ARY	Least	007	4	-	67.	ಣ	23	4	22	4	9	50	4	ಣ	4	5	00	77 :
JANUARY	dreatest	18	20	22	22	22	19	22	15	18	22	10	23	22	21	26	22	77.
	Year	1826	1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	0481	1841	1842

1	-	-																									
	- 3	က		ಣ	4	- 4	4	ಣ	4	ಣ	<u></u>		9	4		63		9	4	4		ಣ	5	5	4	. 5	41
200	28	21	30	25	22	31	28	23	26	28	21	22	24	24	28	20	24	35	30	21	26	26	21	30	31	28	27
	2	4	5	ಣ	5	<u>~</u>	7	9	9	4	ಣ	00	~	9	1	~	6	1	00	9	6	6	4	10	4	+	4
000	22	23	34	26	59	26	27	30	24	27	28	29	32	26	28	26	29	28	33	25	27	35	30	27	32	28	23
	80	9	9	5	9	1	10	9	9	5	9	00	9	ũ	5	5	10	00	1	6	5	1~	6	1	6	6	ς, S
-	30	33	31	29	27	25	28	33	29	26	27	38	31	30	34	35	33	29	40	32	26	32	34	29	30	55	30
	12	11	7	13	6	4	10	13	13	10	11	00	7	6	10	10	11	10	13	6	13	12	15	12	15	တ	00
-	34	40	38	34	35	40	32	38	39	32	32	45	43	41	36	46	36	38	41	48	31	34	43	26	38	42	32
	8	14	10	5	٠.	9	2	13	6	1	11	5	00	10	13	12	13	7	12	00	10	16	10	00	12	6	6
	30	37	29	32	46	33	36	35	32	32	29	39	38	46	39	44	40	28	49	41	34	43	41	39	32	31	36
-	2	1	5	12	13	00	13	6	7	16	12	6	13	12	14	14	16	15	10	11	12	21	19	13	11	14	12
20	30	36	32	45	40	33	38	33	30	38	56	37	43	38	43	40	41	40	35	40	41	40	40	35	39	98	37
T.T.	2	16	5	13	10	10	00	9.	7	10	4	7	00	10	21	22	15	11	11	12	12	14	12	12	11	16	6
31	30	41	37	40	37	30	43	38	39	32	35	30	33	တ္သ	39	44	56	32	37	37	38	38	50	40	42	42	39
2	70	11	1-	5	12	15	9	4	10	5	ō	13	6	5	13	7	10	14	9	~	00	4	10	10	1-	14	5
3.4	90	 52	28	38	39	44	34	35	35	32	33	34	36	31	35	. 88	35	35	38	40	35	42	41.	41	32	40	53
1	+	7.7	10	oo	භ	70	^	11	6	10	6	9	12	00	9	8	7	4	11	00	11	7	13	10	7	11	4
8.1	07	44	39	29	34	42	31	29	31	42	35	41	43	41	33	43	35	34	36	42	38	40	48	36	28	35	38
9	. ,	e e	တ	6	~	9	က	6	က	6	9	6	က	4	6	73	~	တ	9	5	14	10	10	10	4	~	10
3.6	-	34	33	31	35	36	- 62	33	21	40	59	37	28	40	31	38	28	29	33	35	ආ	35	28	27	35	30	25
3	-		9	<u>~</u>	5	4	.44	6.1	4	00	4	9	5	ಣ	11	4	6	6	9	67	<u></u>	õ	9	00	9	õ	4
22	-	97	35	24	34	23	53	32	25	21	18	27	27	25	31	22.	27	31	56	53	တ္သ	22	32	56	26	24	53
3	-				က	72	67		ಣ							6	ෙ	00	4	<u>ت</u>	つ	භ	-1	~	5	က	4
222	1	07		19	23	22	25	30	21	24	23	24	22	22	24	31	17	30	31	25	27	24	24	22	32	19	50
-	-	4																						9	7	00	6
. H 75.		104	184	184	184	184	184	1850	185	185	185	185	185	185	185	185	185	186	186	186	186	186	186	186	186	1868	1869
	11-	-																								-	1

Showing the Mean Bange of Temperature of every Month, as deduced from the Observations taken at the Gardens of the Royal Horticultural Society, Chiswick, 1826-1869. TABLE XLIII.

YEAR JANUALIN Feminal Manor Aynui MAY JONE JUNE April Manor Aynui Aynui
JANUALINY FEBRUALINY MARINICAL MAX JONN AUGUST SEPTEMBRIAN OCTOORER 9.9 11°5 15°7 15°7 18°8 24°1 22°9 22°7 18°8 16°4 11°2 13°1 14°1 18°1 19°4 20°2 21·4 17°4 16°1 16°1 9°9 11°2 16°1 18°1 19°4 20°2 21·4 17°4 16°1 16°1 9°9 11°2 16°1 18°1 19°4 20°2 21·4 17°4 16°1 16°1 9°8 11°2 17°2 18°8 16°4 19°1 20°9 19°7 16°1 8°8 13°3 14·4 17°2 22°6 20°5 24°1 20°2 24°3 17°6 10°4 12°6 15°7 20°5 20°6 20°5 21°3 22°3 18°6 11°6 8°7 12°1 14°2 10°2 21°3 21°3 22°3
β-9 1°-5 1°-7 18°-8 24°-1 22°-9 22°-7 18°-8 9°-9 1°-5 1°-7 18°-8 24°-1 22°-9 22°-7 18°-8 11-2 13-1 14+1 18·1 19·4 20·2 21·4 17·4 16·1 9.9 11-2 16·1 15·3 17·6 18·3 17·4 16·1 8·3 11-2 16·1 14·4 14·8 23·1 22·6 17·6 17·7 18·8 8·8 13·3 14·4 17·2 22·6 20·6 17·6 19·7 19·6 8·8 13·3 14·4 17·2 22·6 20·7 21·1 20·9 19·6 8·8 13·4 17·2 20·6 20·6 21·1 20·9 21·8 10·4 12·2 20·6 20·6 21·8 22·1 21·8 10·4 12·2 20·6 20·6 21·8 20·6 21·8 10
JANUALINY FERRICARINY MAIDGIII APRILII MAX JONTB JULY ADGOUST 9°9 11°5 15°7 15°7 18°8 24°1 22°9 22°7 11.2 11°1 14°1 18°1 19°4 20°2 21°4 17°4 9°9 11°2 16°1 15°3 17°6 18°8 17°6 17°6 8°3 12°2 17°2 18°8 22°6 17°6 17°6 8°8 13°3 14°4 17°2 22°6 20°5 24°1 20°9 10°4 12°1 14°2 20°5 20°6 20°5 24°1 20°9 8°7 12°1 14°2 20°5 20°6 20°5 24°1 20°9 10°4 12°1 14°2 20°5 20°6 20°5 22°1 20°9 11°6 15°4 17°0 20°5 20°5 21°4 21°6 20°6 11°6 18°6 17°6 20°5
JANKOAIIY FEBRUARIY MARCH APDRIL MAX JONE JULE 9°9 11°5 15°7 17°7 18°8 24°1 22°9 11°2 11°1 14°1 18°1 19°4 20°2 21°4 9°9 11°2 16°1 15°3 17°6 18°3 17°9 8°3 11°2 16°1 15°3 17°6 18°3 17°9 8°3 11°2 16°1 18°3 17°6 18°3 17°9 8°3 12°2 17°2 18°8 16°4 19°1 8°8 13°3 14°4 17°2 22°6 20°1 17°6 10°4 12°6 20°5 20°0 19°8 22°1 22°1 10°0 15°4 17°6 20°5 20°5 21°3 22°5 11°6 13°7 14°8 17°4 23°6 20°7 24°7 10°0 13°9 13°5 17°6 22°8 18°7 18°
JANUALIN FEBRUARIN MARICH APRILI MAX JOXE 9°9 11°5 15°7 17°7 18°8 24°1 11°2 13°1 14°1 18°1 19°4 20°2 9°9 11°2 16°1 15°3 17°6 18°3 9°5 11°0 14°4 14°8 23°1 20°2 8°3 12°2 17°2 18°8 16°4 8°8 13°3 14°4 17°2 18°8 16°4 8°8 13°3 14°4 17°2 20°6 20°6 10°4 12°6 15°7 20°6 20°6 20°6 10°4 12°6 15°7 20°6 20°6 20°6 10°6 15°4 17°6 20°6 20°6 20°6 11°6 13°7 14°8 17°4 23°6 20°7 10°6 13°9 13°7 17°6 22°1 20°3 12°9 14°6 20°6 20°3
JANUALIN PEBRUARIN MARCH APRIL MAX 9°9 11°5 15°7 17°7 18°8 11°2 13°1 14°1 18°1 19°4 9°9 11°2 16°1 15°3 17°6 8°3 12°2 17°2 17°2 18°8 8°3 12°2 17°2 18°8 23°1 8°3 12°2 17°2 18°8 22°1 10°4 12°6 15°7 20°5 20°0 8°7 12°1 14°4 17°2 20°5 10°0 15°4 17°6 20°5 20°0 13°2 14°4 17°6 22°2 21°7 10°0 15°4 17°6 22°3 21°7 10°0 13°9 13°7 17°6 22°8 12°9 14°5 13°7 17°6 22°8 12°9 14°5 13°7 13°7 20°9 11°0 18°8 10°9 20°9
JANUARN FEBRUARN MANGH APRIL 9°9 11°5 15°7 17°7 11:2 13·1 14·1 18·1 9°9 11°2 16·1 15·3 8°3 12·2 17·2 17·2 8°8 13·3 14·4 17·2 10·4 12·6 15·7 20·5 8°7 12·1 14·2 19·2 10·0 15·4 17·0 20·3 13·2 14·4 17·5 22·2 11·6 13·7 14·8 17·4 10·0 15·4 17·6 20·3 11·6 13·7 17·6 20·3 11·6 13·7 17·6 20·2 12·9 14·5 18·5 17·6 12·9 11·8 16·9 20·2 10·0 13·9 20·8 19·1 10·0 13·8 14·6 20·5 10·0 13·8 14·6 20·5 <t< td=""></t<>
JANUARIY FEBRUARIY MARGII 9.9 11.5 15.7 11.2 13.1 14.1 9.9 11.2 16.1 9.6 11.0 14.4 8.3 12.2 17.2 8.8 13.3 14.4 10.4 12.6 15.7 8.7 12.1 14.2 10.0 15.4 17.6 11.6 13.7 14.8 10.0 13.9 13.7 10.5 12.6 18.5 12.9 14.5 18.5 12.9 14.5 18.6 11.5 9.8 20.8 9.5 13.8 14.6 10.0 15.9 14.6 10.0 15.8 16.9 11.6 9.8 20.8 10.6 10.7 14.6 10.6 14.6 14.6 10.6 15.8 14.6 10.6 15.6 14.6
9.9 11.5 11.0 8.8 12.2 8.8 12.1 10.0 15.4 11.6 11.6 11.6 11.6 11.6 11.6 11.6 11
9.9 11.2 9.9 9.5 8.8 8.8 8.7 10.0 11.6 10.0 10.5 11.6 12.9 11.5 9.5
YEAR 1826 1826 1827 1828 1829 1831 1831 1831 1835 1835 1835 1835 1835

 12.5	14.7	18.2	21.7	8-22-8	23.5	23.4	22.6	20.6	17.1	14.2	12.2	Means
12.9	15.3	18.9	18.5	23.7	24.6	23.3	18.3	20.8	14.3	13.5	11.6	6981
13.0	13.4	21.6	22.4	20.2	5.92	28.3	24.9	20.1	16.1	15.3	11.1	8981
14.8	16.9	19.7	23.7	22.4	22.4	24.4	22.1	17.9	14.6	14.7	15.7	1867
 14.1	17.6	18.0	18.5	23.3	25.5	27.4	25.1	19.5	1.91	16.0	12.8	99
 11.4	14.1	20.2	31.2	27.2	27.9	9.08	25.2	9.08	18.0	14.2	14.5	5
 12.7	18.3	19.1	22.9	30.5	30.4	26.5	25.4	23.0	19.3	13.5	15.2	4
 13.8	16.6	16.5	22.0	23.3	29.3	23.4	24.5	22.7	20.1	18.9	13.5	1863
 11.9	13.5	18.8	24.6	26.1	26.3	24.1	22.8	20.3	16.4	11.9	16.3	1862
 16.5	20.3	24.1	2.92	29.1	25.3	26.0	25.7	23.4	19.7	15.8	14.9	10
 15.2	1.91	20.5	23.7	18.5	24.7	19.5	24.5	20.2	17.6	18.5	15.6	20
 16.2	18.9	20.2	21.8	26.4	28.9	21.2	22.5	19.4	15.0	17.5	10.9	59
 10.5	16.0	20.9	24.1	28.8	0.22	33.1	25.0	24.6	19.8	14.5	19.4	28
 14.7	14.6	20.3	24.3	26.0	26.8	29.3	25.4	20.2	18.2	21.2	13.7	57
 12.9	16.0	17.6	24.8	25.6	25.3	26.2	20.0	55.9	16.7	13.4	12.2	26
 14.7	13.9	18.7	25.0	24.8	24.3	22.6	21.7	23.8	17.8	15.0	11.8	55
 15.1	17.5	21.4	28.5	22.4	22.7	18.1	22.7	25.4	55.6	15.4	11.7	54
 11.5	14.4	17.0	19.2	19.7	19.3	20.2	21.7	18.0	18.7	11.0	11.5	53
 11.7	11.4	15.5	19.0	20.0	26.3	18.5	18.1	23.1	20.2	15.2	15.5	52
 10.2	14.3	14.5	22.2	21.5	19.5	23.4	23.4	19.0	13.5	15.6	11.8	21
 14.5	15.6	19.8	23.6	24.5	21.9	27.5	20.1	50.6	21.5	15.4	11.7	20
 11.8	16.2	16.7	19.2	22.2	25.7	25.3	50.6	18.3	15.5	15.7	11.3	49
 13.6	16.0	16.9	22.2	₹ 8.02	23.7	20.4	34.3	21.6	17.8	13.4	11.3	48
 10.4	12.3	16.6	21.7	24.3	25.9	21.5	24.2	20.2	50.6	13.9	10.4	47
 13.0	12.3	15.5	23.3	20.7	23.5	29.3	24.3	19.1	20.9	15.3	12.4	1846
 15.5	17.5	19.6	20-6	19.5	19.3	24.1	19.1	23.4	0.21	16.8	7.01	4.0
				20.0	18.0	18.0	18.7	20.00	1.4-6	13.8	5-6	18

TABLE XLIV.

Showing the Mean Range of Temperature of every day in the year, as determined from all the Thermometrical observations taken at the Gardens of the Royal Horticultural Society at Chiswick, 1826-1869.

	D есемвев	13.6	13.5	9.11	11.8	14.0	11.6	11.7	11.1	12.3	12.6	12.7	11.6	13.6	
	November 1	16.2	16.6	16.9	15.5	15.7	15.4	14.8	15.5	16.2	15.4	14.4	16.1	15.1	
	OCTOBER	18:1	19.3	18.8	21.1	21.1	19.2	18.8	19.9	18.5	18.6	18.3	18.7	18.8	
	September	22.9	23.3	22.2	24.1	23.0	22.4	21.6	20.7	20.5	22.9	23.9	24.7	22.0	ı
	August	23.8	23.7	23.0	24.7	22.9	20.9	23.4	23.6	23.2	23.5	23.3	23.6	23.6	The state of the s
	JULY	21.5	21.5	22.9	24.8	8.97	24.7	22.1	23.1	24.4	24.5	24.2	24.3	23.8	
-	JUNE	23.8	23.5	24.0	24.5	22.7	55.6	21.2	23.3	22.3	23.8	2.1.0	22-2	22.4	
	MAY	20.9	22.2	21.8	22.6	21.5	21.8	22.5	22.0	22.3	21.6	21.6	22.0	94.5	
	APRIL	19.0	18.7	20.4	, 2.61	19.5	18.9	19.6	19.8	18.4	20.3	20.0	18-4	20.5	
-	MARCH	14.0	13.6	0.21	17.0	17.4	16.2	17.4	16.6	18.0	18.0	16.5	18.3	0.71	
	FEBRUARY	12.5	12.4	14.5	12.7	12.8	13.5	13.1	12.7	13.1	13.9	14.3	14.7	14.4	
	JANUARY	12.0	12.9	13.5	11.3	12.2	11.9	12.7	11.8	9.01	9.01	2.6	11.3	11.0	
	DAYS OF THE MONTH	н	63	33	4	70	9	7	∞	6	oı	1.1	12		

								-										
12.1	11.5	12.1	12.2	12.5	12.2	11.3	10.8	11.7	12.4	11.9	14·1	11.5	12.5	13.1	11.6	11.8	10.9	12.2
13.8	15.1	14.5	14.2	13.7	15.0	14.5	13.8	14.1	13.0	14.1	13.4	13.1	13.7	13.7	13.4	13.2		14.7
1.2.1	18.0	17.6	18.4	17.1	19.5	19.0	18.1	16.7	16.3	16.6	17.1	187	16.6	16.8	17.9	9.21	15.5	18.2
20-9	21.8	19.7	21.9	22.1	21.3	22.3	20.9	21.0	20.7	21.1	22.3	21.2	19.9	19.7	20.1	21.2		21.7
21.2	2-2-2	21.6	22.5	22.1	21.2	21.0	8.27	21.2	22.7	23.0	21.6	23.9	23.8	2.2.2	22.7	24.5	23.0	22.8
24.4	25.4	25.2	24.0	23.7	22.1	22.3	22.3	21.9	21.6	20.9	23.2	22.4	23.0	23.8	24.4	24.5	23.5	23.5
23.8	23.2	23.3	25.0	22.8	21.8	22.7	23.9	24.0	25.3	23.8	22.4	24.2	23.8	23.4	24.4	23.6		23.4
22.0	23.3	23.1	24.6	24.2	23.1	22.9	21.3	21.9	23.2	22.9	22.1	23.6	24.2	22.3	22.4	22.9	23.6	22.6
20.5	20.3	19.2	20.3	21.5	21.9	23.5	21.4	50.6	21.0	21.2	21.8	22.7	22.3	23.1	22.3	21.5		20.6
15.3	16.9	. 16.3	16.2	16.7	17.1	16.3	16.5	15.8	17.1	18.0	17.4	18.9	19.5	17.2	20.0	18.8	20.4	17.1
14.8	15.2	16.0	16.4 .	14.1	14.2	14.7	15.1	14.0	15.6	14.2	15.0	13.9	13.5	15.4	16.1			14.2
2.11	12.5	11.8	11.7	12.4	12.5	11.5	11.3	12.2	12.2	12.3	12.3	13.1	12.6	14.3	15.0	12.9	13.0	12.2
14	15	91	17	81	61	70	2.1	22	23	24	2.5	526	27	28	29	30	31	Means



ON THE

FALL OF RAIN

DAILY, MONTHLY, AND YEARLY


AT THE

ROYAL HORTICULTURAL GARDENS

CHISWICK


FROM THE BEGINNING OF THE YEAR 1826

TO THE END OF THE YEAR 1869



FALL OF RAIN.

In the Meteorological Journal of the Royal Horticultural Society, the rainfall on every day that any fell, has been carefully recorded. The rain-gauge with which the observations were at first made, is stated to have been constructed according to Mr. Howard's directions in his work upon the Climate of London (see vol. vii. of the 'Transactions of the Society,' page 100), and the following description is extracted from that work:—



HOWARD'S RAIN-GAUGE.

'The rain-gauge consists of three pieces, a funnel, a bottle, and the measure. The funnel is most conveniently made of five inches opening, and of the form represented in the figure: the mouth-piece of brass, turned in a lathe, the remainder of tinned copper. It has two necks: the inner and longer one, widening a little downwards, enters deep into the bottle, and conveys the rain: the outer neck is soldered on the cone of

the funnel, having no opening into the latter: it serves the necessary purpose of preventing the entrance of water from the outside; and by resting on the shoulder of the bottle, it gives steadiness to the funnel.

'As to the bottle, a common wine-quart will contain from two to two and a half inches of rain on this funnel: but it is better to use a three-pint bottle (technically termed a Winchester-quart), which has the proportions given in the figure. For an unusual fall of rain may happen, when a previous quantity has not been measured out; and it is on such occasions that we would wish, more especially, to be certain of the amount.

'A cylindrical glass of the depth of eight inches, exclusive of its foot, and 11 inch in diameter, serves to make the measure. It is graduated into parts, each of which is equal in capacity to the depth of $\frac{1}{100}$ of an inch on the area of the mouth of the funnel. A glass of the above size will measure out fifty such parts, or half an inch at once. The graduation is conducted on the principle (which is a medium between calculation and experiment) that a cylinder of water at a mean temperature, an inch deep, and five inches in diameter, weighs 10 ounces troy. The hundredth part of this, or 48 grains, is accordingly taken for the graduating quantity, and the scale is formed by successive additions, at each of which the surface is marked. Considering the nature of this operation, which scarcely admits of our going to fractions of a grain, I suppose the above standard to be sufficiently correct. I have been accustomed to etch the scale on the glass with fluoric acid, but it is more conspicuous when engraved at the glasscutter's wheel. Previously to sending it for this purpose, the whole scale should be traced, either on a strip of paper pasted on before it is divided, or in oil paint on the glass itself. A diamond, or steel point, may be used for engraving the scale, in default of other means.'

This gauge was not in use lately, but when changed I cannot find

any record.

The first step in this investigation was to form Tables precisely similar to those for the temperature of the air, showing at a glance the daily falls of rain on the same day of the year, throughout the series of forty-four years, and in this way Tables I. to XII. were formed.

Showing the Fall of Rain on every day in January during the years 1826-1869 at the Gardens of the Royal Horticultural Society at Chiswick.

TABLE I.

DAY OF																					J A	NU	J A :	RУ	•							•												
THE		1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	1840	841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	855	1856	1857	858 1	359 18	60 186	1 186	2 1863	1864	1865	1866	1867	1868	1869	Sums
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	0.10	-20 -33 -05 -08	70 '21 '35 '50 '32 '20 '21 '54 '34 '10			···· ··· ··· ··· ··· ··· ··· ··· ··· ·	 .01 .13 .14 .05 .29 .36 .04		·03 ·20 ·06 ·26 ·20 ·10 ·14 ·09 ·07 ·09 ·10	-02 -01 -08 -17		 •03 •11 •05 	·01 ·02 ·04 	·04 ·01 ·33 ·10 ·06 ·01 ·09	 :01 :06 :15	·15 ·40 ·02 ·29 ·80 ·15 ·16 ·02	·10 ·28 ·02 ·02	·12 ·01 ·14 ·09 ·06 ·16 ·29 ·04 ·16	·43 ·24 ·05 ·40 ·01 ·08 ·01 ·76 ·03 ·01	·02 ·08 ··· ·· ·· ·04 ·77 ·16 ·04 ·12 ·02 ···	·06 ·04 ·02 ·01	14 -04 -05 -02 -0104	 ·08 ·21 ·02 ·01 ·08 ·06 ·04	14 .0131 .11 .08 .06 .02 .07 .05 .0802 .05		·02 ·01 ···	·10 ·06 ·08 ·07 ·62 ·24 ·16 ·26 ·07	·03 ·18 ·12 ·01 ·16 ·34 ·01 ·06 ·02 ·24 ·04 ·12 ·28	 ·86 ·03 ·08 ·33 ·06 ·02 ·02 ·02 		·07 ·11 ·12 ·02 ·23	03 .03 .03 .0611 .71 .27 .07	·0102 ·02 ·04 ·08 ·01	01	08 04 07 03 11 02 02		· 16 · 08 · 46 · 26 · 01 · · · · · · · · · · · · · · · · · · ·		······································	08 .04 .04 .36 .02 1.00 .36 .32 .14 .02 .16	-29	 .04 .08 .08 	·04 ·02 ·12 ·08 ·08 ·08 ·44	1.75 1.01 2.50 2.33 2.46 2.05 2.74 0.86 2.17 1.85 4.50 4.80 2.86 2.61 1.80 2.23 1.40
18 19 20 21 22 23 24 25 26 27 28 29 30 31					 .65 .16 .03 .21 .09 .11	·13 ·01 ·27 ·11 ·10 ·12 ·02 ··· ··· ···	 .11 .01 .03 .15		·02 ·06 · ·01 ·57 ·01 ·04 ·06 ·05 ·07 ·06 · -12 ·	·08 -36	 .01 .03 .02 .05 .32 .06 .32	·01 ·06 · ·10 ·14 ·05 ·51 ·90 ·18 ·01 ·02 ·20 ·01 ·03			·14 ·37 ·23 ·09 ·04 ··· ·49 ·05 ·34 ·02 ·17 ··· ·02 ·05	·21 ·02 ·10 ·02 ·01 ·02 ·08 ·12		·05 ·02 ·02 ·02 	 .01 .02 .02 .03 .15	·45 ·88 ·03 ·03 ·07 ·11 ·04 ·11	·24 ·44 ·14 ·33 ·02 ·27 ·24 ·59 ·08 ·02 ·06 ·23 ···	·48 ·01 ·02 ·23 ·02 ·02 ·21 ·02		··· ··· ·16 ··· ·04 ·01 ·43 ·02 ·01 ·04 ·02	·55 ·02 ·01 ·14 ·12 ·11 ·08 ·38	·48 ·09 ·02 ·02 ·12 ·20 ·38 ·07	03 .26 .01 .01 .10 .062804 .11 .14	·08 ·05 ·17 ·06 ·04 ·13	 ·01 ·02 ·06 ·03 ·10 ·10		·08 ·10 ·06 ·36 ·04 ·12 ·13 · ·14 ·02 ·08	·02 ·17 ·13 ·04 ·17 ·05 ·13		02	09 11 .66 32 16 02 08 12 .02 04 .02 14 .04 09 .02 03 .02 03 .01	06 2 05 09 003 2 22 4 06 08 08 032	· · · · · · · · · · · · · · · · · · ·	·06 ·02 ·14 ··· ·04 ··· ···	······································	·12 ·01 ·23 ·06 ·11 ·33	·12 ·01 ··· ·14 ·02 ··· ·47 ·10	·44 ···· ·04 ··· ·01	 .52 .26 .12	1.50 2.84 2.57 2.34 2.42 2.07 1.80 3.40 2.91
פמובר	0.27	0.75	3.71	0.30	1.54	1.02	1.32	0.52	2.87	0.72	2.01	3.03	0.27	1.27	2.13 2	(6.3)	1.06	1.33	2.25	2.97	2.85	1.31	1.16	1.73	1.43	3.07	2.72	2.14	1.92	0.10	1.76	2.09	0.41 0	61 2:	8 0.82	1.93	2-19	0.57	3.50	3.72	2.16	1.64	1.98	75.88

TABLE II.

Showing the Fall of Rain on every day in February during the years 1826–1869 at the Gardens of the Royal Horticultural Society at Chiswick.

DAT OF]	FE.	BR	U A	RY																				
MONTH	1826	1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	840	1841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	857	1858	1859 1	860 186	1 86	2 1863	3 1864	1865	1866	1867	1868	1 869	Suns
1		•01			•••			18			·01		•••		.20			·16			*52	•••	•13	.02	.02	•04	•04		•42							<u> </u>				-37		.02	·16	2.30
2.					•••	•75		•20	}		·48			•••	.09		•02		•32	•••	•••	.02		∙04	•01	·10	·04			•32						.	.08		-06	.06		•26		2.85
3	-08				•••	•35	∙01	.06			•34			•42	·18			•20		10	·01		•01	.01]	∘06		•••		-05			-30		60		.01	.02		.25	•01		·10	2.63
4				·16		•05	·01	•••			-10			-12	•30			·16	·18	•••	•31	•••	∙03				-13	•17	•10	•02	·01		-28	.15			.03	•••		•35	∙08		·10	2.86
5	-16	•••			•••		•••	.02	•10					-39	.02		•••	∙08			•••	.02	•23	•••	.16	-14	.23			•01	.02	.14		-22	26 01				•12	.02	.14			2.49
6	-06	•••	•04	.02	•••	-25	•05	•06			·01				-02		.06	.09	•02			.02	·01				·01			.02	.02	-01		.02	01				.04		•04			0.88
7		•••	-28	-05	•06			.03			-03		·10	.01	.03		.11	.26	•29		•08	• • • •	.25			·19	.02	·01			-06				02 04		.06		-09	•10	.22	•01		2.40
8			•••	-01	•51	•05	.02	-67			·01	-09	14		02		.06	.02	.02		·04		.26	.06			•38]			.02		-10	06 02		•••			·14	-02		.02	2.74
9		•••	•06		.02		•••	•16					-30	-06			•••	.11	-06		•••	•40	.01		•10		.05	.02			•••	.06]	·14	08					·48	-06		-04	2.51
10			•••	*04			-10	.28	-03		-10	•20			.13	.04	•••			•••	•••		•52	•••		•••	.02	•06	.04			.01		.09			•••			•06	·21		.02	1.92
11		•••	•14			•02	.01	-16	·07	18		•34	•••	•••		·01	.14		.01	•••	•••	•••	•••	•••	-11	.02					-20		.02	-04		•••	.02	•20		•50	.02		•52	2.76
I 2	.03	•••	•••	•••		.02	.02	•26	•07	-28		-16		.04	.02	.04	****	.01			•••	•••	•••	•••	.04	•••		•••			•05		-03	.22				-18		•••	•••		.26	1.43
13		•••	•••	.03		·01	***	-08		·01		-08				.01	·04			.30		.26		•••		-06	•••	•••	•••		.20		.37	.08	.07				•••					1.60
14	16	••-	-08		•••	•••	•••	•50		-03	•••	.02	•••	•••	***						•••	.12	•04	•••	16		•••		•06		.02		·48	.02		•••		•••	•••	-18		•••		1.00
15	'04	•••		·01	•••	-06	•••	•••	•••		•••	•••	•••	14	.18	.15			.02	·01	•••	.25	.03		14	•••	•••				•••			-08	30 .01			•05	•••	*35	.10	•06		1.96
16		•••	•••	•••		•05	.01	•••	•••	•••	•••		•••			-11		•••	•••		•••	.23	•••				•04	•••						•••	01 04	.06		•04	•••	'24	.38	•••	•••	1.51
17	15			•••	•••	.01	•••	.14		*04	.02	.02	*32		.06	.01		.16			•••		•••		•••	•••	.03	•••	•••		•••			•01	01	14	1	•03	•44	12	•••	•••	.20	1.01
18	10	•••	-18	•••	•••	.01	•••	•••		01		.19	•••	.30	•••	.04	•••	•04	•05		•••	.01	.16	•••		•••		•••	.08	•••	.01				.01			•••	•06	•••		•••		1.58
19	28	•••		•••	•••	•20	•••	.16		-50	•••	-64	•••	•••	•••	.02	.02	.28	.02	•••	•••	•••	.02	•••	.01	•••			•••					.02			1		•02	•••		•••		2.35
20	12	•••	.02	.21			•••	*32	.03	51	•••	.06		14		'11		.18		•••	•••	.01	.10	.28	.20	.26	•••	•••	.02		•••	.01		·04	10				•••	•••		•••	.18	2.94
21	108			*05	12		•••	•••	•••	.01	•••	•09	-03	·20		•••	16	.12	14		·01	•••	.08	.06	••••		.01	•••	•••	•••	•••		•••		17				12			12	-18	1.80
2.2	'07		_										_																						08			,						
23	18		_	_																															44									
24						1												1													- 1				07					I	1			
25	11	4	1							4					_																				01 01	- 1								
26		_	1							_											_														40									
27			_																																07 12		1	1					- 1	
28										l. k		- 1							- 1					1											01								12	
29		•••								•••		•••	•••	•••	•••	•••		•••	·13	•••	•••	•••	•23	•••	•••	•••	·01		•••		•••	•••						-08		•••		·48	•••	0.93
Sums	1.71	0.79	0.94	1.07	1.31	2.27	0.53	3.98	0.37	2.61	1.61	2.01	2.22	2·19	1.25	0.76	1.32	2.35	2.27	0.93	1.47	1.34	3.12	2.52	0-95	0.90	1.06	0.59	0.78	1.35	0.62	0.31	1.48	1.29 1	20 1-41	0.38	0.26	0.78	1.63	3.80	1.33	0.95	1.98	63.67

TABLE III.

Showing the Fall of Rain on every day in March during the years 1826-1869 at the Gardens of the Royal Horticultural Society at Chiswick.

DAY OF																					M	A R	R C I	I,																				
тне Иохтн	1826	1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	1840	1841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855 1	856 18	357 18	58 185	9 1860	1861	1862	186,3	1864	1865	1866	1867	1868	869	SUMB
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26	······································	·62 ·05 ·02 ·25 ·04 ·21 ·20 ·02 ·25 ·05 ·25 ·04 ·01 ·				·02 ·12 ·22 ·06 ·04 ·12 ·02 ·05 ·04 ·04 ·25 ·20 ·04 ·02	·03 ·06 ·23 ·26 ·10 ·02 ·01 ·36 ·02 ·17 ·05 ·06 ·02 ·07 ·04		··· ··· ··· ··· ··· ··· ··· ··· ··· ··	·1508 ·17 ·09 ·18 ·05 ·16 ·22 ·18 ·32 ·06 ·2108 ·01	·22 ·02 ·12 ·04 ·21 ·04 ·01 ·15 ·09 ·07 ·14 ·14 ·47 ·01 ·05 ·01 ·02 ·08 ·11 ·07 ·02		·11 ·08 ·22 ·02 ·06 ·02 ·04 ·18 ·02 ·02 ·02 ·01 ·01 ·05			·10 ·30 ·02 ·08 ·22 ·	·02 ·41 ·01 ·02 ·17 ·47 ·01 ·06 ·02 ·05 ·10 ·08 ·08 ·08 ·03 ·07 ·01	··· ··· ··· ··· ··· ··· ··· ··· ··· ··	·04 ·04 ·20 ·48 ·69 ·20 ·09 ·48 ·04	10 .28	12 .27 .020303 .1210 .09 .09 .0310 .02		·11 ·11 ·03 ·04 ·40 ·02 ·01 ·29 ·20 ·07 ·18 ·06 ·26 ·15 ·15 ·36 ·08 ·02 ·05	 			•05	·27 ·10 ·02 ·12 ·02 ·11 ·03 ·36 ·18 ·01 ·01 ·06		·09 ·23 ·06 ·33 ·24 ·01 ·21 ·09 ·02 ·01 ·02 ·13	01			08 .14 .3014 .02 .0208 .1203 .190101 .04 .03 .15 .03	·19 ·04 ·01 ·05 ·10 ·14 ·08 ·02 ·11 ·37 ·04 ·06 ·20 ·01 ·13 ·01			5447 .06 .20 .18 .40 .06 .0802 .04	·10 ·04 ·10 ·08 ·02 ·06 ·02 ·09 ·05 ·01		0108 .46 .03 .04 .06 .401106 .25 .28 .02 .0412	·07 ·02 ·02 ·02 · ·22 · ·14 ·01 · ·01 · ·01 · · · ·.	·12 ·08	2'31 2'23 2'42 1'51 2'21 1'65 1'44 1'06 1'97 2'11 1'90 1'79 2'33 3'89 1'72 2'85 2'02 0'95 1'37 3'32 1'34 1'44 2'47 0'90 2'00 0'84
27 28 29 30		·34 ·15	·02 ·03	•68					·10 ·03 ·50		·34 ·12 ·28					 ·10 ·08				·01 	·07	·01	·21· ·01	·14 ·16		·33	 ·16 ·02			···· ·29 ·02 ···		01 . 18 . 04 ·(·03	·04 ·01 ·01	·01 ·02 ·13	 		·12 ·26	·14	·04 ·14			.04	2.83
rums	1.62	2.50	0.59	0.75	0.18	1.91	1.20	1.22	0.86	1.97	3.30	0.24	0.86	1.68	0.28	1:32	1.81	0.47	2.44	1:25	1.09	0.41	3.05	0 85	0.13	3.57	0.25	1.48	0.42	1.75 0	97 0	73 0.8	8 0.77	1.63	1.89	3.74	0.68	2.53	0.95	1.65	1.97	0.93	0.86	50'23

Showing the Fall of Rain on every day in April during the years 1826-1869 at the Gardens of the Royal Horticultural Society at Chiswick.

TABLE IV.

									_	_									-				A 1D '	RII	 Т.																					
DAT OF																							3. F.	π Ι.	L.		×-												,							
MONTE	1826	1827	1828	1829	1830	1831	183	2 183	3 18	34 1	835	1836	1837	1838	1839	1840	1841	1842	1843	1844	1849	1846	1847	1848	 1849	1850	1851	1852	1853	1854	 1855 	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867	1868	1869	Sums
I					•29	•05	· · · ·	08	- 3 •(04		•76			-07	•02	•05	-02	18			.03	•05	ļ	12	•08	•••		.07		-		•02	•02	-09	-14	•36	•02					•••	•••		2.46
2				-01	1.19	•46		. 23	3 -0	07		.02	•03					.02	•05			•06			10		.03				-02	-01	•14	•02	•01	.22	•37	•24				.04	•••		.08	3.42
3								.	. .			-07							-22			.06	•04			-30	•08		-12		.08	•19	.02	•09		•01	.04	•••		.03					•04	1.39
4	-06			-14		•••		. 10) .		.04		•••	•01			•11		-23			•46	.02		.08	•03			•14		•06		-48		•••		•••		•04	·18		•10	•02			2.30
5			•24	-08				. •02	≀		.02	-17	•••	•02	•56				.02	-01		-65		•01	-01	•••	-01		•02				-06			·01	•••	•04		.54	-06	-02	·01			2.28
- 6		•05	•04	.13					. .			·11		.03			.02		.01			.30	•04			-02			•02					•09				•12	.06	***	•••	.01			•24	1-29
7			•15	•24		-20			. .	•••		-40	•02	•05		•02	•03		•35			12	·10	•04	•05			•••				•04	12	•50		•••		•01	•01	•••	•••	-01	.02	.04	•02	2.24
S				•33		.40			. .			.04		•••	•01	•01			•01		.04		•02	.04	•02	.02	•05		.06		·01	•06	-11	•46	-10	-01		•69	.11	•••			.14	-07		2.81
9		•••	•04	•30	28	25		. 05	•	•••	•••	11		•••		.01	•01				.09			•14		•01	•03		•04		•01	•30	•04		.02			.73	•06			•21	.02	-06	•••	5.81
10		•07	.02	•02	.04			. 26	·								•••		.01		19	•••		27	•04	•06	•02				-01	.04				•••		•05	•05	•••	•••		.02			1.17
11	•••	•03	•05	*51	-17	•••	.02			•••	•••		•••	•••			•01	-01			.16	.06	•10	•12		•05	•04	•••			•05	.18	•09		.01	•••	•••	•••	•02	•••	•••	:25			•••	2*11
12	•56	-18	-09	14	12	1.15		. •08	3 •1	11		.01	·01			•••	•••		•04	•23	.03	.09	-28	.16	•01	•04	•••			•01		•01	•06		•34	.02			*01		•••	•02	.03	•••	•••	2.84
13		•••	•••	12	•••					•••				•••	•••	•••	•08	.08	•••	.02	.10		.01	45	12	•30	•••		•04		-01		.16	•••	•••	.01		•••			•••	·02	•09	•••		1.69
14	***	•••	1.14	*31				. 02		•••	•••	.01		•••	•••	•••	•01	.01	•••	.02	10			•••	.03		•••	•••	•••		•••	-16		•••	*36	.01	•••	•••	•••	•••	-09	-08	.30		.02	1.82
15		•••	10	.04	13		.02	* 47		•••	•••	.01	•01	•03		•••	•05			•••	.02	•05	•05	'28	•08		•01		•••	*01	•••	•••	.09		.08	•••			•••	•••		.10	-04	•••		1.93
16			.13	63	.01						.03	.10	•01		•01	•••	•••	•••	•••	.01			•••	•29	•••	•16	•46	•••	•••		•••	•••	13	•16	.07			.02	•••		.16	-04	-06		*26	2.42
17		•15	*28	107	-08				•	•••	.01	.03			•32	•••		•••	•••			.09	•••	'11	•02	•••	•01	•01	•••	•••	•••		•••		•••		•••			•••	'02	•••	.01		.05	1.47
18		•06	•49	17	•••	•••			: '	•••	•••		•01	•01	•20	•••	•14			.01		.03		•31	•28	•••	•••	•01		•••	•••	•02	•••	•••			•••	.01	•••	•••	.02	***			***	1,03
1 19		•••	•••	103	.10					•••	***			•02	.01	•••	•••	•••							'45	•26			•07	•••	•••	•••	***		***	.01				•••	•••		.01	12	•••	1,08
20	***	•0 1	.07	.01	'12					•••	-04	•08	.01	•22	.01	•••	•••	•••	0.5		'''	.03	•••	•39	•01	08	20	•••	•25		•••	•••	•••	•••		-07		•••	[•••		14	*32	24		2-23
21				_	_		_			_																													- 1			•••				
22												- 1												,																						
21																																					- 1								- 11	
2.5			1																								- 1					,						- 1							- 11	
26									_																																			1		
2.7	_	_		_	_		_	_												_										- 1												.74	- 1			
28				1				_																									- (-10				
29			1																																					1		-10			- 1	
30			1																	1																- 1									- 11	
Sums	0-88	0.71	2.44	4.49	2.84	1.96	0.95	2.71	0.6	65 1	1.06	2-88	1.13	0.52	1.46	0.06	1.58	0.15	1.62	0.33	0.95	3.93	0.92	3.06	2.21	1-79	1.65	0.52	2-58	0.30	0.26	1.97	1.77	2.13	2.01	0.95	1-44	2-29	0.54	0.77	o-35	1.98	1.67).93 1	1.22	66 ·61

Showing the Fall of Rain on every day in May during the years 1826-1869 at the Gardens of the Royal Horticultural Society at Chiswick.

TABLE V.

DAT OF																						I	A IV	Υ.																						
MONTH	182	6 182	7 18	28 1	829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	1840	1841	842 1	843	844 1	845 1	846 1	847 1	848 1	1849	1850	851	852	853	854	8551	856 1	857 1	858 18	359 18	360 18	861 1	862 1	863 1	864	1865	866	1867	1868	1869	Suma
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22		55 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	 05 03 13 02 05 		··· ··· ··· ··· ··· ··· ··· ··· ··· ··	·04 ·72 ·12 ·05 ·12	*51 *09 *08 *10 *09 *06 *05 *03 *23 *07 *18	·08 ·10	·02 ·16 ·14 ·04 ·40 ·03 ·02 ·08	·05 ·08 ·12	·06 ·01 ·08 ·24 ·40		·12			25 -30 -70 -15 -02 -10 -160101 -02 -15 -06 -16 -01	0216 .12 .22 .20 .1026 .02	06 .16 .126 .38 .05 .57 .020218 .14 .07 .20 .04 .02 .44 .05 .09	···· ··· ··· ··· ··· ··· ··· ··· ··· ·	·01 ·03 ·48 ·20 ·01 ·04 ·08 ·09 ·03 ·06 ·07 ·27 ·26 ·02		·03 ·03 ·15 ·02 ·14 ·15 ·04 ·01 ·02 ·08 ·19 ·09 ·02 ·01 ·02 ·08 ·19 ·09 ·00		·09 ·01 ·40 ·02 ·06 ·01 ·02 ·04 ·37 ·02 ·05 ·01 ·36 ·64 ·22 ·20	03 .35 .68 .04 .2201 .01 .0401 .02 .0102 .11 .06	09 .02 .02 .0103290510 .04	01	06 .5824 .02 .24 .02	·16 ·02 ·01 ·04 ·39 ·62 ·17		·26 ·16 ·24 ·16 ·70 ·14 ·19 ·20 ·34 ·13 ·24 ·16		*08 *08 *05 *02 *12 *06 *18 *10 *14 *10 *04 *08			01 04 04 03 02 33 .52 .04	·02 ·12 ·46 ·80 ·60 ·31 ·10 ·04 ·13 ·46		·09 ·18 ·12 ·09 ·18 ·12 ·09 · ·55 ·10 · ·28 ·02 ·01 · · · · · · · · · ·	·08 ·04 ·18 ·04 ·01 ·37 ·12 ·73 ·60 ·12 ·09 ·02 ·01 ·02 ·50	·01 ·14 ·10 ·01 ·04 ·05 ·02 ·11 ·15 ·04			·48 ·34 ·02 ·06 ·02 ·06 ·28 ·02 ·16 ·22	1.62 1.79 2.65 2.45 4.36 3.53 3.40 3.83 3.76 2.44 2.39 3.96 2.83 2.29 2.52 1.49 2.33 1.48 2.54 3.56 2.77 1.58
23 24 25 26 27 28 29 30 31	······································		15 13 13 13 13 13 13 13	 :13 :34 :12 :09		·21 ·64 ·06 ·03 ·05 ·20 ·16	•65	···· ··· ··· ··· ··· ··· ··· ··· ··· ·			······································			·02 ·02 ···· ·05 ·21 ··· ·38		······································	···· ··· ··· ··· ··· ··· ··· ··· ··· ·	·01 ·20 ·23 ·01 ·13 ···	·53 ·06 ·03 ·20 ·14 ·16 ·30 ·03 ·06	···· ··· ··· ··· ··· ··· ··· ··· ··· ·	·16 ·54 ·10 ·27 ·08 ·01 ·07		 .56 		··· ··· ··· ··· ··· ··· ··· ··· ···	 .03 .03 .02 .10 	 •08 •01 	11 .35 .01 .03 .25 .01	···· ··· ··· ··· ··· ··· ··· ··· ··· ·	·10 ·08 ·12 ·48 ·12 ·42 ·40 ·34 	··· ··· ·· ·10 ·09 ··· ·14 ·46	·04 ·14 ·02 ·63 ·41 	·23 ·05 ·01	·43 ·48 ·16 ·01	 .30 .34 .01	 ·04 ·03 ·30 ·07 ·48	·03	·04 ·01 ·09 ·01 ·15				···· ···· ···· ···	 •35 •02 •04 •04 •01	·24 ·18 ··· ··· ··· ··· ··· ···	···· ·10 ··· ·44 ·36 ··· ·20	2·39 2·88 2·44 2·76 3·44

Showing the Fall of Rain on every day in June during the years 1826-1869 at the Gardens of the Royal Horticultural Society at Chiswick.

TABLE VI.

DAT OF	,	•																										J	UI	1 E.		·			· -																	- 1	
MONTH	18:	26 18	827	828	182	29 1	830	183	1 1 8	3 2	183	3 18	334	835	183	6 18	337	838	1839	184	0 18	41 1	842	1843	1844	184	5 1 8.	46 18	847	848	1849	1850	1851	1852	2 1853	185	4 185	5 18	56 18	57 1	858 1	859	1860	1861	1862	1863	1864	1865	1866	1867	1868	1869	Sums
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	.0	8			.1	02 01 07		 .05 .07 .13 .06 .05 .02 .13		······································	·54			.02	· · · · · · · · · · · · · · · · · · ·	1 1 9 3 1 5		·25 ·37 ·05 ·01 ·12 	·11	·28		08 02 26 01 40	·01		 •04 •05 •02 •01 	 .06 .05 .08 			02 .06 .05 .0203 .24 .18 .10 .03 .09 .0136	•44	•••	·03 ·06 ·03 ·04 ·19 ·04	·32 ·04 ·23 ·04 ·01 ·38 ·05 	·03 ·02 ·03 ·03 ·41 ·45 1·48 ·18 ·01 ·02 ·28 ·13 ·16 ·20 ·09 ·30 ·12 ·05 ·02		·05 ·02 · · ·01 · ·04 ·04 ·045 · ·06	02 02 02 03 03 03 03 03 03 03 03 03 03 03 03 03		2 4 4	03 02 05 10 15 10 02 	 	 •01 •13 	···· ·34 ·12 ·19 ·04 ·08	•02	·02 ·28 ·03 ·06 ·03 ·04 ·20 ·50 ·06 ·48 ·20 ·08 ·12 ·03 ·05 ·06	·25 ·84 ·36 	·26 ·02 ·03 ·06 ·46 ·08 ·16 ·14 ·01 ·17		1·02 .0204 .18 .01 .01 .16 .05 .09 .02 .01 .84	·24 ·02 ·10 ·06 ·12	·02 ·08		
				•••	-3	38 19 80 08 06 22	·09 ·02 ···	·22 ·07 ·30 ··15	2 7 7 0		·48	3	•07	·20 1·00 ·01 ···	.0		•••	·72 ·01 ·01 ···· ·20 ·07	·07 ·51 ·20 ·40 	·1 ·1 ·1	0	04 	-09 .80	···· ···· ·01 ····	·62 ·12 	·09 ·15 ·16 ·104 ·03)	 09 01 03 	·06 ·01 ·01 	·04 ·01 ·02 ·02 ·01 ·08		···· ·69 ·01 ·31 ···		·32 ·12 ·04 ·03 	·18 ·36 ·01 ·04	·01	7		• • • • • • • • • • • • • • • • • • • •	01 02		···· ·10 ·12 ·62 ··· ···	·56 ·01 ·04 ·18 ·22 ···	·15 ·05 ·03 ·16 ···		···· ·02 ·02 ···· ···	·08 ·02 ·08 ···· ·06 ···	···· ··· ·02 ·42 ·43	02				3°94 3°93 2°34 3°03 1°30 3°11
Sum	.e 0-	38	0.82	1.94	2.	37	2.62	1.3	7 2	2.89	2.63	3 1	63	1.99	1.6	36 1	31	3.65	3.00	1.4	8 2	45	1.58	1.62	0.97	1.36	6 00	80 1	•31	3.20	0.31	1.40	1.33	7.69	2:54	1.53	3 1.48	0.8	8 1.	91 0	78	3.10	5.15	2.35	2.33	4-46	1.70	1.84	3.60	1.37	0.33	1.26	87.37

TABLE VII.

Showing the Fall of Rain on every day in July during the years 1826-1869 at the Gardons of the Royal Horticultural Society at Chiswick.

DAY OF																									Jυ	LY.	1							,														
MONTH	1826	1827	1828	1829	1830	2 8 3	1 18	321	833	1834	1835	183	6 183	37 18	338 1	839	1840	1841	184:	2 184	3 18	44 I	845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1 865	1866	1867	1868	1869	Sums
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 ,22 23 24 25 26 27		·38 ·05		·32 ·07 ·16 ·18 · ·23 · ·09 ·41 ·08 · ·27 ·02 · ·46 ·70 · · · ·	·31 ·21 ·05 ·04 ·01 ·09 ·1 ·22 ·47 ·01 ·1 ·1 ·1 ·1 ·1 ·1 ·1 ·1 ·1 ·1 ·1 ·1 ·1	· · · · · · · · · · · · · · · · · · ·	1	03 01 02 72 07	·20 ·01 ·20 ·24			······································		2 2 3 4 2 4 3 4 3 4 4 3 4 4 4 4 4 4 4 4	34 09 14 06 45 11 16 17 03 		·01 ·02 · ·14 · ·46 · · · · · · · · · ·.	.05 .01 .0459 .03 .08 .013602 .02 .07 1.46 .0107 .29 .10 .22 .01	·05 ·01 ·09 ·43 ·03 ·02 ·02 ·01 ·12 ·02 ·02 ·02 ·02			34 222 14 01 06 06 13 06 53 	·13 ·06 ·01 ·01 ·01 ·15 ·02 ·71 ·07 ·01 ·04 ·03 ·07 ·02 ·05 ·05	·04 ·01 ·24 ·13 ·08 ·16 ·30 ·02 ·06 ·22 ·05 ·04 ·02 ·05 ·04 ·02	·01 ·09 ·02 ·08 ·02	·04 ·07 ·29 · ·03 ·22 ·36 · · ·04 · ·07 ·21 · ·38 ·08 ·11 ·08		25 .3309 .341501 .04 .34 .37 .0215 .10 .06	1·1808 .16 .24020203080808		·22	·02 ·02 ·01 ·06 ·07 ·15 ·05 ·02 ·40 ·01 ·17 ·02 ·02 ·02 ·05 ·05 ·05 ·05 ·05 ·05 ·05 ·05 ·05 ·05	01	0102 .25 .48 .0102 .01080104 .070202	·04 ·10 ·11 ·03 ·31 ·01 ·02 ·04 ·01				·05 ·12 ·05 ·26 ·04 ·05 ·02 ·01 ·06 ·14 ·08 ·02 ·02 ·10 ·03 ·04 ·01 ·12 ·13 ·29	·01 ·23 ·29 ·02 ·30 ·20 ·18 ·38 ·05 ·10 ·01 ·03 ·23 ·03	01	14 -0802011012 -03		·13 ·04 ·16 ·13 ·03 ·19 ·01 ·03	·24 ·04 ·14 ·02 ·26 ·09 ·28 ·27 ·32 ·06 ·01 ·13 ·02 ·20 ·02 1·48 ·40			4'09 1'04 3'38 1'47 2'54 2'89 2'38 2'81 2'99 2'40 3'62 2'98 3'24 2'68 4'73 3'65 3'18 4'54 3'17 3'76 2'74 3'92 4'81 3'73 2'99 4'74
28 29 30 31			·05	·17	·03		4 . 8 .			·17 1·31 ·66	 	·32 ·02 ·14	2 ·3 2 ·0 4 ·0	30 · 33 ·	05 09 32	·01 ·40 ·21	·01 			.04	6 . 7 . 7 ·1		°05				····	·01	·06 ·03 ·52		·10 ·03		·06 	·06		·02	·12 ·13	1.39	·01 ·01	·03			 ·01 	·23 ·12 		·16	·60	
Sums	2.07	1.31	4.36	5.23	1:46	2.55	2 0	80 1	1.26	6:34	0.41	1.78	3 1.7	78 2	19	2.92	1.68	3.56	1:52	1.6	7 2:	10 2	2·31	1.78	0.79	2.21	2.82	2.68	3.90	2.28	4.17	2.40	6.30	1.43	1.22	2.55	2.18	2.72	1.90	2.09	0.80	0.20	2:37	1.30	4.00	1:32	0.80	102.19

Showing the Fall of Rain on every day in August during the years 1826-1869 at the Gardens of the Royal Horticultural Society at Chiswick.

TABLE VIII.

DAY OF								_											_					A	υ (3 U	S T	r .																					
THE		5 182	7,182	28 18	329 1	830	1831	183	32 18	833	834	1835	1836	183	7 183	8 18	39 1	840 1	841	1842	1843	1844	184	5 184	.6 184	47 18	48 1	849	850	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867	1868	1869	Sums
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26	10	·12	3 · 1 · 1 · 1 · 1 · 3 · · · · · · · · ·	0 2 2 7 3 ± 6 1 4 2 0 0 5 0 0 5	17 03 07 33 15 12 .67 .37 17 .28 .08 .18 .48 .17 .19	·01 ·02 ·17	·05 ·01 ·03 ·21 ·03 ·54 ·06 ·03 ·14 ·01	·16 ·0 ·0 ·0 ·0 ·0 ·0 ·0 ·1 ·0 ·0 ·0 ·1 ·3	66 55 11 				···· ·13 ··· ·06 ·69 ·02 ···	· 01	1 11	1			'01 '07 '01 '01 '36 '30 '30 '04 '58 '01 '13 '07		···· ·61 ·16 ··· ·01 ·02 ·22 ·95 ··· ···	·15 ·01 ·37 ·02 ·12 ·12 ·33 ·24 ·30 ·03 ·01 ·01 ·1. · ·	·61 ·10 ··· ·05 ·12 ·24 ·26 ·01 ·05 ·36 ·01 ·07 ··· ·· ·28 ·42 ··· ·04 ·07 ··· ·04	· 0 · 8 · 4 · · · · · · · · · · · · · · · ·	5 5 .00 3 .2 5 1 .1 .00 .00 6 7 .3 .00 7 .1 1 .00 300		10 15 05 11 12 13 23 15 19 21 68 12 02 06 26 17 06 04 03 01	·06 ·02 ·17 ·40 ·34 ·02 ·09 ·01 ·15 ·01	 .10 .10		·78 ·47 ·64 ·76 ·03 ·05		·40 ·27 ·39 ·04 · · · ·01 · ·11 ·10 · ·12 ·01 · ·08 · ·	·44 ·50 ·01 ·02 ·05 ·12	··· ·02 ·02	·14 ·01 ·07 ·06 ·55 ·12 ·59		·16 ·01 ·01 ·21 ·22 ·19 ·03 ·42 ·04 ·01	19 .083672 .04 .0214 .10 .03 .04 .29 .06363645 .24 .48	13 .18 .020110	·31			1·08 ·05 ·02 ·06 ·16 ·04 ·02 ·08 ·04 · ·26 ·82	·09 ·11 ·08 ·32 ·10 ·07 ·01 ·05 ·08 ·02 ·06 ·06	32 .39 .28 .0318 .27		·34 ·10 ·20 ·06 ·04 ·22 ·20 ·02 ·04	3.24 3.45 3.53 3.77 2.67 2.48 4.39 4.06 1.62 5.53 5.24 3.01 3.71 6.05 2.48 2.88 2.88 2.05 3.47 3.30 4.24 1.73 3.21
27 28 29 30 31					·37 ·11 ·03	·40 ·16 ·01		·3 ·0 ·2 ·2	34 03 29 26		·02 ·01 ·92		·12 ·20 	·1°		. •1	15 02 10			·20 ·14 ·52 	 •05 			•0	· · · · · · · · · · · · · · · · · ·	 06 · 01 ·	01 10 10 10 10 10 10 10	···· ·01 ···· ·06		···32 ···· ·07 ···		·01 ·02 			 •07 		 16	·20 ·01 ·16 ·20	·01 ·22 ·03			·08 ·12 ··· ·04		····	·06 ·90 ·02	 .13			3.51 1.28 5.66
Sum	2:00	-		- -				-						-	_ -			.					-	·			-					 															2·37		

TABLE IX.

Showing the Fall of Rain on every day in September during the years 1826-1869 at the Gardens of the Royal Horticultural Society at Chiswick.

DAY OF	F								Ī																	S	E	? T	e IV	ſВ	ΕR							,														
THE MONTH	18	26 1	827	182	8 1	829	183	0 18	831	183:	2 18	33 1	834	1835	183	6 18	37 1	838	1839	1840	184	1 84	12 18	343 r	844	1845	184	6 184	47 I 8	848 []] [849	850	1851	1852	1853	1854	1855	185	6 185	1858	1859	1860	1861	1862	1 86 3	1864	1 86 5	1 866	1867	1868	1869	Sums
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	· 6	05 23 58 11 59 26 60 10 		1·2· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ··	7				 	·20 ·61 ·01 ·14 ·04	······································	5 9 6 3 2 0 4 6	·14 ·06 ·30 ·03 ·08 ·05 ·03	17 .1528 .08 .06 .01 .49 .0620 .17 .01 .76 .60 .08 .28 .09	·01 ·22 ·45 ·14 ·16 ·70 · ·38 · ·08 ·02 ·01 ·01 ·02 ·04 ·06 · ·08 · ·08		02 07 10 20 26 26 09 69 02 	·04	·01 ·11 ·01 ·19 ·06 ·04 · · ·04 · ·09 ·84 ·20 ·21 ·90 ·52 ·08 ·04 ·30 ·17	·22 ·02 ·13 ·02 ·01 ·02 ·40 ·06 ·19 ·10 ·40	48 .32 .0417	·4 ·· · · · · · · · · · · · · · · · · ·	6	52 01 20				. · · · · · · · · · · · · · · · · · · ·	1 3		·24 ·04 ·12 ·18 ·32 ·36 ·01	·01	·10 ·01	·01 ·02 ·32 ·48 ·14 ·09 ·10 ·07 ·11 ·84 ·03 ·23 ·01	·80 ·44 ·12 ·01 ·03 ·07 ·19 ·04 ·08		02 .01	·01 ·12 ·11 ·10 ·01 ·10 ·11 ·12 ·18	·14 ·28 ·49 ·01 · ·01 ·05 ·60 ·29 ·24 ·68 ·08 ·05 ·15 · · ·01 · ·	02 .18 .120801		·10	01 .06121806 .02 .020218	·03 ·21 ·01 ·22 ·01 ·14	18 14 02 26 39 07 69	·01 ·05 ·10 ·09 ·30 ·10 ·02 ·80 ·16 ·61 ·26 ·02 ·04 ·18		·03 ·22 ·08 ·36 ·12 ·61 ·08 ·22 ·24 ·06 ·16 ·08 ·40 ·02 ·04 ·24 ·02 ·03 ·12 ·50 ·10	20 -22 -10 -02 -1282 -30 -21040813 -06	 		4.01 2.78 3.28 2.61 1.69 5.37 2.79 4.64 5.89 4.27 3.35 2.56 2.46 3.47 2.77 3.06 4.00 4.79 3.16 2.62 3.61 3.20
24 25 26 27 28 29	1 1 4		·07 ·43 ·	· · · · · · · · · · · · · · · · · · ·		······································	·08	5	···· ·07 ·02 ·23 ·45		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 2 1 2 1		 ·69 ·07	···· ·04 ·52		01	·75 ·01 ·01 ·55 	·06 ·03 ··· ·01 ·01	·36 ·04 ·16 ·30 ·01	·25 ·30 ·27 ·57 ·15 ·35	0 2 0 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6 6 8 7		 .05	···· ·01 ··· ·02 ··· ·06	·07 ·08 ·24 ·09 ·00	1 5 4 9		···· ·10 ·24 ·01 ·80 ·27	···· ··· ··09 ·07 ·46	·12 ···· ·72 ·49 ··· ·29	 .06 .01 	·01 ·01 ···· ·63 ·29 ·02	·14 ·02 ··· ·02 ·25			·20 ·05 ·27 ·61 ·13 ·02	12 14		1·68 ·01 ·19	·80 ·01 ·24 ·14 ·09 ·01	·49 ·19 ··· ··· ·17	·16 ·06 ·06 ···· 1·44 ·36	·10 ·23			·05 ·02 ·16 ·04 		···· ·28 ·42 ·01 ·26 ·18 ·25		4.09 1.87 6.09 4.82 6.19 3.65
Sums	3.7	1 3	3.37	4.03	3.	71	3.21	4.	19	1.12	1:5	$\begin{bmatrix} - \\ 5 \end{bmatrix} \begin{bmatrix} 0 \end{bmatrix}$	-83	4.60	3.81	0.6	91 2	:08	3.92	2.45	3.71	3.3	9 0.	98	1.31	1.77	1.76	6 1.6	6 2	20 2	:49	2.36	0.42	3.54	2 41	0.58	1.15	1.99	3.52	1.05	4.05	2.82	1.78	2.74	3:47	2.81	0.58	4.04	2:31	1.88	3.72	109.98

TABLE X.

Showing the Fall of Rain on every day in October during the years 1826 1869 at the Gardens of the Royal Horticultural Society at Chiswick.

										-		-		· -				,						N 550																					-		
DAYOF											ţ												00	J T (OB	ER.																					
тпе Мохтн	1826	1827	1828	182	9 18	30 1	831	1832	183	3 183	34 I	835	1836	Ì 1837 	1838	8 183	1 840	184	1 84	2 184	3 184	1 84	5 184	6 184	.7 184	8 1849	1850	1851	1852	1853	1854	1855	; 1856	5 1857 	1858	1859	1860	1861	1862	1 863	1864	1869	1866	1867	1868	1869	Sums
ı	12	•45	.05			_ -	.03	•53			.	•53	-39		•01			1-20		. 11		.03					•08	-35	·02		.01	.02			-		ļ	•14	.02	-18	02		<u> </u>			•04	3.32
2		•••		-08	3 0	1	.01	.02		.	- 11	.23	.48	.03		.12				. 01		.07	44		. 03	12	-02	•14	.03			·12							-02	.03						.24	2.58
3		•••		•44			-30	.06		.		·21	•04			.21		•13		. 01		.17			. 04	1.01	.02	-06				•36	·10]			3.19
4		•••	•08	11			.08	.20		- .	••	·01	•••			-27	.02	-36					. 08		. 01	-07		•25	1.06	.33		:70	•11	.02	-07		•••			.01					.52		4.36
5		•••	•50	.07	7 .	••		-57		. .,			•04	•29			.07	-22			.22		.10			.02	•••	.18	·10	•32	.01	.82	.03	.08	-18			.03		.03			.01				3.89
6		-••	.03		. .		.06	•26		.		•06	.78	.09				.04	·	. 19	•••	•22	. 20	15	i · · · ·	•46	15		.06	-08	•52	•11	.06	•••	.01			•05	.05		•••	•••	•••	-15			3.48
7	•••	•••	.11	•58	3 .	••	•••	•41		.	••	•••	•14	•••				1 .04		. 06		.01	-16	-22	•	.02	•••	.09	•••	12	1 6	.03	*36	*32	•24	•18	•••	.01	•••	-20		.06		•04	•••		3.40
8	-18	•20	•••	•••			.63	.02		• •	••	·10	•25	•••		1		.03	•	1		.01	.13	.03		•••		•••	1	•46	.03	.09	•50	•55	•••	.10	.01	•01	•••	•01	•••	.14	•••	.01		•••	3.41
9		.14	•••	•••	•	••	-10	•07.	ļ. ···	.	••	•52	•09			23	•••	.03	•	1	.01	35	.20	'22	.06		.02	13	•05			•••		.04		21	•01	•02		•06	•03	.79		30	•••	•••	3.79
10	31	.68		le ***				•••		.	••	.01	•36	•••	•••		•••	21	•••	40	'07	1	12	.02	• • • • • • • • • • • • • • • • • • • •	•••	.06	•••	•••	•05	13	.02		20	.09	•04	*36	•18	.60	•03	•••	•58	•••			•••	5.35
11	•05	•08	***	•••			•22	.10			•		.01				***	34	•					.03		1	.02		•••	12	'''	.25	12	02		.05	16	•11	15		•••	•10	***	15	•••	.10	2'79
12	****	•••	•••	.07	.	$\begin{vmatrix} 2 & 1 \end{vmatrix}$	- 1	.12				14	20 .		.02		•••				1		1		-09		•••	•04		·19	***	·33	.02		.02	•10	•10		·17	.04	•••	•••	.06	.02	***	12	3,58
13	•••	•••	•••	107			·06	.02	.50		2	.02	·03	•••	·02 ·20			1 .00			·33 ·42	1	.50		14		•••	.03	1	•16	.06	•01	-20		•05	-01	·06	•••		·07 ·02	•••		00	.04			2.22
15	•••	•••					.02	·04		. 1			•06		1			1 .50			1:04				21			•34		•04	.16	.09	.21		•••	•14	.28		•05	•14	•06	VI	•••	.20			4.32
16	12			l					.10	.0	 14		•••										1.10			.05				-32		•56	•06			•34	.29	·01		•01	.02	•58			.16	-20	3.01
17								•••		$\cdot \cdot \cdot_1$	7					14		.01				1	.10					***		•31	-04	·10	•••	•04	-22		.01		16		•06		•14	-04		.04	1.48
18			,		. -0	2		.08		3			•13	.04		.00		1		1			.85		.04			•01					•••	.21	-10		-18		.70			•78	.78	.08		•37	5.28
19		-80			. 0	1		•14		. -0	2		•01						:02		.03		.08	.07	-01			·01		-36	-03	•••		-03	14	•03	∙01		*55	.01	.03	·18		-01			2.38
20				.05			-10	•••	-03	.0	14	-13	•••		.02			.04		.25	.03		•25	20	•34	•12	•••		•••		·61		•••			.06				-02	-28	·12	.02		.20		2.91
21			•••	-11				•••	•33	3 .,		-06	•••				•01			.01	•64		-37	.01	10	-08	•••	•••	•26	.08	.04	•01		•36	•••			.06	-12		-30	20					3.12
22	•27	:47			. 0	7	15		.66	0.	1	.20		.02		-01	.02	•01	•50	•11	.04			.01	12		•11	•••	•14				•••	1.96	•••			-28	-06		-01	-80	∙30	•••			6.33
23	•40	•••	•34		. .		·11	•••		. 0	3	.26	.01	-36		'24	.27	•21	.07		•04		.22	•44	.56		•46	•••	-18	•••	•••		∙01	•••			•04	•02				.04	-01		.08	.08 ∥	4.48
24	••-		t														1	i i	1												.52															1	
25	4)			_			- 1																								•44	- 1															
26				_																											•••							- 1									
27		1																4																													
28						_																																							1		
29			_		_	_																																									
2.1			_		_														-														, ,													- 1	
3.							•••	_ 2±	-08	<u>'</u>	•••	04	•••	34	.30	10	101	119	•••	.28		•••	-01		12	•••	.08	-02	•••	•••	•01	-22	28		•••			12				10	•••				3 - 3
Sums	2-14	4.06	1.18	1.60	0.8	8 3	8-81	3.09	2:37	7 0.4	13 4	1.05	3.62	2.39	2.36	2.23	1.35	4.61	1.71	4.19	4.13	1.39	5.24	1.75	2.93	2-18	1.55	2.01	3.87	3-78	2.61	6.15	2.40	4.01	1.36	2.55	1.60	1.04	3.00	1.26	1.42	6.25	2.00	1.41 1	.93 1	.17	15.46

Showing the Fall of Rain on every day in November during the years 1826-1869 at the Gardens of the Royal Horticultural Society at Chiswick.

TABLE XI.

Post																																												
DAY OF		1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	1840	1841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	857	858 1	859 18	60 18	61 186	52 18	63 180	54 18	65 186	66 18	67 <mark>186</mark>	8 186	Suris
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24			···· ··· ··· ··· ··· ··· ··· ··· ··· ·	·03	6709 .2741 .03 .02 .01 .12 .23 .04	09 .021801 .08 .01 .3425 .01 .04 .35 .02	·02 ·39 ·08 ·03 ·14 ·02 ·02 ·18	···· ·10 ··· ·102 ··· ·03 ··· ·02 ··· ·02 ··· ·02 ··· ·02 ··· ·02 ··· ·03		.02	·10 ·14 ·17 · ·03 ·08 · ·05 · ·08 ·16 ·	·13	·02	 .05	·35 ·22 ·11 ·40· ·41 ·01 ·02 ·16 ·01 		·11	·62 ·01 ·08			·04 ·07 ·50	·01		36	·22 ·26 ·46		·18		·02 ·08 ·17 	·01		·03 ·01 ·01 ·05 ·36 ·12		·13	·1 ·0	03	22 4)6 ·9)8 ·.	9	. ·01 1 ·01			·04 ··· ·14 ··· ·02 ·26 ···	2.68 3.09 2.72 2.46 3.27 2.99 2.32 2.97 1.70 3.96 3.09 1.97 4.61 4.22 1.99 2.02 2.67 2.88 2.48 1.60 4.43 3.50 3.06 2.93
25 26 27 28 29 30		···· ··· ·32	···· ·24 ··· ·11	·05 ·01 ·03	···· ·13 ····	·01 ·01 ···	·24 ·11 ·26	···· ·03 ·53		·09 ·15 ·49 ·02 ·34	·16 ·16 ·07 ·45 ·56	····	 ·04 1·21	·12 ·88 ·06 ·37		··· ·02 ·11 ·60 ·54	·12 ·01 ·24 ·04 ·01	·34 ·01 		·06 ·04 ·51	·27 ·01 	·04 ·54 ·17 ·64 ·02	·05 ·38 		·04 ·02 ·01		·22 ·70 ·08	·26 ·05 ··· ···		······································	·49 ·01	·02 ·10 ···· ·02	01 02 04	·0 ·26 ·3 ·62 . ·0 ·56 ·1	13 0 14 0 2 8	9 ·02 ·06		·10 ·00 ·00	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	7 4 .01 3 .01 9 2		2	1.04	2.46 3.90 4.18 5.17 4.58
Sums	2.89	1.06	1.12	1.86	3.05	1.70	1.94	2:38	1.75	1.94	3.60	1.32	3.22	4.27	3.59	3.41	4.43	2·13	3.06	2.11	1.43	2.26	0.80	1.32	2.03	0.55	8.20	0.91	1.31	1.34	0.94	.53 0.	10 2	.72 2.6	0 4.1	0 1.01	1.6	8 1.9	1.7	0 1.16	0.39	1.07	2.18	92.23

Showing the Fall of Rain on every day in December during the years 1826–1869 at the Gardens of the Royal Horticultural Society at Chiswick.

TABLE XII.

DAY OF																				D	E	E	МВ	ER	•																				
THE	1826	1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	839	1840	1841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	859	860 18	361	1862 18	863	1864	1865	1866	1867	1 868 1	1869	Sums
I	•25	•••				•••	•06	•05	.02				-22			-08	.01			.02			•19	·12	·01		.05			.03		.02	-02	.02	.01		.	25		.02	.20	-30	.02		1.97
2		-12			•11	•01	•19	-01		•02	.04		•51			12	•••	.02	•••	-30			.02	•46						.04			·02		.01		•	.63	·02		.08				2.43
3		·14			-01	•••	.02	•••		-02	.06		.02			•17	•••	.01						.06	•••	•••	•••	.02		•02	-26	.04	.01	.01	·12		.03		.02	.02	.10		.06		1.38
4		•02	•••		.0‡	•••	-02	•13		.02	•14		•••			.13		.01	•••	•39	•••	-28			•06				•••	.01	.12		•••	•26	.07		.01				•14	.10	'14		2.78
5	-18	.0Ŧ				.02	·18	•13			.02		.01			.14	•••	.02	•		•11	•12	1	10	.02	.02	.25	01	•04		°04			.12			.05	07			·48	•10	·04		2.34
6	•21	-••	-09			•02	.01	15	•01	-01	•••	-08	•20	.01		.30		•••	•••	.01	•••				•••		•••	•••			.02	.02	.01	.26	.06	46	.17	•••		•••	.16	14	.28	•••	2.90
7	•14	.02	•43	***	·01	·37	•••	.03	.14	•••	•52	.15	.09			.12	.01	·01	•••		•••	•01		10	•••	•••	•19			•••	.03						.16	•••]	.02	.22		•••	.36		3.42
8		•••	•34	***	•30		.01	.16	•••	11	*04	•0.1			.10	.01	•••	•••		.06				•01	•••		.08	.01	.01		.03		·01		.34	23		05	.06	•••		•••	•14	•••	2.64
9	*24	.08		•••	.18		•••	•04	19		•02	.01				.15	•••	-08	•••	•••	•07	.03			•••		.01	02	.04		.15		•••			•••	.34	03			•06				2.02
10	•20	•••	.05	•••	•••		.03	.01				•••				.07		•••	•••	•••	•08	.01	.01		•••		.03		•••	•••	33					01			•••		.02		.02		0.01
11	•••	•62	•••	***	•••	12	•••	.06		•••	-17		•••	.09		.09	*32		•••	•••	•••		•••						•••	•••	19	••-	•••	•••		06	·18			•••	12	•••	•••	.30	2.32
12	-07	-15	•••	•••	•••	•26.	•••			•••	•14	.02	•••	10		.17	.01	.01	•••	•••			•••		.02		•20		.03	•••	•44		.10		1	04			.02		.04	•••	•••	.04	1.87
13	-10	•06	•••	•••	•••	•07	•••					•••	•••	.16		.08		.01	•••			•••		02	.05	•••	•12		.02		.02				'	06	14	•••	.02		.20			.02	1.12
14	-09	*32	•••	•••	•••		.03	.01	•••	•••	.02		•••				•••	•••		•02		•••		.09	•21	•••	•25	•••	.01	-07	.01	•••				•••	•••	•••	•••]	•••		.06	'12	.30	1.75
15	•06	*26		•••	•10	}	•50	06	•••		.16		•••	.09		.10	•••	•••	•03	.02	•••	•01		09	•30		.03	20	•09	•••	•••		.01			07	•••	•••		• • •	.15	'16	.36		3.16
16	•••	•09	'45	***	•18	•22	.02	1		.01		12			•••	•••	•06	-04	•••		•••	•••		***	.06	.01	.27	••• }	•••		•••	.10				•••		•••		•••	.01		10	.60	3,18
17		•12	.09		•04	28	•10	•11			•01	•37	•••	.28		•••	•••	•••				.03	1		•02	•••	•01	•••	.10	•••	•••				.01	•••	.08				'01	.04	.22	.06	2.08
18		•20	05	•13	•02	•••	•••	12	•••	•06	.05	'11				•••	.07	•••	.05		-22			•11	•19			•••	·1±		.07	.04	•62	•••	, •••		•••	•••				•••	.20	.06	3.07
19		•25	•••	•••	•••		•••	'14	•••	•••	.05	38		.27	.19	•••	.01	•••	.01		'04	•01	.01	.03	·12	.01	•01		•36		•••		.09			•••	***	•••			•••	•••			2.12
20	-23	.02		•••		10	.07	'76	•••	•••	•••	10		.06	•••	•••	.01	•••	•••	.03	-07	•••	•••		•••	.02	•••	•••	.08	•••	•••	.07	.04	•••	•••	•••			10	.01	•••	-10		.30	2.10
21	•••	.06		***	•05	.04	.01	-11	•••	•••	•••	• • • •		20	***		.01	•••			11			.02	•02	.19	•••	***	•12		•••	.01	.03		•••		.01	05	•••		.01	12	- 1	·40	2:68
22	•••	36	_	1	_			_														_												_										- 11	
23	***	103	1		_				_	_				_	_		_																		.02					1		1		- 11	
24	•••	10			_		1				1						_																·01				.01				1			- 11	
25		•09										1												1									.25						I					15	
20	•••							1									_											4 1															- 1	- 11	
27			_																																•13								- 1	- 11	
20	-**	1		_	_	_			1								_					_		1																				- 11	
29		_			_	_																_				1 1									18									- 11	
30	•••		_	_	1			,															1					, ,				_			26									- 11	
1-			-		-	-		-																										_		-	_								
Sums	1-77	3.09	1.77	0.12	1.24	2.38	1.88	4.29	0.74	0.25	1.48	1.35	1.72	2.32	0.45	2.12	0.76	0-58	0-39	2.61	1.21	1.81	2.03	1.28	1.15	0.62	1.97	0.30	1.27	1.11	1.88	0.30	1.23	1.95	2.03 0	94	1.49 1	26	0.34	0.92	1.93	1.02	4.86 2	2.44	37.28

A glance at these Tables shows in every month the periods of long-continued absence of rain, and of long periods of continuous rain.

The following are instances of very little or no rain for a fortnight together or more:—

In January, 1826, 1827, 1829, 1830, 1838, 1850, 1861.

" February, 1827, 1855, 1858, 1862.

March, 1828, 1829, 1847, 1850, 1858.

,, April, 1826, 1834, 1840, 1842, 1852, 1855, 1861, 1863, 1864.

,, May, 1829, 1833, 1834, 1836, 1838, 1848, 1866.

June, 1826, 1835, 1842, 1846, 1849, 1865, 1867, 1868.

July, 1827, 1832, 1835, 1860, 1863, 1866, 1869.

, August, 1826, 1833, 1834, 1835, 1853, 1857, 1864, 1869.

"September, 1832, 1846, 1850, 1851, 1865, 1868.

,, October, 1828, 1842, 1845, 1868.

,, November, 1844, 1851, 1858, 1859, 1862, 1867.

,, December, 1829, 1834, 1835, 1838, 1840, 1844, 1851, 1853, 1855, 1859, 1861, 1864, 1865.

Thus there have been in the forty-four years—

7	such instances in	January.		sucn /	instances	in July.
4	,,	February.		8	,,	August.
5	,,	March.		6	,,	September.
9	,,	April.		4	,,	October.
7	,,	May.	(3	,,	November.
8	, ,,	June.	13	3.	,,	December.

The month in which long periods without rain have been most frequent is December, and those in which long periods have been least frequent are February and October.

The longest intervals without rain in each month are as follows:-

January,	1838				•			26	days
February,	1827							24	,,
March,	1829						. •	27	,,
April,	1834							24	,,
May,	1833							28	,,
June,	1865							24	,,
July,	1869							27	,,
August,	1864							19	,,
September,	1865							19	,,
October,	1842							17	,,
November,	1867							25	,,
December,	1829							28	,,
	March, April, May, June, July, August, September, October, November,	February, 1827 March, 1829 April, 1834 May, 1865 July, 1869 August, 1864 September, 1865 October, 1842 November, 1867	February, 1827 . March, 1829 . April, 1834 . May, 1865 . July, 1869 . August, 1864 . September, 1865 . October, 1842 . November, 1867 .	February, 1827	February, 1827 . . March, 1829 . . April, 1834 . . May, 1833 . . June, 1865 . . July, 1869 . . August, 1864 . . September, 1865 . . October, 1842 . . November, 1867 . .	February, 1827	February, 1827	February, 1827 March, 1829 April, 1834 May, 1833 June, 1865 July, 1869 August, 1864 September, 1865 October, 1842 November, 1867	February, 1827 24 March, 1829 27 April, 1834 24 May, 1833 28 June, 1865 24 July, 1869 27 August, 1864 19 September, 1865 19 October, 1842 17 November, 1867 25

Of periods of 14 days or more without rain running from one month into another, and therefore in addition to the above instances, there are 24; the largest of these is 32 days in 1846, May 21 to June 21; the next in order is 30 days in 1826, June 8 to July 7, and 1850, February 21 to March 22.

The following are instances of long-continued rain, or rain falling every day for a fortnight together:—

1834 and 1846. In January, February, 1833. March, 1836. 1829 and 1867. April, May, 1843. 1852, 1860, 1862. June, 1867. July, August, 1832 and 1860. September, 1829, 1830, 1835, 1860, and 1866. 1836, 1841, 1846, 1848, 1855, 1865. October,

,, November, 1842, 1852. ,, December, 1827, 1833.

Thus, once only in the four months of February, March, May, and July has rain fallen consecutively for so long a period as 14 days. Of the remaining months there are five distinguished by two such cases in 44 years, viz., January, April, August, November, and December, and there are three such cases in June, five in September, and six in October.

Of other instances of 14 days or more of continuous rain running from one month into the next, there are seven cases, viz., in 1836, March 22 to April 9; 1843, May 14 to June 10; 1836, September 27 to October 15; 1841, September 21 to October 18; 1855, September 28 to October 17; 1840, October 26 to November 13; and 1841, November 26 to December 13. Of these the longest continuous rain was 28 days.

In looking over Tables I. to XII. it will be seen how, as a rule, the rain falls in gentle showers, and but seldom as very heavy rain. Falls of an inch in the day in the winter months are very unusual; in the 44 years there has been but one such fall in the months of January, March, and December, and there has not been a single instance in the month of February. The greatest fall in this month on one day was on the 25th day in the year 1849, when the amount was 0.92 inch. All the instances of an inch of rain in the day in the 44 years are as follows:—

-						In.	T 1				In.
January	7 11, 180	i6.			٠	1.00	July	15, 1841.	٠		1.46
\mathbf{M} arch	20, 18	32.				1.11	,,	24, 1849.			1.16
April	2, 18	30.				1.19	,,	1, 1851.			1.18
,, .	25, 18	£6.				1.40	,,	16, 1852.			1.60
May	13, 183	35 .				1.10	,,	11, 1855.			1.07
,,	5, 18	£3.				1.26	,,	26, 1855.			1.22
,,	12, 180	30 .				1.14	,,	28, 1860.			1.39
June	26, 183	35 .				1.00	"	25, 1867.			1.48
,,	9, 18	52 .				1.48	August	13, 1828.			1.14
3,7	4, 180	36 .				1.02	,,	10, 1842 .			1.06
July	22, 182	26.			٠	1.37	,,	3, 1843 .			1.03
,,	24, 182	29.				1.03	, ,,	1, 1846 .			1.23
,,	12, 183	31.		٠		1.10	,,	31, 1848.			1.31
9.5	18, 183	34.				1.22	,,	27, 1851.			1.32
2.2	29, 183	34.				1.31	,,	17, 1856.			1.12

				In.						In.
August	10, 1865			1.08	October	3, 1849				1.01
September	9, 1827			1.09	,,	4,1852	٠	٠		1.06
**	10, 1828			1.27	,,	22, 1857			٠	1.96
,,	1, 1831			1.50	November	7, 1833				1.02
,,	23, 1846			1.21	,,	28, 1838				1.21
,,	26, 1859		٠	1.68	,,	14, 1852				1.24
,,	28, 1862			1.44	,,	13, 1861				1.16
October	28, 1827			1.06	,,	27, 1869	٠			1.04
,,	12, 1831			1.00	December	23, 1833				1.13
,,	15, 1844			1.04						

Thus there are two instances in April; three in May; three in June; thirteen in July; eight in August; six in September; six in October; and five in November.

The heaviest fall of all is 1.96 in. in October, 1857.

By taking the sums of all the numbers in Tables I. to XII., month by month, Table XIII. was formed, showing the monthly fall of rain for 44 years; and by taking the sums of all the numbers, day by day, Table XIV. was formed, showing the sums of every fall of rain on every day of the year for 44 years: and by taking the sums of the numbers in Tables XIII. and XIV. the accuracy of all this work is proved.

By looking over Table XIII. month by month we see that-

•	J												In.
In	January,	1855,	the	fall	of	rain	in the	month	was	as	small	as	0.10
,,	,,	1866,			*	,,		,,			large	as	3.72
,,	February,	1832,				,,		,,			small	as	0.23
,,	,,	1833,				,,		,,			large	as	3.98
,,	March,	1850,				,,		,,			small	as	0.13
,,	,,	1862,				,,		,,			large	as	3.74
,,	April,	1840,				,,		,,			small	. as	0.06
,,	,,	1829,				,,		,,			large	as	4.49
,,	May	1844,				,,		,,			small	as	0.25
,,	,,	1843,				,,		,,			large	as	5.26
,,,	June,	1849,				,,		,,			small	as	0.31
,,	,,	1860,				"		,,			large	as	5.15
,,	July,	1864,				,,		,,			small	as	0.20
,,	,,	1834,				"		,,			large		
9 9.	August,	1835,				,,		,,			small	as	0.18
,,	,,,	1846,				,,		. 11			large		
,,	September,	1851,				,,		,,			small		
,,	,,	1835,				,,		,,			large		
,,	October,	1834,				,,		,,			small		
, ,	,,	$1865_{.}$,,		,,			large		
,,	November,	1858,				,,		,,			small		
,,	,,	1852,				,,		"			large		
,,	December,	1829,				,,		,,			small		
,,	>>	1868,				"		"			large	as	4.86

Therefore, the smallest monthly fall of rain, viz., 0.06 in., took place in April, 1840, and the largest, 6.34 in., in July, 1834.

TABLE XIII.

Showing the Monthly Fall of Rain in Forty-four Years (1826-1869 inclusive).

swns	21.83	22.36	27.85	21.92	24.25	26.93	21.59	25.82	20.39	23.16	28.73	19.88	21.57	27.93	18.87	30.62	12.22	2.5.48
Десел вев	1.77	60.8	1.77	0.15	1.54	2.38	1.88	4.29	0.74	0.25	1.48	1.35	1.72	2.32	0.45	2.12	94.0	0.58
NOVEMBER	2.89	1.06	1.12	1.86	3.05	1.70	1.94	2.38	1.75	1.94	3.60	1.32	3.55	4.27	3.59	3.41	4.43	3.08
Остовев	2.14	4.06	1.18	1.60	86.0	3.81	3.03	2.37	0.43	4 05	3.62	2.39	2.36	2.23	1.35	4.61	1.71	4:13
янаматча	3.71	3.37	4.03	3.71	3.21	4.19	1.12	1.55	0.83	4.60	3.81	0.91	2.08	3.92	2.45	3.71	3.39	1.31
August	2.00	1.66	4.35	4.07	3.05	1.59	3.62	1.93	2.73	0.18	1.97	3.01	1.23	1.85	1.62	2.69	2.81	1.81
יתרג	2.07	1.31	4.38	5.23	1.46	2.52	0.89	1.56	6.34	0.41	1.78	1.78	2.19	2.92	1.68	3.56	1.52	2.10
nne	0.38	0.85	1.94	2.37	2.62	1.37	2.89	2.63	1.63	1.99	1.66	1.31	3.65	3.00	1.48	2.45	1.58	76.0
, YAIÁ	2.39	2.24	1.40	0.52	2.47	2.21	2.16	89.0	1.19	3.38	1.01	1.07	0.95	0.82	2.18	2.16	1.73	0.95
личА	0.88	0.71	2.44	4.49	2.84	1.96	0.95	2.71	0.65	1.06	2.88	1.13	0.52	1.46	90.0	1.58	0.15	0.33
Мавсн	1.62	2.50	0.59	0.75	0.18	1.91	1.50	1.22	98.0	1.97	3.30	0.54	98.0	1.68	0.28	1.32	1.81	9.44
FEBRUARY	1.71	64.0	0.94	1.07	1.31	2.27	0.23	3.98	0.37	2.61	1.61	2.01	2.22	2.19	1.25	92.0	1.32	46.6
VANUVAL	0.27	0.15	3.71	0.30	1.54	1.02	1.32	0.52	2.87	0.72	2.01	3.03	0.57	1.27	2.48	.09.7	1.06	0.00.00
. иуяд	1826	1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	1840	1841	1842	1846

	23.33	12.22	19.91	28.87	22.87	18.28	01.00	6/07	25.23	18.02	36.76	25.15	21.06	16.78	27.2	80.02	10.48	26.54	20.32	26.92	20.92	16.36	+0.22	92.01	69.12		23.49
.00	19.7	.1.21	1.81	2.03	1.28	1.15	0.69	1.97	0.30	1.27	1.1.1	1.88	0.30	1.53	1.95	2.03	16.0	1.49	1.26	0.34	0.92	1.93	1.02	98.7	2.44	67.28	1.53
0.11	7.11	1.43	2.26	06.0	1.32	2.03	0.55	6-50	16:0	1.97	1.34	0.94	1.53	0.10	2.72	2.60	4.10	1.01	1.68	1.94	1.70	1.16	0.39	1.07	2.18	92.53	2.10
1.00.1	GO.T	5.54	1.75	2.93	2.18	1.55	2.01	2.00	3.78	2.61	6,15	2.40	4.01	1.36	2.55	1.60	1.04	3.00	1.56	1.42	6.25	2.00	1.41	1.93	1.17	115.76	2.63
1.7	7 7	1.76	1.66	2.50	2.49	2.36	0.42	3.54	2.41	0.58	1.15	1.99	3.52	1.05	4.05	2.83	1.78	2.74	3.47	2.81	0.58	4.04	2.31	1.88	3.72	109.98	2.50
9.40	617	4.50	1.50	4.70	1.60	26.0	2.03	3.71	1.87	1.77	1.45	9.20	2.80	1.46	2.49	4.16	0.50	2.40	1.96	1.59	3.64	2.69	2.55	2.37	1.32	105.83	2.41
9.91	101	1.78	62.0	2.21	2.85	2.68	3 90	2.58	4.17	2.40	6.30	1.43	1.22	2.55	2.18	2.72	1.90	2.09	08.0	0.50	2.37	1.30	4.00	1.32	0.80	102·19	2.32
1.96	000	08.0	1.31	3.20	0.31	1.40	1.33	4.69	2.54	1.53	1.48	0.88	1.91	0.78	3.10	5.15	2.35	2.33	4.46	1.70	1.84	3.60	1.37	0.33	1.26	87.37	1.99
08.6	0 0	1.30	1.59	0.28	3.53	1.84	0.74	1.74	1.60	4.03	1.94	4.38	28.0	2.05	1.80	3.04	1.31	3.54	1.46	1.95	3.19	1.17	2.05	1.05	2.76	86.19	1.96
0.05	000	9.89	0.95	3.06	2.21	1.79	1.65	0.52	2.58	0.30	0.56	1.97	1.77	2.13	2.01	0.95	1.44	2.29	0.9₹	22.0	0.35	1.98	1.67	0.03	1.22	66.61	1.51
1.95	00.1	1.09	0.41	3.05	0.85	0.13	3.57	0.25	1.48	0.42	1.75	26.0	0.73	88.0	0.77	1.63	1.89	3.74	89.0	2.53	0.02	1.65	1.97	0.93	98.0	60.23	1.37
26.0	1.4	14.1	1.34	3.12	2.52	0.95	06.0	1.06	0.59	0.78	1.35	0.62	0.31	1.48	1.29	1.20	1.41	0.38	0.56	92.0	1.63	3.80	1.33	0.95	1.98	63.67	1.45
2.97	0.00	7.00	1.31	1.16	1.73	1.43	3.07	2.72	2.14	1.92	0.10	1.76	5.03	0.41	0.61	2.18	0.85	1.53	2.19	0.92	3.20	3.72	2.16	1.64	1.98	75.88	1.72
1845	10,4	040	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	9981	1867	1868	1869	Sums .	Means

TABLE XIV.

Showing the sums of every Fall of Rain in every Day of the Year in Forty-four Years (1826-69 inclusive).

-		-								-						-
	D еселвек	1.97	2.73	1.38	2.28	2.34	2.90	3.42	2.64	2.05	0.01	2.32	1-87	1.15	-	1
	Хоуемвев	2.68	3.03	2.72	2.46	3.27	2.99	2.32	2.97	1.70	3.96	3 0 9	1-97	4.61		1
	Остовев	3.35	2.58	3.16	4.36	3.89	3.78	3.40	3.71	3.79	5.33	2.79	3.28	1.25		
	навматча8	4.01	2.78	3.28	2.61	1.69	5.37	62.2	4.6.1	68.9	4.27	3.35	5.56	2.16		
	TSTOUA	3.16	2.12	4.52	3.24	3.45	3.53	3.77	2.67	2.48	4.39	4.06	1.62	5.53		
`	nrx	4.09	1.04	3.38	1.47	2.54	2.89	2.38	2.81	2.99	2.40	3.62	2.98	3.24		0.00
	loxe	2.12	3.82	3.02	2.66	4.76	1.56	2.44	1.20	4.06	2.65	1.97	4.83	4.20		2011
	YAM	1.62	1.79	2.65	2.45	4.36	3.53	3.40	3.83	3.76	2.44	2.39	3.96	2.83	-	1:40
	,лия - А	2.56	3.42	1.39	2.30	2.58	1.29	2.54	2.81	2.81	1.17	2.11	2.84	1.69		2.70
	Иляки	2.31	2.23	2.42	1.51	2.21	1.65	1.44	1.06	1.97	2.11	1.90	1.79	2.33	200	2.86
	Т ЕВВОА В Т	2.30	2.85	2.63	2.86	2.49	88.0	2.40	2.74	2.21	1.95	2.76	1.73	1.60	1	1.21
	THAUZAL	1.75	1.01	2.50	2.33	2.46	2.05	2.74	98.0	2.17	1.85	4.50	4.80	2.86	10.1	2.20
	DAY OF	H	2	3	4	2	9	7	8	6	oi	II	12	13	1	1

	3.16	3.18	2.08	3.07	2.15	2.16	1.62	5.68	2.95	1.42	1.24	2.51	1.63	1.13	2.44	1.70	2.45	67.28	2.17
	1.99	2.03	2.67	2.88	2.48	1.60	4.43	3.50	90.8	2.93	2.46	3.90	4.18	5.17	4.58	2.63		92.53	3.08
	4.35	3.91	1.78	5.58	2.38	2.91	3.15	6.33	4.48	4.79	5.58	3.35	4.90	4.72	2.79	4.58	3.25	115.76	3.73
	2.77	3.06	4.00	4.79	3.16	2.62	3.61	3.20	3.63	4.09	1.87	60.9	4.82	6.19	3.65	3.26		109.98	3.67
	3.01	3.71	6.05	2,48	2.88	.2.05	3.47	3.30	4.24	1.73	3.21	2.48	3.21	1.58	2.05	5.66	3.99	105.83	3.41
	4.73	3.65	3.18	4.54	3.17	3.26	2.74	3.92	4.81	3.73	5.99	4.74	3.95	4.09	2.75	4.49	2.94	102·19	3.30
	2.35	2.14	3.48	2.03	3.17	2.20	4.09	2.30	2.24	2.78	3.94	3.03	2.34	3.03	1.30	3.11		87.37	2.91
Sest.	2.52	1.49	2.33	1.48	2.54	3.56	2.77	1.58	2.39	2.88	2.44	2.76	3.44	3.99	4.18	1.55	2.99	86·19	2.78
A STATE OF THE PERSON NAMED IN	1.93	2.75	1.47	1.93	1.08	2.23	1.38	2.58	3.41	2.90	3.98	1.20	2.33	2.33	2.59	1.19		66.61	22.2
- Charleston	1.72	2.85	2.02	0.95	1.37	3.32	1.34	1.44	2.47	06.0	2.00	0.84	1.77	2.83	1.35	2.07	2.17	60.23	1.94
- Andrew	1.96	1.21	1.91	1.28	2.32	2.94	1.80	1.53	2.14	2.88	2.64	4.18	1.90	2.66	(0.93)			29.69	2.24
10000	1.80	2.23	1.40	2.96	3.72	2.79	2.77	1.87	1.50	2.84	2.57	2.34	2.42	2.07	1.80	3.40	2.91	75.88	2.45
	15	91	17	81	6 I	0 7	2.1	22	23	24	25	56	27	28	29	30	31	Sums	Means

By taking the means of the numbers in each month for all the years, the average fall of rain for each month is as follows:—

At	Chiswi	ck.			At	Greenwich.
	In.					In.
January	1.70					1.87
February	1.45					1.57
March	1.37					1.59
April	1.51					1.73
May	1.96					2.17
June	1.99					1.94
July	2.32					2.56
August	2.41					2.39
September	2.50					2.43
October	2.63					2.77
November	2.10					2.36
December	1.53					1.96

Greenwich averages are for fifty-five years, viz. 1815–1869.

The following Table shows the yearly fall of rain in each year in the period 1826—1869 at Chiswick and at Greenwich for the same years:—

	Year.		(Chiswick.				G	reenwich.
				In.					In.
	1826			21.8					23.0
	1827		•	22.4					24.9
	1828			27.9					31.5
	1829			26.1					25.2
	1830			24.3					27.2
	1831			26.9					30.8
	1832			21.6					19.3
	1833			25.8			:		23.0
	1834			20.4	2				19.6
	1835			23.2					24.9
	1836			28.7					27.1
	1837			19.9					21.0
	1838			21.6					23.8
	1839			27.9					29.6
	1840			18.9					18.3
	1841			31.0					33.3
	1842			22.3					22.6
	1843			25.5					24.6
	1844			21.3					24.9
	1845			23.3					22.4
	1846			27.7					25.3
	1847			16.7					17.8
	1848			28.8					30.2
,	1849			22.8					23.7
	1850			18.3					19.7
	1851			20.8					22.7
	1852			32.6					34.2

Year.		Chiswick			(Greenwich.
		In.				In.
1853		24.4				29.0
1854		18.9				18.7
1855		$24 \cdot 4$				21.1
1856		22.7				$22 \cdot 2$
1857		21.1				21.4
1858		15.8				17.8
1859		25.5				25.9
1860		30.1				32.0
1861		19.5				20.3
1862		26.5				26.5
1863		20.3	,			19.8
1864		16.9				16.8
1865		26.9				28.6
1866		29.0				30.1
1867		22.2				28.5
1868		19.3				25.2
1869		21.7		·	·	24.0
						0

The years distinguished by the smallest annual fall of rain, both at Chiswick and Greenwich, are 1847, and 1864. The least annual rainfall at Chiswick was 15.8 inches, the year 1858. The greatest annual rainfall at Chiswick was 32.6 inches, the year 1852. By comparing the falls of rain at Chiswick and Greenwich together, year by year, we see that generally the fall at Greenwich is the greater in amount, and this excess at times has continued for several years together. These instances are:—

								In.
From	1826	to	1828, the	e excess in	3	years	was	$7 \cdot 3$
,,	1837	to	1839,	,,	3	years	was	5.0
9.22	1847	to	1853,	,,	7	years	was	12.9
,,	1857	to	1861,	,,	5	years	was	5.4
,,	1865	to	1869,	,,	\tilde{b}	years	was	17.3

There is reason to fear that the rainfall at Chiswick in the last three or four years has been somewhat too small in amount.

At times, however, it has been greater at Chiswick than at Greenwich. These instances are:—

```
The year 1829.
```

- " years 1832, 1833, and 1834.
- "years 1836, 1840, 1843, 1845, 1846, 1854, 1855, 1856, 1863, and 1864.

One year the amounts were the same, viz., in 1862. There are twentynine instances of Greenwich being in excess; and fourteen of Chiswick being in excess.

The mean at Chiswick is 23.5 inches, and ,, Greenwich is 24.5 inches,

as the annual fall of rain, as found from the observations 1826 to 1869.

By comparing the numbers in Table XIV. month by month we see that:—

					In.					In.				
$_{\rm In}$	January 1	he sums	vary	from	0.86	on th	ıе	8th	to	4.80	on	the	12th	
,,	February	,,	,	,	0.88	,,		6th	,,	4.18	,	,	26th	
,,	March	11	,,		0.84	,,		26th	,,	3.89	,	,	14th	
,,	April	,,	,	,	1.08	"		19th	,,	3.98		,	25 th	
,,	May	,,	,,		1.48	,,		18th	,,	4.36	,	,	5th	
,,	June	,,,	,	,	1.20	,,		8th	,,	4.83	,	,	12th	
,,	July	,,	,,		1.04	,,		2nd	,,	4.81	,	,	23rd	
,,	August	"	,	,	1.58	: ;		28 th	,,	6.05	,	, .	17th	
,,	September	r ,,	,	,	1.69	,,		5th	,,	6.19	,	,	28th	
	October	,,	,		1.25	,,		13th	,,	6.33	,	,	22nd	
,,	November	, ,,	,,		1.60	,,		20th	,,	5.17	,	,	28th	
,,	December	,,	. ,,		0.91	,,		10th	,,	3.42	,	,	7th	

By taking the differences between these extremes in each month, we find that the smallest difference is in December, viz., 2.51 in., and the largest in October, viz., 5.08 in.

By comparing the consecutive numbers in Table XIV. together very large differences are found, the largest of these in each month are as follows:—

			-							In.
In	January	between	the 10th	and	11th	days,	the	difference	is	2.65
,,	February	. ,,	26th	٠,,	27th		,,	,,		2.28
,,	March	,,	14th	٠,,	15 th		,,	,,		2.17
,,	April	,,	25th	٠,,	26 th		,,	,,		2.78
,,	May	,,	29th	٠,,	30 th		,,	,,		2.63
,,	June	,,	5tł	ι,,	6th		,,	, 1		3.20
,,	July	,,	1st	,,	2nd		,,	,,		3.05
,,	August	,,	12th	,,	13th		,,	,,		3.91
,,	Septembe	er ,,	$25 \mathrm{th}$	٠,,	26 th		,,	,,		4.22
99	October	,,	17th	,,	18 th		,,	,,		3.80
,,	Novembe	r ,,	20th	٠,,	21st		,,	,,		2.83
"	Decembe:	· ,,	23rd	,,	24th		,,	,,		1.53

By comparing the amounts of the falls at different periods of the year, it is at once seen that the heaviest take place in the months of May to November, and the lightest in the early months of the year. The day in the year distinguished by the smallest fall is March 26, with 0.84 in. for 44 years, the next in order being January 8 and February 6. The day distinguished by the heaviest fall of the year is October 22, with 6.33 in. as the sum for 44 years; the next in order are September 28 and September 26, with 6.19 in. and 6.09 in. respectively.

By taking the sums of the numbers in Table XIV. in five-day periods

Table XV. was formed. On looking over this Table, we still find considerable differences in every month of the year, and that the sum of five-day periods vary.

40	-						
			In.			In.	
In	January	from	9.67	6th to	10th, to	16.57	11th to 15th
,,	February	,,	8.68	15th "	19th, ',,	13.69	25th " March 1st
,,	March	,,	7.65	22nd "	26th, "	12.58	12th ,, 16th
29	April	,,	9.46	16th "	20th, "	14.25	21st ,, 25th
,,	May	,,	11.40	16th ,,	20th, ,,	16.96	6th " 10th
,,	June		13.61				10th " 14th
,,	July	,,	13.09 June	30th "	4th, "	19.27	15th " 19th
,,	August	,,	12.21	24th ,,	28th, ,,	20.49	14th " 18th
,,	Septembe	r "	15.74	3rd "	7th, ,,	20.71	8th " 12th
,,	October	,,	13.86	13th "	17th, "	23.10	23rd " 27th
,,	Novembe:	r ,,	14.04	7th ,,	11th, ,,	18.53	27th " Dec. 1st
	December	·	9.35	27th	31st	11.63	2nd 6th

60

TABLE XV.
Showing the Sum of Bainfall in Five-day Periods.

The sums of the falls of rain in five day-periods, therefore, exhibit very considerable differences in every month; the smallest is in December, viz., 2.26 in., and the largest is in October, 9.24 in.; they are also large in January, July, and August.

The mean difference of the four months January, July, August, and October is 7.63 in., and of the remaining eight months is 4.35 in.

The five-day period distinguished by the least rain in the year is from March 22 to 26; and that by the greatest is October 23 to 27; the difference between the two amounts is 15:45 in 44 years.

By taking the numbers in Table XIV. in successive ten-day groups the next Table was formed.

TABLE XVI.

Showing the Sum of Rainfall in Ten-day Periods.

		1	
January 1-10	19.72	June 30 to July 9	26.70
,, 11–20	29.67	July 10–19	34.19
,, 21–30	23.58	,, 20–29	36.98
January 31 to February 9	24.27	July 30 to August 8 .	36.94
February 10–19	18.71	August 9 to 18	38.57
February 20 to March 1 .	24.98	,, 19–28	38.15
March 2-11	18.50	August 29 to September 7	32.13
,, 12–21	21.58	September 8–17	36.47
,, 22-31	17.84	.,, 18–27	37.88
April 1-10	22.87	September 28 to October 7	37.32
,, 11–20	19.85	October 8-17	32.75
,, 21–30	23.89	,, 18–27	43.45
May 1-10	29.83	October 28 to November 6	32.55
,, 11-20	25.39	November 7–16	28.85
,, 21–30	27.98	,, 17–26	29.91
May 31 to June 9	28.63	November 27 to December 6	30.16
June 10-19	30.47	December 7-16	22.45
,, 20–29	28.15	,, 17–26	21.88
		<u> </u>	

The differences between these numbers are at times great; in January the sum, in the first ten days is less than in the second by 10·0 in. From this time the differences are generally small, with the exception of that between the period ending July 9 and that ending July 19, which is 7·5 in., till between the ten-day period ending October 17 and that ending October 27, the difference being 10·7 in., and also between

the period ending October 27 and that ending November 6, the difference on this occasion being 10.9 in., this also being the largest difference in the year.

The period of least changes, generally, between consecutive ten-day periods, extends from July 19 to October 7; but the driest ten-day period, however, does not occur in this interval, it being from March 22 to 31; the next in order is March 2 to 11, and then February 10 to 19.

The wettest period of ten consecutive days in the year is from October 18 to 27. The other periods of large falls are August 9 to 18, August 19 to 28, and September 18 to 27.

It is worthy of notice that both the driest and wettest decades are coincident in date with those as found in the reduction of the Greenwich observations.

By taking the sums in fifteen-day periods the next Table was formed.

TABLE XVII.

Showing the Sum of Rainfall in Fifteen-day Periods.

January 1–15	36·29 36·68 34·30 33·66 31·08	June 30 to July 14 July 15–29 July 30 to August 13 . August 14 28 August 29 to September 12	41.62 · 56.25 · 55.02 48.64 52.84
March 2-16	31·08 26·84	August 29 to September 12 September 13–27	52·84 53·64
April 1–15	33·26 33·35	September 28 to October 12 October 13-27	56·21 57·31
May 1–15	43·82 39·38	October 28 to November 11 November 12–26	46·59 44·72
May 31 to June 14 June 15–29	45·04 42·21	November 27 to December 11 December 12–26	41·50 32·99

The differences between these numbers are occasionally large. Between the periods ending April 30 and May 15 the difference is 10·5 in.; between those ending July 14 and July 29, 14·6 in.; and between those ending October 27 and November 11, 10·7 in.

The fifteen-day period of least rain is from March 17 to 31, and the next in order is from March 2 to 16.

The period of most rain is October 13 to 27, and the next in order is July 15 to 29, and September 28 to October 12.

By taking the sums of rain in successive periods of thirty days, we find that the sum—

						In.
From	January	1st to	January	30 th	was	72.97
,,	,,	31st "	March	1st	,,	67.96
,,	March	2nd ,,	,,	31st	,,	57.92
29	April	1st "	April	30 th	,,	66.61
,,	May	1st "	May	30 th	,,	83.20
"	,,	31st "	June	29 th	,,	87.25
,,	June	30th "	July -	29th	,,	97.87
,,	July	30th "	August	28th	,,	103.66
,,,	August	29th "	September	27th	,,	106.48
,,	September	28th ,,	October	$27 \mathrm{th}$,,	113.52
,,	October	28th "	November	26 th	,,	91.31
"	${\bf November}$	27th ,,	December	26th	,,	74.49

From this we see that the period of thirty consecutive days of least fall of rain is from March 2 to 31, and of the greatest, from September 28 to October 27.

By taking the sums of the amounts of rain which fell on every day, in periods of sixty days, we find that the sum—

							In.
From	January	1st	to	March	1st	was	140.93
,,	March	2nd	,,	April	$30 \mathrm{th}$,,	124.53
,,	May	1st	,,	June	$29 \mathrm{th}$,,	170.45
,,	June	30th	,,	August	28th	"	201.53
,,	August	$29 \mathrm{th}$,,	October	27 th	,,	220.00
,,	October	28th	,,	December	26 th	,,	165.80

The period of least fall of sixty days' duration was from March 2 to April 30, and of the greatest from August 29 to October 27.

Again, by taking periods of successive ninety days, we see that the sum—

```
From January 1st to March 31st was 198·85
, April 1st , June 29th , 237·06
, June 39th , September 27th , 308·01
, September 28th , December 26th , 279·32
```

But the sum of the falls in the ninety days from January 31 to April 30, was 192.5 in., being smaller than in the period from January 1 to March 31; and the sum of the falls in the ninety days September 8 to December 6, was 309.3 in., being larger than in the ninety days June 30 to September 27.

Taking successive periods of 120 days, the sums of the falls are:-

From January 1st to April 30th was 265·46

" May 1st " August 28th " 371·98

" August 29th " December 26th " 385·80

But these sums do not represent the 120 days of greatest rain, the sum of the falls from July 30 to November 26 being 415.0 in.; and that from June 30 to October 27 is 421.5 in., which represents the greatest in the year.

Collecting together the several periods of least rain, we find that-

$Th\epsilon$	5-day	period of	least rain was	from March	22nd	to	March	26th
,,	10	,,	,,	,,	22nd	,,	,,	31st
,,	15	,,	,,	"	17th	,,	,,	31st
,,	30	,,	,,	,,	2nd	,,	"	31st
,,	60	,,	.,,	_ ,,	2nd	,,	April	30 th
,,	90	"	,,	January	31st	,,	"	30 th
,,	120	,,	1,1	,,	1st	2.2	11	30th

Thus, all the periods of least falls of rain take place within the first 120 days of the year.

In like manner, collecting the periods of heaviest falls, we find that:

The	5-day	period of heaviest	rain was	${\bf from}$	October	23rd	to	October	27th
,,	10	"	- ,,		,,	18th	,,	,,	27th
,,	15	,,	,,,		,,	13th	,,	,,	27th
,,	30	**	11		September	28th	,,	"	27th
,,	60	**	,,		August	29th	,,	"	27th
,,	90	,,	,,		July	30 th	,,	2,2	27th
,,	120	**	,,		June	30th	,,	,,	27th

Thus, all the periods of heaviest rains take place in the period from June 30 to October 27.

By taking the means of the numbers in Table XIV. in each month, we find that the average sums of the falls of rain in 44 years:—

Tn	Lannany				9.45	inahaa	mon don
111	January				2 40	menes	per day
,,	February				2.24	,,	,,
,,	March				1.94	,,	,,
,,	April				2.22	,,	,,
"	May				2.78	,,	,,
,,,	June,				2.91	,,	,,
,,	July				3.30	,,	,,
,,	August				3.41	,,	"
,,	September		•		3.67	22	,,
,,	October				3.73	,,	,,
,,	November				3.08	,,	,,
,,	December				2.17	,,	2.9

And by dividing these numbers by 44, we find the average fall per day in each month as follows:—

In	January				.056	inch	per day
,,	February				.051	21	,,
	March				.044		





Diagram showing the amount of Rainfall at Chiswick in successive Periods of ten days from all the years 1826 to 1869.



Spokiswoode & C. Lith, London.

Note. The first point in the curve shows the total amount of run which fell in 44 years, between Tany 1 and Tany 10, and the second point that of the second 10 days and so on for successive periods of 10 days.

In	April				.050	inch	per day
,,	May				.063	,,	,,
,,	June				.066	,,	,,
,,	July				.075	22	,,
,,	August				.078	,,	,,
,,	September				.083	,,	,,
,,	October				.085	,,	,,
,,	November				.070	,,	"
,,	December				.049	,,	,, .

The average rainfall in the first 120 days, being those of least rain, is 0.05 in. per day; and in the period, June 30 to October 27, being those of the greatest rain, is 0.08 in. per day.

By taking the sums of the falls of rain in the several periods of least and greatest falls, and dividing the sums by the numbers as follows:—in the

			In.		In.
5	days of least	falls the sum	was 7.65	or, per day	, 1.53
10	,,	,,	17.84	,,	1.78
15	,,	,,	26.84	,,	1.79
30	,,	,,	57.92	** ·	1.93
60	,,	,,	124.53	,,	2.08
90	,,	,,	198.85	,,	2.21
120	90	3.5	265.46	,,	2.21

and of

			In.		In.
5 days of	greatest	falls the sum was	23.10	or, per day,	4.62
10	,, .	. ,,	43.45	**	4.35
15	>>	,, .	57.31	,,	3.82
30	,,	**	113.52	5.5	3.78
60	49	,,	220.00	**	3.67
90	,,	**	308.01	,,	3.42
120	,,	,,	421.53	39	3.51

If we divide the numbers in the last column by 44, we find that the average fall per day in the

. 5	days c	of I	least	rain	was	In035,	and	of the	greatest	In. was '105
10	· ·	,,		,,		.040,		,,	,,	.099
15		,,		17		·041,		,,	,,	.087
30		,,		,,		.044,		,,	,,	.086
60		,,		57		.047,		,,	,,	.083
90		,,		,,		.050,		,,	,,	.078
120		12		11		.050,		11	**	.080

Laying down the results as found by the ten-day period, the diagram opposite shows the general run of the rainfall for the year.

The minimum, as observed, appears between the 80th and 90th days of the year, and the maximum between the 290th and 300th days, and these are the same days as found at Greenwich.

By drawing a line through the curve, giving equal weight to every point, the dotted curved line is drawn: if we consider this to represent the annual march of the fall of rain, it seems that the minimum is from the 80th to the 90th days; that it increases gradually, but with checks, to a maximum about the 220th day, decreases a little after this, attains the maximum between the 290th and 300th days; then rapidly decreases towards the end of the year, when a secondary minimum takes place, and increases to a winter maximum about the middle of January, agreeing in all its main characters with the results as found at Greenwich from fifty-five years' observations.

LONDON: PRINTED BY
SPOTTISWOODE AND CO., NEW-STREET SQUARE
AND PARLIAMENT STREET



